The University of the State of New York

#### **REGENTS HIGH SCHOOL EXAMINATION**

# MATHEMATICS A

**Tuesday,** August 13, 2002 — 8:30 to 11:30 a.m., only

Print Your Name:			
Print Your School's N	Name:		

Print your name and the name of your school in the boxes above. Then turn to the last page of this booklet, which is the answer sheet for Part I. Fold the last page along the perforations and, slowly and carefully, tear off the answer sheet. Then fill in the heading of your answer sheet.

Scrap paper is not permitted for any part of this examination, but you may use the blank spaces in this booklet as scrap paper. A perforated sheet of scrap graph paper is provided at the end of this booklet for any question for which graphing may be helpful but is not required. Any work done on this sheet of scrap graph paper will *not* be scored. All work should be written in pen, except graphs and drawings, which should be done in pencil.

This examination has four parts, with a total of 35 questions. You must answer all questions in this examination. Write your answers to the Part I multiple-choice questions on the separate answer sheet. Write your answers to the questions in Parts II, III, and IV directly in this booklet. Clearly indicate the necessary steps, including appropriate formula substitutions, diagrams, graphs, charts, etc.

When you have completed the examination, you must sign the statement printed at the end of the answer sheet, indicating that you had no unlawful knowledge of the questions or answers prior to the examination and that you have neither given nor received assistance in answering any of the questions during the examination. Your answer sheet cannot be accepted if you fail to sign this declaration.

Notice. . .

A minimum of a scientific calculator, a straightedge (ruler), and a compass must be available for your use while taking this examination.

DO NOT OPEN THIS EXAMINATION BOOKLET UNTIL THE SIGNAL IS GIVEN.

#### Part I

Answer all questions in this part. Each correct answer will receive 2 credits. No partial credit will be allowed. Record your answers in the spaces provided on the separate answer sheet. [40]

1 On a map, 1 centimeter represents 40 kilometers. How many kilometers are represented by 8 centimeters?

Use this space for computations.

- (1) 5 (3) 280
- $(2) \ 48 \qquad (4) \ 320$
- **2** In the accompanying diagram of parallelogram *ABCD*, diagonals  $\overline{AC}$  and  $\overline{DB}$  intersect at *E*, AE = 3x 4, and EC = x + 12.



What is the value of x?

(1)	8	(3) 2	0
(2)	16	$(4) \ 4$	0

**3** What is the total number of points equidistant from two intersecting straight roads and also 300 feet from the traffic light at the center of the intersection?

(1)	1	(3) 3
(2)	2	$(4) \ 4$

**4** Juan has three blue shirts, two green shirts, seven red shirts, five pairs of denim pants, and two pairs of khaki pants. How many different outfits consisting of one shirt and one pair of pants are possible?

(1)	19	(3) 130
(2)	84	(4) 420

**5** Given the statement: "If two lines are cut by a transversal so that the corresponding angles are congruent, then the lines are parallel."

Use this space for computations.

What is true about the statement and its converse?

- (1) The statement and its converse are both true.
- (2) The statement and its converse are both false.
- (3) The statement is true, but its converse is false.
- (4) The statement is false, but its converse is true.

**6** If the area of a square garden is 48 square feet, what is the length, in feet, of one side of the garden?

- (1)  $12\sqrt{2}$  (3)  $16\sqrt{3}$
- (2)  $4\sqrt{3}$  (4)  $4\sqrt{6}$
- 7 The sum of  $\frac{3}{x} + \frac{2}{5}$ ,  $x \neq 0$ , is
  - (1)  $\frac{1}{x}$  (3)  $\frac{5}{x+5}$ (2)  $\frac{2x+15}{5x}$  (4)  $\frac{2x+15}{x+5}$

#### 8 The number 0.14114111411114...is

(1) integral(2) rational(3) irrational(4) whole

**9** When  $-2x^2 + 4x + 2$  is subtracted from  $x^2 + 6x - 4$ , the result is

(1)  $-3x^2 - 2x + 6$ (2)  $-x^2 + 10x - 2$ (3)  $2x^2 - 2x - 6$ (4)  $3x^2 + 2x - 6$ 

**10** If 0.0347 is written by a scientist in the form  $3.47 \times 10^n$ , the value of *n* is

- (1) -2 (3) 3
- (2) 2 (4) -3

**11** If x = -2 and y = -1, which point on the accompanying set of axes represents the translation  $(x,y) \rightarrow (x + 2, y - 3)$ ?

Use this space for computations.



12 In the accompanying diagram, which transformation changes the solidline parabola to the dotted-line parabola?



(1) translation(2) line reflection, only

(3) rotation, only(4) line reflection or rotation

Math. A – Aug. '02

**13** How many times larger than  $\frac{1}{4}x$  is 5x?

- (1) 20 (3)  $\frac{5}{4}$
- (2) 9 (4)  $\frac{4}{5}$

**14** If the lengths of two sides of a triangle are 4 and 10, what could be the length of the third side?

- (1) 6 (3) 14
- (2) 8 (4) 16

### 15 Which piece of paper can be folded into a pyramid?







(4)

Use this space for computations.

16 What is the measure of the largest angle in the accompanying triangle?

Use this space for computations.



**17** *M* is the midpoint of  $\overline{AB}$ . If the coordinates of *A* are (-1,5) and the coordinates of *M* are (3,3), what are the coordinates of *B*?

(1)	(1,4)	(3) (7,1)
(2)	(2,8)	(4) $(-5,7)$

#### **18** If 2m + 2p = 16, *p* equals

(1)	8-m	(3)	16 + 2m
(2)	16 - m	(4)	9m

**19** If 2x + 5 = -25 and -3m - 6 = 48, what is the product of x and m? (1) -270 (2) -33 (3) 3 (4) 270

**20** In the graph of  $y \leq -x$ , which quadrant is completely shaded?

					- >	
(	1	) [		(	3)	Ш

(2) II (4) IV

#### Part II

Answer all questions in this part. Each correct answer will receive 2 credits. Clearly indicate the necessary steps, including appropriate formula substitutions, diagrams, graphs, charts, etc. For all questions in this part, a correct numerical answer with no work shown will receive only 1 credit. [10]



22	In the addition table number is the inver	e for a s se of 3'	subs ? Ex	et of plai	f rea n yo	l nui ur ai	nbers shown below, which nswer.
		$\oplus$	1	2	3	4	
		1	2	3	4	1	
		2	3	4	1	2	
		3	4	1	2	3	
		4	1	2	3	4	
23	An image of a build	ding in	a	phot	ogra	ph i	s 6 centimeters wide and
	11 centimeters tall. the actual building i	If the s 174 r	ima nete	ge is ers w	s sim ride	ilar how	to the actual building and z tall is the actual building
	in meters?				,		
1							

24	A doughnut shop charges \$0.70 for each doughnut and \$0.30 for a carryout box. Shirley has \$5.00 to spend. At most, how many doughnuts can she buy if she also wants them in one carryout box?
25	In bowling leagues, some players are awarded extra points called their "handicap." The "handicap" in Anthony's league is 80% of the difference between 200 and the bowler's average. Anthony's average is 145. What is Anthony's "handicap"?

#### Part III

Answer all questions in this part. Each correct answer will receive 3 credits. Clearly indicate the necessary steps, including appropriate formula substitutions, diagrams, graphs, charts, etc. For all questions in this part, a correct numerical answer with no work shown will receive only 1 credit. [15]

96	In a talaphone survey of 100 households 32 households nurshased
20	The a telephone survey of 100 households, 52 households putchased
	Brand A cereal and 45 purchased Brand B cereal. If 10 households
	purchased both items, how many of the households surveyed did <i>not</i>
	murchase either Brond A or Brond B correll?
	purchase entire brand A of brand B cerean
27	7 Tamika could not remember her scores from five mathematics tests. She
27	7 Tamika could not remember her scores from five mathematics tests. She did remember that the mean (average) was exactly 80, the median was
27	<sup>7</sup> Tamika could not remember her scores from five mathematics tests. She did remember that the mean (average) was exactly 80, the median was
27	<sup>7</sup> Tamika could not remember her scores from five mathematics tests. She did remember that the mean (average) was exactly 80, the median was 81, and the mode was 88. If all her scores were integers with 100 the
27	<sup>7</sup> Tamika could not remember her scores from five mathematics tests. She did remember that the mean (average) was exactly 80, the median was 81, and the mode was 88. If all her scores were integers with 100 the highest score possible and 0 the lowest score possible, what was the
27	Tamika could not remember her scores from five mathematics tests. She did remember that the mean (average) was exactly 80, the median was 81, and the mode was 88. If all her scores were integers with 100 the highest score possible and 0 the lowest score possible, what was the <i>lowest</i> score she could have received on any one test?
27	Tamika could not remember her scores from five mathematics tests. She did remember that the mean (average) was exactly 80, the median was 81, and the mode was 88. If all her scores were integers with 100 the highest score possible and 0 the lowest score possible, what was the <i>lowest</i> score she could have received on any one test?
27	Tamika could not remember her scores from five mathematics tests. She did remember that the mean (average) was exactly 80, the median was 81, and the mode was 88. If all her scores were integers with 100 the highest score possible and 0 the lowest score possible, what was the <i>lowest</i> score she could have received on any one test?
27	Tamika could not remember her scores from five mathematics tests. She did remember that the mean (average) was exactly 80, the median was 81, and the mode was 88. If all her scores were integers with 100 the highest score possible and 0 the lowest score possible, what was the <i>lowest</i> score she could have received on any one test?
27	Tamika could not remember her scores from five mathematics tests. She did remember that the mean (average) was exactly 80, the median was 81, and the mode was 88. If all her scores were integers with 100 the highest score possible and 0 the lowest score possible, what was the <i>lowest</i> score she could have received on any one test?
27	Tamika could not remember her scores from five mathematics tests. She did remember that the mean (average) was exactly 80, the median was 81, and the mode was 88. If all her scores were integers with 100 the highest score possible and 0 the lowest score possible, what was the <i>lowest</i> score she could have received on any one test?
27	Tamika could not remember her scores from five mathematics tests. She did remember that the mean (average) was exactly 80, the median was 81, and the mode was 88. If all her scores were integers with 100 the highest score possible and 0 the lowest score possible, what was the <i>lowest</i> score she could have received on any one test?
27	7 Tamika could not remember her scores from five mathematics tests. She did remember that the mean (average) was exactly 80, the median was 81, and the mode was 88. If all her scores were integers with 100 the highest score possible and 0 the lowest score possible, what was the <i>lowest</i> score she could have received on any one test?
27	Y Tamika could not remember her scores from five mathematics tests. She did remember that the mean (average) was exactly 80, the median was 81, and the mode was 88. If all her scores were integers with 100 the highest score possible and 0 the lowest score possible, what was the <i>lowest</i> score she could have received on any one test?
27	Y Tamika could not remember her scores from five mathematics tests. She did remember that the mean (average) was exactly 80, the median was 81, and the mode was 88. If all her scores were integers with 100 the highest score possible and 0 the lowest score possible, what was the <i>lowest</i> score she could have received on any one test?
27	Y Tamika could not remember her scores from five mathematics tests. She did remember that the mean (average) was exactly 80, the median was 81, and the mode was 88. If all her scores were integers with 100 the highest score possible and 0 the lowest score possible, what was the <i>lowest</i> score she could have received on any one test?
27	7 Tamika could not remember her scores from five mathematics tests. She did remember that the mean (average) was exactly 80, the median was 81, and the mode was 88. If all her scores were integers with 100 the highest score possible and 0 the lowest score possible, what was the <i>lowest</i> score she could have received on any one test?
27	7 Tamika could not remember her scores from five mathematics tests. She did remember that the mean (average) was exactly 80, the median was 81, and the mode was 88. If all her scores were integers with 100 the highest score possible and 0 the lowest score possible, what was the <i>lowest</i> score she could have received on any one test?
27	Tamika could not remember her scores from five mathematics tests. She did remember that the mean (average) was exactly 80, the median was 81, and the mode was 88. If all her scores were integers with 100 the highest score possible and 0 the lowest score possible, what was the <i>lowest</i> score she could have received on any one test?
27	Tamika could not remember her scores from five mathematics tests. She did remember that the mean (average) was exactly 80, the median was 81, and the mode was 88. If all her scores were integers with 100 the highest score possible and 0 the lowest score possible, what was the <i>lowest</i> score she could have received on any one test?
27	Tamika could not remember her scores from five mathematics tests. She did remember that the mean (average) was exactly 80, the median was 81, and the mode was 88. If all her scores were integers with 100 the highest score possible and 0 the lowest score possible, what was the <i>lowest</i> score she could have received on any one test?
27	Tamika could not remember her scores from five mathematics tests. She did remember that the mean (average) was exactly 80, the median was 81, and the mode was 88. If all her scores were integers with 100 the highest score possible and 0 the lowest score possible, what was the <i>lowest</i> score she could have received on any one test?
27	Y Tamika could not remember her scores from five mathematics tests. She did remember that the mean (average) was exactly 80, the median was 81, and the mode was 88. If all her scores were integers with 100 the highest score possible and 0 the lowest score possible, what was the <i>lowest</i> score she could have received on any one test?
27	Y Tamika could not remember her scores from five mathematics tests. She did remember that the mean (average) was exactly 80, the median was 81, and the mode was 88. If all her scores were integers with 100 the highest score possible and 0 the lowest score possible, what was the <i>lowest</i> score she could have received on any one test?
27	Y Tamika could not remember her scores from five mathematics tests. She did remember that the mean (average) was exactly 80, the median was 81, and the mode was 88. If all her scores were integers with 100 the highest score possible and 0 the lowest score possible, what was the <i>lowest</i> score she could have received on any one test?

**28** There are 28 students in a mathematics class. If  $\frac{1}{4}$  of the students are called to the guidance office,  $\frac{1}{3}$  of the remaining students are called to the nurse, and, finally,  $\frac{1}{2}$  of those left go to the library, how many students remain in the classroom?

**29** On a bookshelf, there are five different mystery books and six different biographies. How many different sets of four books can Emilio choose if two of the books must be mystery books and two of the books must be biographies?

Τ										
_										
	<u> </u>									
<u> </u>	<u> </u>									
<u> </u>	<u> </u>									
<u> </u>	<u> </u>									
 +	<u> </u>									
 +	<u> </u>									
+	─									
 +										
 +	─									
+	<u> </u>					 				
 +	–									
 +	<u> </u>					 				

#### Part IV

Answer all questions in this part. Each correct answer will receive 4 credits. Clearly indicate the necessary steps, including appropriate formula substitutions, diagrams, graphs, charts, etc. For all questions in this part, a correct numerical answer with no work shown will receive only 1 credit. [20]



32	A rectangular park is three blocks longer than it is wide. The area of the park is 40 square blocks. If $w$ represents the width, write an equation in terms of $w$ for the area of the park. Find the length and the width of the park.
33	Tanisha and Rachel had lunch at the mall. Tanisha ordered three slices of pizza and two colas. Rachel ordered two slices of pizza and three colas. Tanisha's bill was \$6.00, and Rachel's bill was \$5.25. What was the price of one slice of pizza? What was the price of one cola?



<b>5</b> Determine	e the	e dis	stan	ce b	oetw	reen	po	int .	A(-	1,–3	) ar	nd p	oint	t B(	5,5)	).			
Write an e	quat nany	ion ing	of t oric	he p Lis (	oerp ontig	end mal	icul 1	ar b	isec	etor	of Z	$\overline{AB}$ .	[Th	le u	se o	of			
	Puily	8	5110	. 10 (	per	911 <b>u</b> 1	•]												
				-														1	



### Scrap Graph Paper — This sheet will *not* be scored.

Tear Here

Tear Here

### Scrap Graph Paper — This sheet will *not* be scored.



	The University of the	e State of New Tork							
	REGENTS HIGH SCH	OOL EXAMINATION							
	MATHEM	ATICS A							
	Tuesday, August 13, 2002 -	— 8:30 to 11:30 a.m., only							
	ANSWER	SHEET							
Student		Sex: 🗆 Male 🗆 F	emale Grade						
Teacher		School							
Your answers to Part I should be recorded on this answer sheet. Part I Answer all 20 questions in this part.									
1	6	11	16						
2	7	12	17						
3	8	13	18						
4	9	14	19						
5	10	15	20						

C .1

C . .

C 31

1

Your answers for Parts II, III, and IV should be written in the test booklet.

The declaration below should be signed when you have completed the examination.

I do hereby affirm, at the close of this examination, that I had no unlawful knowledge of the questions or answers prior to the examination and that I have neither given nor received assistance in answering any of the questions during the examination.

Signature

Tear Here

Tear Here

	MATHEMATICS A								
Questi	on	Maximum Credit	Credits Earned	Rater's/Scorer's Initials					
Part I 1	-20	40							
Part II	21	2							
	22	2							
	23	2							
	24	2							
	25	2							
Part III	26	3							
	27	3							
	28	3							
	29	3							
	30	3							
Part IV	31	4							
	32	4							
	33	4							
	34	4							
	35	4							
Maximu	ım	85							
iotal			Total Raw Score	Checked by					

Tear Here

Tear Here

Notes to raters. . .

- Each paper should be scored by a minimum of three raters.
- The table for converting the total raw score to the scaled score is provided in the scoring key for this examination.
- The scaled score is the student's final examination score.

FOR TEACHERS ONLY

#### The University of the State of New York

#### **REGENTS HIGH SCHOOL EXAMINATION**

## **MATHEMATICS A**

Tuesday, August 13, 2002 — 8:30 to 11:30 a.m., only

### **SCORING KEY**

#### **Mechanics of Rating**

The following procedures are to be followed for scoring student answer papers for the Mathematics A examination. More detailed information about scoring is provided in the publication *Information Booklet for Administering and Scoring the Regents Examinations in Mathematics A and Mathematics B*.

Use only *red* ink or *red* pencil in rating Regents papers. Do *not* attempt to correct the student's work by making insertions or changes of any kind. Use checkmarks to indicate student errors.

Unless otherwise specified, mathematically correct variations in the answers will be allowed. Units need not be given when the wording of the questions allows such omissions.

Each student's answer paper is to be scored by a minimum of three mathematics teachers. On the back of the student's detachable answer sheet, raters must enter their initials in the boxes next to the questions they have scored and also write their name in the box under the heading "Rater's/Scorer's Name."

Raters should record the student's scores for all questions and the total raw score on the student's detachable answer sheet. Then the student's total raw score should be converted to a scaled score by using the conversion chart printed at the end of this key. The student's scaled score should be entered in the box provided on the student's detachable answer sheet. The scaled score is the student's final examination score.

#### Part I

Allow a total of 40 credits, 2 credits for each of the following. Allow credit if the student has written the correct answer instead of the numeral 1, 2, 3, or 4.

(1) 4	(6) 2	(11) 2	(16) 4
-------	-------	--------	--------

(2) 1 (7) 2 (12) 4 (17) 3

(3) 4 (8) 3 (13) 1 (18) 1

(4) 2 (9) 4 (14) 2 (19) 4

(5) 1 (10) 1 (15) 3 (20) 3

[OVER]

#### Part II

For each question, use the specific criteria to award a maximum of two credits.

- (21) [2] 30, and appropriate work is shown or an appropriate explanation is given.
  - [1] Angles of the equilateral triangle are shown to be  $60^{\circ}$ , but x is not determined or is determined incorrectly.

or

- [1] 30, but no work is shown or no explanation is given.
- **[0]** A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.
- (22) [2] 1, and an appropriate explanation is given, such as when 1 is added to 3, the result is the identity element, 4; therefore 1 is the inverse of 3.
  - [1] 1 + 3 = 4, but the identity element is not identified.

#### or

[1] 4 is identified as the inverse because the identity element and inverse element are confused.

#### or

- [1] 1, but no explanation or an incorrect explanation is given.
- **[0]** A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.
- (23) [2] 319, and appropriate work is shown.
  - [1] A correct proportion is shown, but no solution or an incorrect solution is found.

#### or

[1] An incorrect proportion of equal difficulty is solved appropriately.

#### or

[1] Appropriate work is shown, but one computational error is made.

- [1] 319, but no work is shown.
- [0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.

#### MATHEMATICS A-continued

- (24) [2] 6, and appropriate work is shown, such as  $0.70x + 0.30 \le 5.00$  or trial and error with three trials and appropriate checks.
  - [1] The inequality is solved correctly, but the number of doughnuts is not found.

or

[1] The trial-and-error method is used to find a correct solution, but fewer than three trials are shown.

or

- **[1]** 6, but no work is shown.
- **[0]** A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.
- (25) [2] 44, and appropriate work is shown, such as 0.8(200 145).
  - [1] Appropriate work is shown, but one computational or conceptual error is made.

- **[1]** 44, but no work is shown.
- **[0]** A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.

#### Part III

For each question, use the specific criteria to award a maximum of three credits.

- (26) [3] 33, and appropriate work is shown, such as a Venn diagram.
  - [2] Appropriate work is shown, but the number of households that purchased only Brand A and only Brand B is found, 22 + 35 = 57.

or

- [2] Appropriate work is shown, but one computational error is made.
- [1] A conceptual error is made, such as subtracting 87 from 100.

#### or

- **[1]** 33, but no work is shown.
- **[0]** A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.
- (27) [3] 63, and appropriate work is shown, such as 400 (81 + 88 + 88) and determining the highest and lowest possible scores remaining that total 143.
  - [2] Appropriate work is shown, but one computational error is made.
  - [1] A total of 400 is shown, but one conceptual error is made, such as 257 is subtracted, and then 143 is split into 72 and 71, resulting in an answer of 71.

or

[1] Appropriate work is shown, but more than one computational error is made.

or

[1] No answer or an incorrect answer is found, but a list such as \_\_\_\_, \_\_\_\_, 81, 88, 88 is shown.

- [1] 63, but no work is shown.
- [0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.

#### MATHEMATICS A-continued

- (28) [3] 7, and appropriate work is shown or an appropriate explanation is given.
  - [2] Appropriate work is shown, but one computational error is made.

or

- [2] No answer or an incorrect answer is found, but  $\frac{1}{4}$  of 28 and  $\frac{1}{3}$  of 21 are calculated correctly to arrive at 14.
- [1] Appropriate work is shown, but more than one computational error is made.

or

[1] No answer or an incorrect answer is found, but  $\frac{1}{4}$  of 28 is calculated correctly to arrive at 21.

#### or

- **[1]** 7, but no work is shown.
- **[0]** A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.
- (29) **[3]** 150, and appropriate work is shown, such as  ${}_{5}C_{2} \bullet {}_{6}C_{2}$ .
  - [2] Appropriate work is shown, but one computational error is made.

#### or

- [2] All the possible combinations of two mystery books and all the possible combinations of two biographies are calculated, but the answers are not multiplied.
- [1] Appropriate work is shown, but more than one computational error is made.

#### or

[1] Appropriate work is shown, but one conceptual error is made, such as the computation  ${}_{11}C_4 = 330$ .

- [1] 150, but no work is shown.
- **[0]** A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.

#### MATHEMATICS A - continued

- (30) [3] The circle is graphed correctly, and appropriate work shows that (5,-2) does not lie on the circle.
  - [2] The circle is graphed correctly, but the work fails to show that (5,–2) does not lie on the circle.
  - [1] The circle is graphed incorrectly, but the location of (5,-2) is determined appropriately, based on the incorrect graph.
  - **[0]** Yes or no, but no work is shown.

or

**[0]** A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.

#### Part IV

For each question, use the specific criteria to award a maximum of four credits.

- (31) [4] x = 19.62990915 and y = 9.814954576 or equivalent answers, and appropriate work is shown, such as  $\sin 60^\circ = \frac{17}{x}$  and  $\tan 60^\circ = \frac{17}{y}$  or the Pythagorean theorem.
  - [3] Appropriate work is shown, but one computational or rounding error is made.

or

- [3] Appropriate work is shown, and the correct answers are found, but not identified.
- [2] Appropriate work is shown, but one conceptual error is made, such as  $\sin 60^\circ = \frac{x}{17}$ .

or

- [2] Appropriate work is shown, but more than one computational or rounding error is made.
- [1] Appropriate work is shown, but two conceptual errors are made, such as  $\sin 60^\circ = \frac{x}{17}$  and  $\tan 60^\circ = \frac{y}{17}$ .

- $[\mathbf{1}]$  x=19.62990915 and y=9.814954576 or equivalent answers, but no work is shown.
- **[0]** A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.

- (32) [4] w(w + 3) = 40, width = 5, and length = 8, and appropriate work is shown.
  - [3] w(w + 3) = 40 and appropriate work is shown, but one computational error is made in finding the length and width.

or

- **[3]** w(w + 3) = 40 and appropriate work is shown, but only the width is found.
- [2] w(w + 3) = 40 and appropriate work is shown, but the length and width are not identified.

#### or

[2] w(w + 3) = 40 and appropriate work is shown, but more than one computational error is made in finding the length and width.

or

- [2] An incorrect equation of equal difficulty is solved appropriately for the length and width.
- **[1]** w(w + 3) = 40, but no further correct work is shown.

or

[1] Appropriate work is shown, but one conceptual error is made, such as solving the equation 2w + 2w + 6 = 40.

- [1] w(w + 3) = 40, width = 5, and length = 8, but no work is shown.
- **[0]** A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.

- (33) [4] \$1.50 for one slice of pizza and \$0.75 for one cola, and appropriate work is shown, such as 3x + 2y = \$6 and 2x + 3y = \$5.25.
  - [3] Appropriate work is shown, but one computational error is made.

or

- [3] Appropriate work is shown, but only the price of one slice of pizza or the price of one cola is found correctly.
- [2] Appropriate work is shown, but more than one computational error is made.

or

- [2] An incorrect system of equations of equal difficulty is solved appropriately to calculate the cost of one slice of pizza and one cola.
- [1] \$1.50 for one slice of pizza and \$0.75 for one cola, but no work is shown.
- **[0]** A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.
- (34) [4] 3, and an appropriate algebraic or graphic solution is shown.
  - [3] The equation is graphed correctly, but the time to reach the ground is not identified.

or

[3] Appropriate work is shown for an algebraic solution, but either no solution is found or the negative root is not rejected.

or

- $[\mathbf{3}]$  An appropriate algebraic solution is shown, but one computational error is made.
- [2] The equation is graphed incorrectly, but an appropriate time to reach the ground is identified.

- [2] The equation is factored incorrectly, but an appropriate solution is found.
- **[1]** 3, but no work is shown.
- **[0]** A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.

- (35) [4] 10 and  $y 1 = -\frac{3}{4}(x 2)$  or an equivalent equation, and appropriate work is shown.
  - [3] Appropriate work is shown, but one computational error is made.
  - [2] Appropriate work is shown, but more than one computational error is made.

or

[2] Appropriate work is shown, but one conceptual error is made in determining the distance or the equation of the line.

or

[2] The length, the midpoint, and the slope of  $\overline{AB}$  are found correctly, but no equation or an incorrect equation is given for the perpendicular bisector.

or

- [2] Only a correct equation of the perpendicular bisector is found.
- [1] The correct distance is found, but no attempt is made to find the equation of the perpendicular bisector.

or

[1] The midpoint and slope of  $\overline{AB}$  are found correctly, but no further correct work is shown.

- [1] The slope of  $\overline{AB}$  and the slope of the perpendicular bisector are calculated correctly.
- **[0]** A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.

### MATHEMATICS A

Key Ideas	Item Numbers
Mathematical Reasoning	5, 26
Number and Numeration	8, 22
Operations	6, 7, 9, 10, 11, 12, 13, 28
Modeling/Multiple Representation	2, 3, 14, 15, 16, 21, 24
Measurement	1, 17, 23, 25, 27, 31, 35
Uncertainty	4, 29
Patterns/Functions	18, 19, 20, 30, 32, 33, 34

### Map to Learning Standards

### **Regents Examination in Mathematics A**

### August 2002

### Chart for Converting Total Test Raw Scores to Final Examination Scores (Scaled Scores)

Raw	Scaled	Raw	Scaled	Raw	Scaled
Score	Score	Score	Score	Score	Score
85	100	56	68	27	39
84	99	55	67	26	37
83	97	54	66	25	36
82	96	53	65	24	35
81	95	52	64	23	34
80	94	51	63	22	33
79	93	50	62	21	31
78	91	49	61	20	30
77	90	48	60	19	29
76	89	47	60	18	28
75	88	46	59	17	26
74	87	45	58	16	25
73	86	44	57	15	24
72	85	43	56	14	22
71	83	42	55	13	21
70	82	41	54	12	19
69	81	40	53	11	18
68	80	39	52	10	16
67	79	38	51	9	15
66	78	37	50	8	13
65	77	36	48	7	12
64	76	35	47	6	10
63	75	34	46	5	9
62	74	33	45	4	7
61	73	32	44	3	5
60	72	31	43	2	4
59	71	30	42	1	2
58	70	29	41	0	0
57	69	28	40		

To determine the student's final examination score, find the student's total test raw score in the column labeled "Raw Score" and then locate the scaled score that corresponds to that raw score. The scaled score is the student's final examination score. Enter this score in the space labeled "Scaled Score" on the student's answer sheet.

All student answer papers that receive a scaled score of 60 through 64 **must** be scored a second time. For the second scoring, a different committee of teachers may score the student's paper or the original committee may score the paper, except that no teacher may score the same open-ended questions that he/she scored in the first rating of the paper. The school principal is responsible for assuring that the student's final examination score is based on a fair, accurate, and reliable scoring of the student's answer paper.

Because scaled scores corresponding to raw scores in the conversion chart may change from one examination to another, it is crucial that for each administration, the conversion chart provided in the scoring key for that administration be used to determine the student's final score. The chart above is usable only for this administration of the mathematics A examination.