# JMAP REGENTS BY STATE STANDARD: TOPIC

NY Geometry Regents Exam Questions from Spring 2014 to January 2018 Sorted by State Standard: Topic

www.jmap.org


# TABLE OF CONTENTS

<u>TOPIC</u>	P.I.: SUBTOPIC	<b>QUESTION NUMBER</b>
TOOLS OF GEOMETRY	G.GMD.B.4: Rotations of Two-Dimensions Objects1-7	
	G.GMD.B.4: Cross-Sections of Three-Dimensional Objects8-13	
	G.CO.D.12-13: Constructions	
LINES AND ANGLES	G.GPE.B.6: Directed Line Segments	
	G.CO.C.9: Lines and Angles	
	G.GPE.B.5: Parallel and Perpendicular Lines44-52	
TRIANGLES	G.SRT.C.8: Pythagorean Theorem, 30-0	
	G.SRT.B.5: Isosceles Triangle Theorem	
	G.SRT.B.5: Side Splitter Theorem	
	G.CO.C.10: Interior and Exterior Angles of Triangles	
	G.CO.C.10: Exterior Angle Theorem	
	G.CO.C.11: Midsegments	
	G.GPE.B.4: Triangles in the Coordinate	e Plane73-75
POLYGONS	G.CO.C.10: Interior and Exterior Angle	es of Polygons76-80
	G.CO.C.11: Parallelograms	
	G.CO.C.11: Special Quadrilaterals	
	G.GPE.B.4: Quadrilaterals in the Coord	
	G.GPE.B.4, 7: Polygons in the Coordin	
CONICS	G.C.A.2: Chords, Secants and Tangents	
	G.C.A.3: Inscribed Quadrilaterals	
	G.GPE.A.1: Equations of Circles	
	G.GPE.B.4: Circles in the Coordinate P	lane133-135
MEASURING IN THE PLANE AND SPACE	G.MG.A.3: Area of Polygons, Surface Area and Lateral Area136-138	
	G.GMD.A.1: Circumference	
	G.C.B.5: Arc Length	
	G.C.B.5: Sectors	
	G.GMD.A.1, 3: Volume	
	G.MG.A.2: Density	
	G.SRT.B.5: Similarity	
TRANSFORMATIONS	G.SRT.A.1: Line Dilations	
	G.CO.A.5: Rotations	
	G.CO.A.5: Reflections	
	G.SRT.A.2: Dilations	
	G.CO.A.3: Mapping a Polygon onto Its	
	G.CO.A.5, G.SRT.A.2: Compositions of	
	G.CO.B.6: Properties of Transformation	
	G.CO.A.2: Identifying Transformations	
	G.CO.A.2: Analytical Representations of	
TRIGONOMETRY	G.SRT.C.6: Trigonometric Ratios	
	G.SRT.C.7: Cofunctions	
	G.SRT.C.8: Using Trigonometry to Fin	
	G.SRT.C.8: Using Trigonometry to Find an Angle	
LOGIC	G.CO.B.7-8, G.SRT.B.5: Triangle Cong	
	G.CO.C.10, G.SRT.B.5: Triangle Proof	
	G.CO.C.11, G.SR.B.5: Quadrilateral Pr	
	G.SRT.B.5: Circle Proofs	
	G.SRT.A.3, G.C.A.1: Similarity Proofs	

## Geometry Regents Exam Questions by Common Core State Standard: Topic

### TOOLS OF GEOMETRY G.GMD.B.4: ROTATIONS OF TWO-DIMENSIONAL OBJECTS

1 Which object is formed when right triangle RST shown below is rotated around leg  $\overline{RS}$ ?




- 1) a pyramid with a square base
- 2) an isosceles triangle
- 3) a right triangle
- 4) a cone
- 2 If the rectangle below is continuously rotated about side *w*, which solid figure is formed?




- 1) pyramid
- 2) rectangular prism
- 3) cone
- 4) cylinder

3 A student has a rectangular postcard that he folds in half lengthwise. Next, he rotates it continuously about the folded edge. Which three-dimensional object below is generated by this rotation?




- 4 If an equilateral triangle is continuously rotated around one of its medians, which 3-dimensional object is generated?
  - 1) cone
  - 2) pyramid
  - 3) prism
  - 4) sphere
- 5 In the diagram below, right triangle *ABC* has legs whose lengths are 4 and 6.



What is the volume of the three-dimensional object formed by continuously rotating the right triangle around  $\overline{AB}$ ?


- 1) 32π
- 2) 48π
- 3) 96π
- 4) 144π

6 A rectangle whose length and width are 10 and 6, respectively, is shown below. The rectangle is continuously rotated around a straight line to form an object whose volume is  $150\pi$ .



Which line could the rectangle be rotated around?

- 1) a long side
- 2) a short side
- 3) the vertical line of symmetry
- 4) the horizontal line of symmetry
- 7 Circle *O* is centered at the origin. In the diagram below, a quarter of circle *O* is graphed.




Which three-dimensional figure is generated when the quarter circle is continuously rotated about the y-axis?


- 1) cone
- 2) sphere
- 3) cylinder
- 4) hemisphere

#### G.GMD.B.4: CROSS-SECTIONS OF THREE-DIMENSIONAL OBJECTS


8 Which figure can have the same cross section as a sphere?



9 William is drawing pictures of cross sections of the right circular cone below.




Which drawing can *not* be a cross section of a cone?



- 10 The cross section of a regular pyramid contains the altitude of the pyramid. The shape of this cross section is a
  - 1) circle
  - 2) square
  - 3) triangle
  - 4) rectangle

- 11 A plane intersects a hexagonal prism. The plane is perpendicular to the base of the prism. Which two-dimensional figure is the cross section of the plane intersecting the prism?
  - 1) triangle
  - 2) trapezoid
  - 3) hexagon
  - 4) rectangle
- 12 A two-dimensional cross section is taken of a three-dimensional object. If this cross section is a triangle, what can *not* be the three-dimensional object?
  - 1) cone
  - 2) cylinder
  - 3) pyramid
  - 4) rectangular prism
- 13 A right hexagonal prism is shown below. A two-dimensional cross section that is perpendicular to the base is taken from the prism.




Which figure describes the two-dimensional cross section?


- 1) triangle
- 2) rectangle
- 3) pentagon
- 4) hexagon

#### G.CO.D.12-13: CONSTRUCTIONS

14 Using a compass and straightedge, construct an altitude of triangle *ABC* below. [Leave all construction marks.]




15 In the diagram below, radius *OA* is drawn in circle *O*. Using a compass and a straightedge, construct a line tangent to circle *O* at point *A*. [Leave all construction marks.]




16 Triangle *XYZ* is shown below. Using a compass and straightedge, on the line below, construct and label  $\triangle ABC$ , such that  $\triangle ABC \cong \triangle XYZ$ . [Leave all construction marks.] Based on your construction, state the theorem that justifies why  $\triangle ABC$  is congruent to  $\triangle XYZ$ .


17 In the diagram of  $\triangle ABC$  shown below, use a compass and straightedge to construct the median to  $\overline{AB}$ . [Leave all construction marks.]



18 Using a compass and straightedge, construct and label  $\triangle A'B'C'$ , the image of  $\triangle ABC$  after a dilation with a scale factor of 2 and centered at *B*. [Leave all construction marks.] Describe the relationship between the lengths of  $\overline{AC}$  and  $\overline{A'C'}$ .




- 19 Using a compass and straightedge, construct the line of reflection over which triangle *RST* reflects onto triangle *R'S'T'*. [Leave all construction marks.]
  - S' R' T'
- 21 Using a straightedge and compass, construct a square inscribed in circle *O* below. [Leave all construction marks.]




Determine the measure of the arc intercepted by two adjacent sides of the constructed square. Explain your reasoning.


20 Given: Trapezoid *JKLM* with  $\overline{JK} \parallel \overline{ML}$ Using a compass and straightedge, construct the altitude from vertex *J* to  $\overline{ML}$ . [Leave all construction marks.]




22 Use a compass and straightedge to construct an inscribed square in circle *T* shown below. [Leave all construction marks.]



23 Construct an equilateral triangle inscribed in circle *T* shown below. [Leave all construction marks.]




24 Using a compass and straightedge, construct a regular hexagon inscribed in circle *O* below. Label it *ABCDEF*. [Leave all construction marks.]




If chords  $\overline{FB}$  and  $\overline{FC}$  are drawn, which type of triangle, according to its angles, would  $\triangle FBC$  be? Explain your answer.

25 Using a compass and straightedge, construct a regular hexagon inscribed in circle *O*. [Leave all construction marks.]



26 The diagram below shows circle O with diameter  $\overline{AB}$ . Using a compass and straightedge, construct a square that is inscribed in circle O. [Leave all construction marks.]




# LINES AND ANGLES G.GPE.B.6: DIRECTED LINE SEGMENTS

- 27 What are the coordinates of the point on the directed line segment from K(-5, -4) to L(5, 1) that partitions the segment into a ratio of 3 to 2?
  - 1) (-3,-3)

- 3)  $\left| 0, -\frac{3}{2} \right|$
- 4) (1,-1)
- Point *P* is on segment *AB* such that *AP*:*PB* is 4:5.If *A* has coordinates (4,2), and *B* has coordinates (22,2), determine and state the coordinates of *P*.

- 29 The endpoints of  $\overline{DEF}$  are D(1,4) and F(16,14). Determine and state the coordinates of point *E*, if DE:EF = 2:3.
- 30 The coordinates of the endpoints of <u>AB</u> are A(-6,-5) and B(4,0). Point *P* is on <u>AB</u>. Determine and state the coordinates of point *P*, such that AP:PB is 2:3. [The use of the set of axes below is optional.]




- 31 Point *Q* is on *MN* such that MQ:QN = 2:3. If *M* has coordinates (3,5) and *N* has coordinates (8,-5), the coordinates of *Q* are
  - 1) (5,1)
  - 2) (5,0)
  - 3) (6,-1)
  - 4) (6,0)


32 Point *P* is on the directed line segment from point X(-6,-2) to point Y(6,7) and divides the segment in the ratio 1:5. What are the coordinates of point *P*?

1) 
$$\left(4,5\frac{1}{2}\right)$$
  
2)  $\left(-\frac{1}{2},-4\right)$   
3)  $\left(-4\frac{1}{2},0\right)$   
4)  $\left(-4,-\frac{1}{2}\right)$ 

33 Directed line segment *PT* has endpoints whose coordinates are P(-2, 1) and T(4, 7). Determine the coordinates of point *J* that divides the segment in the ratio 2 to 1. [The use of the set of axes below is optional.]



34 In the diagram below,  $\overline{AC}$  has endpoints with coordinates A(-5,2) and C(4,-10).




If *B* is a point on  $\overline{AC}$  and AB:BC = 1:2, what are the coordinates of *B*?

- 1) (-2,-2)2)  $\left(-\frac{1}{2},-4\right)$ 3)  $\left(0,-\frac{14}{3}\right)$
- 4) (1,-6)
- 35 Line segment *RW* has endpoints *R*(-4,5) and *W*(6,20). Point *P* is on *RW* such that *RP:PW* is 2:3. What are the coordinates of point *P*?
  1) (2,9)
  2) (0,11)
  3) (2,14)
  4) (10,2)

- 36 The coordinates of the endpoints of AB are A(-8,-2) and B(16,6). Point P is on AB. What are the coordinates of point P, such that AP:PB is 3:5?
  1) (1,1)
  - 2) (7,3)
  - 3) (9.6, 3.6)
  - 4) (6.4,2.8)


#### G.CO.C.9: LINES & ANGLES

37 In the diagram below,  $\overline{EF}$  intersects  $\overline{AB}$  and  $\overline{CD}$  at  $\overline{G}$  and  $\overline{H}$ , respectively, and  $\overline{GI}$  is drawn such that  $\overline{GH} \cong \overline{IH}$ .



If  $m \angle EGB = 50^{\circ}$  and  $m \angle DIG = 115^{\circ}$ , explain why  $\overline{AB} \parallel \overline{CD}$ .


38 Steve drew line segments *ABCD*, *EFG*, *BF*, and *CF* as shown in the diagram below. Scalene  $\triangle BFC$  is formed.



Which statement will allow Steve to prove  $\overrightarrow{ABCD} \parallel \overrightarrow{EFG}$ ?

1)  $\angle CFG \cong \angle FCB$ 


- 2)  $\angle ABF \cong \angle BFC$
- 3)  $\angle EFB \cong \angle CFB$
- 4)  $\angle CBF \cong \angle GFC$
- 39 In the diagram below,  $\overrightarrow{FE}$  bisects  $\overrightarrow{AC}$  at *B*, and  $\overrightarrow{GE}$  bisects  $\overrightarrow{BD}$  at *C*.



Which statement is always true?

- 1)  $AB \cong DC$
- 2)  $\overline{FB} \cong \overline{EB}$
- 3)  $\overrightarrow{BD}$  bisects  $\overline{GE}$  at C.
- 4)  $\overrightarrow{AC}$  bisects  $\overline{FE}$  at B.


40 In the diagram below,  $\overline{DB}$  and  $\overline{AF}$  intersect at point *C*, and  $\overline{AD}$  and  $\overline{FBE}$  are drawn.



If AC = 6, DC = 4, FC = 15,  $m \angle D = 65^{\circ}$ , and  $m \angle CBE = 115^{\circ}$ , what is the length of  $\overline{CB}$ ?


- 1) 10
- 2) 12
- 3) 17
- 4) 22.5
- 41 Segment *CD* is the perpendicular bisector of  $\overline{AB}$  at *E*. Which pair of segments does *not* have to be congruent?
  - 1) *AD*,*BD*
  - 2)  $\overline{AC}, \overline{BC}$
  - 3)  $\overline{AE}, \overline{BE}$
  - 4)  $\overline{DE}, \overline{CE}$

42 In the diagram below, lines  $\ell$ , m, n, and p intersect line r.



Which statement is true?

- 1)  $\ell \parallel n$
- 2)  $\ell \parallel p$
- 3) m || p
- 4)  $m \parallel n$
- 43 As shown in the diagram below,  $\overrightarrow{ABC} \parallel \overrightarrow{EFG}$  and  $\overrightarrow{BF} \cong \overrightarrow{EF}$ .




If m $\angle CBF = 42.5^\circ$ , then m $\angle EBF$  is

- 1) 42.5°
- 2) 68.75°
- 3) 95°
- 4) 137.5°

Geometry Regents Exam Questions by State Standard: Topic www.jmap.org

G.GPE.B.5: PARALLEL AND PERPENDICULAR LINES

- 44 Which equation represents a line that is perpendicular to the line represented by 2x - y = 7?
  - 1)  $y = -\frac{1}{2}x + 6$
  - 2)  $y = \frac{1}{2}x + 6$
  - 3) y = -2x + 6
  - $4) \quad y = 2x + 6$
- 45 Given  $\overline{MN}$  shown below, with M(-6, 1) and N(3, -5), what is an equation of the line that passes through point P(6, 1) and is parallel to  $\overline{MN}$ ?



1) 
$$y = -\frac{2}{3}x + 5$$
  
2)  $y = -\frac{2}{3}x - 3$   
3)  $y = \frac{3}{2}x + 7$   
4)  $y = \frac{3}{2}x - 8$ 


46 An equation of a line perpendicular to the line represented by the equation  $y = -\frac{1}{2}x - 5$  and passing through (6,-4) is

1) 
$$y = -\frac{1}{2}x + 4$$
  
2)  $y = -\frac{1}{2}x - 1$   
3)  $y = 2x + 14$   
4)  $y = 2x - 16$ 

- 47 Line segment *NY* has endpoints N(-11,5) and Y(5,-7). What is the equation of the perpendicular bisector of  $\overline{NY}$ ?
  - 1)  $y+1 = \frac{4}{3}(x+3)$ 2)  $y+1 = -\frac{3}{4}(x+3)$ 3)  $y-6 = \frac{4}{3}(x-8)$ 4)  $y-6 = -\frac{3}{4}(x-8)$
- 48 What is an equation of a line which passes through (6,9) and is perpendicular to the line whose equation is 4x 6y = 15?
  - 1)  $y-9 = -\frac{3}{2}(x-6)$
  - 2)  $y-9 = \frac{2}{3}(x-6)$
  - 3)  $y+9 = -\frac{3}{2}(x+6)$
  - 4)  $y+9 = \frac{2}{3}(x+6)$

Geometry Regents Exam Questions by State Standard: Topic www.jmap.org

49 In the diagram below,  $\triangle ABC$  has vertices A(4,5), B(2,1), and C(7,3).




What is the slope of the altitude drawn from A to BC?

- $\frac{2}{5}$ 1)  $\frac{3}{2}$ 2)  $-\frac{1}{2}$ 3)  $-\frac{5}{2}$ 4)
- 50 Which equation represents the line that passes through the point (-2,2) and is parallel to
  - $y = \frac{1}{2}x + 8?$ 1)  $y = \frac{1}{2}x$ 2) y = -2x - 33)  $y = \frac{1}{2}x + 3$

  - 4) y = -2x + 3

- 51 What is an equation of a line that is perpendicular to the line whose equation is 2y = 3x - 10 and passes through (-6, 1)?
  - 1)  $y = -\frac{2}{3}x 5$ 2)  $y = -\frac{2}{3}x - 3$ 3)  $y = \frac{2}{3}x + 1$ 4)  $y = \frac{2}{3}x + 10$
- 52 What is an equation of the perpendicular bisector of the line segment shown in the diagram below?




- 1) y + 2x = 0
- y 2x = 02)
- 3) 2y + x = 02y - x = 04)

## TRIANGLES G.SRT.C.8: PYTHAGOREAN THEOREM, 30-60-90 TRIANGLES

- 53 Linda is designing a circular piece of stained glass with a diameter of 7 inches. She is going to sketch a square inside the circular region. To the *nearest tenth of an inch*, the largest possible length of a side of the square is
  - 1) 3.5
  - 2) 4.9
  - 3) 5.0
  - 4) 6.9
- 54 The aspect ratio (the ratio of screen width to height) of a rectangular flat-screen television is 16:9. The length of the diagonal of the screen is the television's screen size. Determine and state, to the *nearest inch*, the screen size (diagonal) of this flat-screen television with a screen height of 20.6 inches.
- 55 An equilateral triangle has sides of length 20. To the *nearest tenth*, what is the height of the equilateral triangle?
  - 1) 10.0
  - 2) 11.5
  - 3) 17.3
  - 4) 23.1

56 The diagram shows rectangle *ABCD*, with diagonal  $\overline{BD}$ .



What is the perimeter of rectangle *ABCD*, to the *nearest tenth*?


- 1) 28.4
- 2) 32.8
- 3) 48.0
- 4) 62.4

#### **G.SRT.B.5: ISOSCELES TRIANGLE THEOREM**

57 In isosceles  $\triangle MNP$ , line segment *NO* bisects vertex  $\angle MNP$ , as shown below. If MP = 16, find the length of  $\overline{MO}$  and explain your answer.




58 In the diagram below of isosceles triangle ABC,  $\overline{AB} \cong \overline{CB}$  and angle bisectors  $\overline{AD}$ ,  $\overline{BF}$ , and  $\overline{CE}$  are drawn and intersect at X.



If  $m \angle BAC = 50^\circ$ , find  $m \angle AXC$ .


- **G.SRT.B.5: SIDE SPLITTER THEOREM**
- 59 In the diagram of  $\triangle ADC$  below,  $\overline{EB} \parallel \overline{DC}$ , AE = 9, ED = 5, and AB = 9.2.



What is the length of  $\overline{AC}$ , to the *nearest tenth*?


- 1) 5.1
- 2) 5.2
- 3) 14.3
- 4) 14.4

60 In the diagram below,  $\triangle ABC \sim \triangle ADE$ .



Which measurements are justified by this similarity?


- 1) AD = 3, AB = 6, AE = 4, and AC = 12
- 2) AD = 5, AB = 8, AE = 7, and AC = 10
- 3) AD = 3, AB = 9, AE = 5, and AC = 10
- 4) AD = 2, AB = 6, AE = 5, and AC = 15
- 61 In the diagram of  $\triangle ABC$ , points D and E are on  $\overline{AB}$  and  $\overline{CB}$ , respectively, such that  $\overline{AC} \parallel \overline{DE}$ .



If AD = 24, DB = 12, and DE = 4, what is the length of  $\overline{AC}$ ? 1) 8

- 2) 12
- 12
   3) 16
- (1) (1)
- 4) 72


62 In  $\triangle$  *CED* as shown below, points *A* and *B* are located on sides  $\overline{CE}$  and  $\overline{ED}$ , respectively. Line segment *AB* is drawn such that AE = 3.75, AC = 5, EB = 4.5, and BD = 6.



Explain why AB is parallel to CD.

MR = 9, MP = 2, and PO = 4.

64 In the diagram below, triangle ACD has points B and E on sides  $\overline{AC}$  and  $\overline{AD}$ , respectively, such that  $\overline{BE} \parallel \overline{CD}, AB = 1, BC = 3.5, \text{ and } AD = 18.$ 




What is the length of  $\overline{AE}$ , to the *nearest tenth*?

1) 14.0


2) 5.1

- 3) 3.3
- 4) 4.0
- 65 In the diagram of  $\triangle ABC$  below,  $\overline{DE}$  is parallel to  $\overline{AB}$ , CD = 15, AD = 9, and AB = 40.



The length of  $\overline{DE}$  is

- 1) 15
- 2) 24
- 3) 25
- 4) 30



63 Given  $\triangle MRO$  shown below, with trapezoid *PTRO*,


What is the length of  $\overline{TR}$ ?

- 1) 4.5
- 2) 5
- 3) 3
- 4) 6

Geometry Regents Exam Questions by State Standard: Topic www.jmap.org


G.CO.C.10: INTERIOR AND EXTERIOR ANGLES OF TRIANGLES

66 In the diagram below,  $m \angle BDC = 100^\circ$ ,  $m \angle A = 50^\circ$ , and  $m \angle DBC = 30^\circ$ .



Which statement is true?


- 1)  $\triangle ABD$  is obtuse.
- 2)  $\triangle ABC$  is isosceles.
- 3)  $m \angle ABD = 80^{\circ}$
- 4)  $\triangle ABD$  is scalene.
- 67 In the diagram below,  $\overline{DE}$  divides  $\overline{AB}$  and  $\overline{AC}$  proportionally, m $\angle C = 26^\circ$ , m $\angle A = 82^\circ$ , and  $\overline{DF}$  bisects  $\angle BDE$ .



The measure of angle DFB is

- 1) 36°
- 2) 54°
- 3) 72°
- 4) 82°

68 In the diagram below of triangle *MNO*,  $\angle M$  and  $\angle O$  are bisected by  $\overline{MS}$  and  $\overline{OR}$ , respectively. Segments *MS* and *OR* intersect at *T*, and  $m \angle N = 40^{\circ}$ .




If  $m \angle TMR = 28^\circ$ , the measure of angle *OTS* is

- 1) 40°
- 2) 50°
- 3) 60°
- 4) 70°

#### G.CO.C.10: EXTERIOR ANGLE THEOREM


69 Given  $\triangle ABC$  with m $\angle B = 62^{\circ}$  and side AC extended to D, as shown below.



Which value of *x* makes  $AB \cong CB$ ?

- 1) 59°
- 2) 62°
- 3) 118°
- 4) 121°


70 In  $\triangle ABC$  shown below, side *AC* is extended to point *D* with m $\angle DAB = (180 - 3x)^\circ$ , m $\angle B = (6x - 40)^\circ$ , and m $\angle C = (x + 20)^\circ$ .



- 1) 20°
- 2) 40°
- 3) 60°
- 4) 80°

#### G.CO.C.10: MIDSEGMENTS


71 In the diagram below,  $\overline{DE}$ ,  $\overline{DF}$ , and  $\overline{EF}$  are midsegments of  $\triangle ABC$ .



The perimeter of quadrilateral ADEF is equivalent

- to (1) AB + BC + AC
- 2)  $\frac{1}{2}AB + \frac{1}{2}AC$
- 2 2 2 2
- $3) \quad 2AB + 2AC$
- 4) AB + AC

72 In the diagram below of  $\triangle ABC$ , *D*, *E*, and *F* are the midpoints of  $\overline{AB}$ ,  $\overline{BC}$ , and  $\overline{CA}$ , respectively.




What is the ratio of the area of  $\triangle CFE$  to the area of  $\triangle CAB$ ?

- 1) 1:1
- 2) 1:2
- 3) 1:3
- 4) 1:4


# G.GPE.B.4: TRIANGLES IN THE COORDINATE PLANE

- 73 The coordinates of the vertices of  $\triangle RST$  are R(-2,-3), S(8,2), and T(4,5). Which type of triangle is  $\triangle RST$ ?
  - 1) right
  - 2) acute
  - 3) obtuse
  - 4) equiangular

74 Triangle *ABC* has vertices with A(x,3), B(-3,-1), and C(-1,-4). Determine and state a value of x that would make triangle *ABC* a right triangle. Justify why  $\triangle ABC$  is a right triangle. [The use of the set of axes below is optional.]




75 Triangle *PQR* has vertices P(-3,-1), Q(-1,7), and R(3,3), and points *A* and *B* are midpoints of  $\overline{PQ}$  and  $\overline{RQ}$ , respectively. Use coordinate geometry to prove that  $\overline{AB}$  is parallel to  $\overline{PR}$  and is half the length of  $\overline{PR}$ . [The use of the set of axes below is optional.]




## POLYGONS G.CO.C.11: INTERIOR AND EXTERIOR ANGLES OF POLYGONS

76 The diagram below shows parallelogram *LMNO* with diagonal  $\overline{LN}$ , m $\angle M = 118^\circ$ , and m $\angle LNO = 22^\circ$ .



Explain why m∠NLO is 40 degrees.


77 In the diagram of parallelogram *FRED* shown below,  $\overline{ED}$  is extended to *A*, and  $\overline{AF}$  is drawn such that  $\overline{AF} \cong \overline{DF}$ .



If  $m \angle R = 124^\circ$ , what is  $m \angle AFD$ ?


- 1) 124°
- 2) 112°
- 3) 68°
- 4) 56°

79 In the diagram below, *ABCD* is a parallelogram,  $\overline{AB}$  is extended through *B* to *E*, and  $\overline{CE}$  is drawn.



If  $CE \cong BE$  and  $m \angle D = 112^\circ$ , what is  $m \angle E$ ? 1) 44°


- 2) 56°
- 3) 68°
- 4) 112°
- 80 In the diagram below of parallelogram *ROCK*,  $m \angle C$  is 70° and  $m \angle ROS$  is 65°.



What is  $m \angle KSO$ ?

- 1) 45°
- 2) 110°
- 3) 115°
- 4) 135°

78 In parallelogram QRST shown below, diagonal  $\overline{TR}$  is drawn, U and V are points on  $\overline{TS}$  and  $\overline{QR}$ , respectively, and  $\overline{UV}$  intersects  $\overline{TR}$  at W.




If  $m \angle S = 60^\circ$ ,  $m \angle SRT = 83^\circ$ , and  $m \angle TWU = 35^\circ$ , what is  $m \angle WVQ$ ?

- 1) 37°
- 2) 60°
- 3) 72°
- 4) 83°

#### G.CO.C.11: PARALLELOGRAMS

- 81 Quadrilateral *ABCD* has diagonals  $\overline{AC}$  and  $\overline{BD}$ . Which information is *not* sufficient to prove *ABCD* is a parallelogram?
  - 1)  $\overline{AC}$  and  $\overline{BD}$  bisect each other.
  - 2)  $\overline{AB} \cong \overline{CD}$  and  $\overline{BC} \cong \overline{AD}$
  - 3)  $\overline{AB} \cong \overline{CD}$  and  $\overline{AB} \parallel \overline{CD}$
  - 4)  $\overline{AB} \cong \overline{CD}$  and  $\overline{BC} \parallel \overline{AD}$
- 82 Parallelogram *HAND* is drawn below with diagonals  $\overline{HN}$  and  $\overline{AD}$  intersecting at *S*.




Which statement is always true?

1) 
$$AN = \frac{1}{2}AL$$

$$2) \quad AS = \frac{1}{2}AD$$


- 3)  $\angle AHS \cong \angle ANS$
- 4)  $\angle HDS \cong \angle NDS$

83 Quadrilateral *ABCD* with diagonals  $\overline{AC}$  and  $\overline{BD}$  is shown in the diagram below.



Which information is *not* enough to prove *ABCD* is a parallelogram?

- 1)  $\overline{AB} \cong \overline{CD}$  and  $\overline{AB} \parallel \overline{DC}$
- 2)  $\overline{AB} \cong \overline{CD}$  and  $\overline{BC} \cong \overline{DA}$
- 3)  $\overline{AB} \cong \overline{CD}$  and  $\overline{BC} \parallel \overline{AD}$
- 4)  $\overline{AB} \parallel \overline{DC}$  and  $\overline{BC} \parallel \overline{AD}$
- 84 In quadrilateral *BLUE* shown below,  $\overline{BE} \cong \overline{UL}$ .




Which information would be sufficient to prove quadrilateral *BLUE* is a parallelogram?

- 1)  $BL \parallel EU$
- 2)  $\overline{LU} \parallel \overline{BE}$
- 3)  $\overline{BE} \cong \overline{BL}$
- 4)  $\overline{LU} \cong \overline{EU}$

#### G.CO.C.11: SPECIAL QUADRILATERALS

- 85 A parallelogram must be a rectangle when its
  - 1) diagonals are perpendicular
  - 2) diagonals are congruent
  - 3) opposite sides are parallel
  - 4) opposite sides are congruent

- 86 In parallelogram *ABCD*, diagonals *AC* and *BD* intersect at *E*. Which statement does *not* prove parallelogram *ABCD* is a rhombus?
  - 1)  $AC \cong \overline{DB}$
  - 2)  $\overline{AB} \cong \overline{BC}$
  - 3)  $\overline{AC} \perp \overline{DB}$
  - 4) AC bisects  $\angle DCB$
- 87 In the diagram below, if  $\triangle ABE \cong \triangle CDF$  and  $\overline{AEFC}$  is drawn, then it could be proven that quadrilateral *ABCD* is a



- 1) square
- 2) rhombus
- 3) rectangle
- 4) parallelogram
- 88 A parallelogram is always a rectangle if
  - 1) the diagonals are congruent
  - 2) the diagonals bisect each other
  - 3) the diagonals intersect at right angles
  - 4) the opposite angles are congruent
- 89 If *ABCD* is a parallelogram, which statement would prove that *ABCD* is a rhombus?

1) 
$$\angle ABC \cong \angle CDA$$

- 2)  $\overline{AC} \cong \overline{BD}$
- 3)  $\overline{AC} \perp \overline{BD}$
- 4)  $\overline{AB} \perp \overline{CD}$


90 Which set of statements would describe a parallelogram that can always be classified as a rhombus?

I. Diagonals are perpendicular bisectors of each other.

II. Diagonals bisect the angles from which they are drawn.

III. Diagonals form four congruent isosceles right triangles.


- 1) I and II
- 2) I and III
- 3) II and III
- 4) I, II, and III
- 91 In the diagram of rhombus *PQRS* below, the diagonals  $\overline{PR}$  and  $\overline{QS}$  intersect at point *T*, PR = 16, and QS = 30. Determine and state the perimeter of *PQRS*.



- 92 A parallelogram must be a rhombus if its diagonals
  - 1) are congruent
  - 2) bisect each other
  - 3) do not bisect its angles
  - 4) are perpendicular to each other


#### G.GPE.B.4: QUADRILATERALS IN THE COORDINATE PLANE

93 In rhombus *MATH*, the coordinates of the endpoints of the diagonal  $\overline{MT}$  are M(0,-1) and T(4,6). Write an equation of the line that contains diagonal  $\overline{AH}$ . [Use of the set of axes below is optional.] Using the given information, explain how you know that your line contains diagonal  $\overline{AH}$ .




- 94 A quadrilateral has vertices with coordinates (-3, 1), (0, 3), (5, 2),and (-1, -2). Which type of quadrilateral is this?
  - 1) rhombus
  - 2) rectangle
  - 3) square
  - 4) trapezoid

95 In the coordinate plane, the vertices of  $\triangle RST$  are R(6,-1), S(1,-4), and T(-5,6). Prove that  $\triangle RST$  is a right triangle. State the coordinates of point *P* such that quadrilateral *RSTP* is a rectangle. Prove that your quadrilateral *RSTP* is a rectangle. [The use of the set of axes below is optional.]




- 96 The diagonals of rhombus *TEAM* intersect at P(2,1). If the equation of the line that contains diagonal  $\overline{TA}$  is y = -x + 3, what is the equation of a line that contains diagonal *EM*?
  - $1) \quad y = x 1$
  - 2) y = x 3
  - $3) \quad y = -x 1$
  - $4) \quad y = -x 3$


- 97 Parallelogram *ABCD* has coordinates A(0,7) and C(2,1). Which statement would prove that *ABCD* is a rhombus?
  - 1) The midpoint of  $\overline{AC}$  is (1,4).
  - 2) The length of  $\overline{BD}$  is  $\sqrt{40}$ .
  - 3) The slope of  $\overline{BD}$  is  $\frac{1}{3}$ .
  - 4) The slope of  $\overline{AB}$  is  $\frac{1}{3}$ .
- 98 In square *GEOM*, the coordinates of *G* are (2,-2) and the coordinates of *O* are (-4,2). Determine and state the coordinates of vertices *E* and *M*. [The use of the set of axes below is optional.]



99 Quadrilateral *PQRS* has vertices P(-2,3), Q(3,8), R(4,1), and S(-1,-4). Prove that *PQRS* is a rhombus. Prove that *PQRS* is *not* a square. [The use of the set of axes below is optional.]




100 In the coordinate plane, the vertices of triangle *PAT* are P(-1,-6), A(-4,5), and T(5,-2). Prove that  $\triangle PAT$  is an isosceles triangle. [The use of the set of axes below is optional.] State the coordinates of *R* so that quadrilateral *PART* is a parallelogram. Prove that quadrilateral *PART* is a parallelogram.



# G.GPE.B.7: POLYGONS IN THE COORDINATE PLANE

- 101 The endpoints of one side of a regular pentagon are (-1,4) and (2,3). What is the perimeter of the pentagon?
  - 1)  $\sqrt{10}$
  - 2)  $5\sqrt{10}$
  - 3)  $5\sqrt{2}$
  - 4)  $25\sqrt{2}$

102 Triangle *RST* is graphed on the set of axes below.




How many square units are in the area of  $\triangle RST$ ?

- 1)  $9\sqrt{3} + 15$ 2)  $9\sqrt{5} + 15$
- 2) 9<sup>-</sup>√
   3) 45
- 4) 90
- 103 The coordinates of vertices *A* and *B* of  $\triangle ABC$  are *A*(3,4) and *B*(3,12). If the area of  $\triangle ABC$  is 24 square units, what could be the coordinates of point *C*?
  - 1) (3,6)
  - 2) (8,-3)
  - 3) (-3,8)
  - 4) (6,3)
- 104 The vertices of square *RSTV* have coordinates R(-1,5), S(-3,1), T(-7,3), and V(-5,7). What is the perimeter of *RSTV*?
  - 1)  $\sqrt{20}$
  - 2)  $\sqrt{40}$
  - 3)  $4\sqrt{20}$
  - 4)  $4\sqrt{40}$

Geometry Regents Exam Questions by State Standard: Topic www.jmap.org

105 On the set of axes below, the vertices of  $\triangle PQR$ have coordinates P(-6,7), Q(2,1), and R(-1,-3).




What is the area of  $\triangle POR$ ?

- 10 1)
- 2) 20
- 25 3)
- 4) 50

### CONICS G.C.A.2: CHORDS, SECANTS AND TANGENTS


106 In circle O shown below, diameter  $\overline{AC}$  is perpendicular to  $\overline{CD}$  at point C, and chords  $\overline{AB}$ ,  $\overline{BC}$ ,  $\overline{AE}$ , and  $\overline{CE}$  are drawn.



Which statement is not always true?


- $\angle ACB \cong \angle BCD$ 1)
- 2)  $\angle ABC \cong \angle ACD$
- 3)  $\angle BAC \cong \angle DCB$
- 4)  $\angle CBA \cong \angle AEC$

107 In the diagram of circle A shown below, chords CD and  $\overline{EF}$  intersect at G, and chords  $\overline{CE}$  and  $\overline{FD}$  are drawn.



Which statement is not always true?


- $\overline{CG} \cong \overline{FG}$ 1)
- $\angle CEG \cong \angle FDG$ 2)
- $\frac{CE}{EG} = \frac{FD}{DG}$ 3)
- $\triangle CEG \sim \triangle FDG$ 4)
- 108 In the diagram shown below,  $\overline{AC}$  is tangent to circle O at A and to circle P at C,  $\overline{OP}$  intersects  $\overline{AC}$ at B, OA = 4, AB = 5, and PC = 10.



What is the length of  $\overline{BC}$ ?


- 1) 6.4
- 2) 8
- 12.5 3)
- 4) 16

109 In the diagram below,  $\overrightarrow{DC}$ ,  $\overrightarrow{AC}$ ,  $\overrightarrow{DOB}$ ,  $\overrightarrow{CB}$ , and  $\overrightarrow{AB}$  are chords of circle O,  $\overrightarrow{FDE}$  is tangent at point D, and radius  $\overrightarrow{AO}$  is drawn. Sam decides to apply this theorem to the diagram: "An angle inscribed in a semi-circle is a right angle."




Which angle is Sam referring to?

- 1) ∠*AOB*
- 2)  $\angle BAC$
- 3) ∠*DCB*
- 4) ∠*FDB*
- 110 In the diagram below of circle O with diameter  $\overline{BC}$  and radius  $\overline{OA}$ , chord  $\overline{DC}$  is parallel to chord  $\overline{BA}$ .




If  $m \angle BCD = 30^\circ$ , determine and state  $m \angle AOB$ .

111 In the diagram below of circle  $O, \overline{OB}$  and  $\overline{OC}$  are radii, and chords  $\overline{AB}, \overline{BC}$ , and  $\overline{AC}$  are drawn.



Which statement must always be true?


- 1)  $\angle BAC \cong \angle BOC$
- 2)  $m \angle BAC = \frac{1}{2} m \angle BOC$
- 3)  $\triangle BAC$  and  $\triangle BOC$  are isosceles.
- 4) The area of  $\triangle BAC$  is twice the area of  $\triangle BOC$ .
- 112 In the diagram below,  $\overline{BC}$  is the diameter of circle A.




Point D, which is unique from points B and C, is plotted on circle A. Which statement must always be true?

- 1)  $\triangle BCD$  is a right triangle.
- 2)  $\triangle BCD$  is an isosceles triangle.
- 3)  $\triangle BAD$  and  $\triangle CBD$  are similar triangles.
- 4)  $\triangle BAD$  and  $\triangle CAD$  are congruent triangles.

113 Lines *AE* and *BD* are tangent to circles *O* and *P* at *A*, *E*, *B*, and *D*, as shown in the diagram below. If AC:CE = 5:3, and BD = 56, determine and state the length of  $\overline{CD}$ .




- 114 In circle *O*, secants *ADB* and *AEC* are drawn from external point *A* such that points *D*, *B*, *E*, and *C* are on circle *O*. If AD = 8, AE = 6, and *EC* is 12 more than *BD*, the length of  $\overline{BD}$  is
  - 1) 6
  - 2) 22
  - 3) 36
  - 4) 48
- 115 In the diagram below, tangent *DA* and secant *DBC* are drawn to circle *O* from external point *D*, such that  $\widehat{AC} \cong \widehat{BC}$ .




If  $\widehat{\text{mBC}} = 152^\circ$ , determine and state  $\text{m} \angle D$ .

116 In the diagram below,  $\widehat{mABC} = 268^{\circ}$ .



What is the number of degrees in the measure of  $\angle ABC$ ?


- 1) 134°
- 2) 92°
- 3) 68°
- 4) 46°
- 117 In the diagram below of circle *O*, chord  $\overline{DF}$  bisects chord  $\overline{BC}$  at *E*.



If BC = 12 and FE is 5 more than DE, then FE is


- 1) 13
- 2) 9
- 3) 6
- 4) 4

118 In the diagram below of circle *O*, chord  $\overline{CD}$  is parallel to diameter  $\overline{AOB}$  and  $\overline{mCD} = 130$ .



What is  $\widehat{mAC}$ ?


- 1) 25
- 2) 50
- 3) 65
- 4) 115
- 119 In the diagram shown below,  $\overline{PA}$  is tangent to circle T at A, and secant  $\overline{PBC}$  is drawn where point B is on circle T.



If PB = 3 and BC = 15, what is the length of  $\overline{PA}$ ?

- 1)  $3\sqrt{5}$
- 2)  $3\sqrt{6}$
- 3) 3
- 4) 9

120 In circle *M* below, diameter  $\overline{AC}$ , chords  $\overline{AB}$  and  $\overline{BC}$ , and radius  $\overline{MB}$  are drawn.




Which statement is *not* true?

- 1)  $\triangle ABC$  is a right triangle.
- 2)  $\triangle ABM$  is isosceles.
- 3)  $\widehat{\mathrm{mBC}} = \mathrm{m}\angle BMC$
- 4)  $\widehat{\mathbf{mAB}} = \frac{1}{2} \mathbf{m} \angle ACB$

#### G.C.A.3: INSCRIBED QUADRILATERALS


121 In the diagram below, quadrilateral *ABCD* is inscribed in circle *P*.



What is  $m \angle ADC$ ? 1) 70° 2) 72°

- $3) 108^{\circ}$
- *1*) 1100
- 4) 110°

122 Quadrilateral *ABCD* is inscribed in circle *O*, as shown below.




If  $m \angle A = 80^\circ$ ,  $m \angle B = 75^\circ$ ,  $m \angle C = (y + 30)^\circ$ , and  $m \angle D = (x - 10)^\circ$ , which statement is true?

- 1) x = 85 and y = 50
- 2) x = 90 and y = 45
- 3) x = 110 and y = 75
- 4) x = 115 and y = 70

#### **G.GPE.A.1: EQUATIONS OF CIRCLES**

- 123 The equation of a circle is  $x^2 + y^2 + 6y = 7$ . What are the coordinates of the center and the length of the radius of the circle?
  - 1) center (0,3) and radius 4
  - 2) center (0,-3) and radius 4
  - 3) center (0,3) and radius 16
  - 4) center (0, -3) and radius 16
- 124 If  $x^2 + 4x + y^2 6y 12 = 0$  is the equation of a circle, the length of the radius is
  - 1) 25
  - 2) 16
  - 3) 5
  - 4) 4

- 125 What are the coordinates of the center and length of the radius of the circle whose equation is
  - $x^{2} + 6x + y^{2} 4y = 23?$ 1) (3,-2) and 36
  - 2) (3, -2) and 50 2) (3, -2) and 6
  - 3) (-3,2) and 36
  - 4) (-3,2) and 6
- 126 The graph below shows  $\overline{AB}$ , which is a chord of circle *O*. The coordinates of the endpoints of  $\overline{AB}$  are A(3,3) and B(3,-7). The distance from the midpoint of  $\overline{AB}$  to the center of circle *O* is 2 units.



What could be a correct equation for circle O?

- 1)  $(x-1)^2 + (y+2)^2 = 29$
- 2)  $(x+5)^2 + (y-2)^2 = 29$
- 3)  $(x-1)^{2} + (y-2)^{2} = 25$
- 4)  $(x-5)^{2} + (y+2)^{2} = 25$
- 127 What are the coordinates of the center and the length of the radius of the circle represented by the equation  $x^2 + y^2 4x + 8y + 11 = 0$ ?
  - 1) center (2, -4) and radius 3
  - 2) center (-2,4) and radius 3
  - 3) center (2, -4) and radius 9
  - 4) center (-2,4) and radius 9

128 Kevin's work for deriving the equation of a circle is shown below.

 $x^{2} + 4x = -(y^{2} - 20)$ STEP 1  $x^{2} + 4x = -y^{2} + 20$ STEP 2  $x^{2} + 4x + 4 = -y^{2} + 20 - 4$ STEP 3  $(x + 2)^{2} = -y^{2} + 20 - 4$ STEP 4  $(x + 2)^{2} + y^{2} = 16$ 

In which step did he make an error in his work?

- 1) Step 1
- 2) Step 2
- 3) Step 3
- 4) Step 4
- 129 The equation of a circle is  $x^2 + y^2 6y + 1 = 0$ . What are the coordinates of the center and the length of the radius of this circle?
  - 1) center (0,3) and radius =  $2\sqrt{2}$
  - 2) center (0,-3) and radius =  $2\sqrt{2}$
  - 3) center (0,6) and radius =  $\sqrt{35}$
  - 4) center (0,-6) and radius =  $\sqrt{35}$
- 130 The equation of a circle is  $x^2 + y^2 12y + 20 = 0$ . What are the coordinates of the center and the length of the radius of the circle?
  - 1) center (0,6) and radius 4
  - 2) center (0, -6) and radius 4
  - 3) center (0,6) and radius 16
  - 4) center (0, -6) and radius 16
- 131 Determine and state the coordinates of the center and the length of the radius of a circle whose equation is  $x^2 + y^2 - 6x = 56 - 8y$ .


- 132 The equation of a circle is  $x^2 + y^2 6x + 2y = 6$ . What are the coordinates of the center and the length of the radius of the circle?
  - 1) center (-3, 1) and radius 4
  - 2) center (3,-1) and radius 4
  - 3) center (-3, 1) and radius 16
  - 4) center (3,-1) and radius 16

# G.GPE.B.4: CIRCLES IN THE COORDINATE PLANE

- 133 The center of circle Q has coordinates (3, -2). If circle Q passes through R(7, 1), what is the length of its diameter?
  - 1) 50
  - 2) 25
  - 3) 10
  - 4) 5
- 134 A circle has a center at (1,-2) and radius of 4.Does the point (3.4, 1.2) lie on the circle? Justify your answer.
- 135 A circle whose center is the origin passes through the point (-5, 12). Which point also lies on this circle?
  - 1) (10,3)
  - 2) (-12,13)
  - 3)  $(11, 2\sqrt{12})$
  - 4)  $(-8, 5\sqrt{21})$

# MEASURING IN THE PLANE AND SPACE G.MG.A.3: AREA OF POLYGONS, SURFACE AREA AND LATERAL AREA

- 136 A farmer has 64 feet of fence to enclose a rectangular vegetable garden. Which dimensions would result in the biggest area for this garden?
  - 1) the length and the width are equal
  - 2) the length is 2 more than the width
  - 3) the length is 4 more than the width
  - 4) the length is 6 more than the width
- 137 Keira has a square poster that she is framing and placing on her wall. The poster has a diagonal 58 cm long and fits exactly inside the frame. The width of the frame around the picture is 4 cm.




Determine and state the total area of the poster and frame to the *nearest tenth of a square centimeter*.

- 138 A gallon of paint will cover approximately 450 square feet. An artist wants to paint all the outside surfaces of a cube measuring 12 feet on each edge. What is the *least* number of gallons of paint he must buy to paint the cube?
  - 1) 1
  - 2) 2
  - 3) 3
  - 4) 4

#### G.GMD.A.1: CIRCUMFERENCE

139 A circle with a radius of 5 was divided into 24 congruent sectors. The sectors were then rearranged, as shown in the diagram below.




#### To the *nearest integer*, the value of *x* is

- 1) 31
- 2) 16
- 3) 12
- 4) 10
- 140 A designer needs to create perfectly circular necklaces. The necklaces each need to have a radius of 10 cm. What is the largest number of necklaces that can be made from 1000 cm of wire?
  - 1) 15
  - 2) 16
  - 3) 31
  - 4) 32


#### G.C.B.5: ARC LENGTH

141 In the diagram below, the circle shown has radius 10. Angle *B* intercepts an arc with a length of  $2\pi$ .




What is the measure of angle *B*, in radians?

- 1)  $10 + 2\pi$
- 20π
- 3)  $\frac{\pi}{5}$
- 4)  $\frac{5}{\pi}$
- 142 In the diagram below, Circle 1 has radius 4, while Circle 2 has radius 6.5. Angle *A* intercepts an arc of length  $\pi$ , and angle *B* intercepts an arc of length  $\frac{13\pi}{8}$ .



Dominic thinks that angles *A* and *B* have the same radian measure. State whether Dominic is correct or not. Explain why.

143 In the diagram below, two concentric circles with center O, and radii  $\overline{OC}$ ,  $\overline{OD}$ ,  $\overline{OGE}$ , and  $\overline{ODF}$  are drawn.




If OC = 4 and OE = 6, which relationship between the length of arc *EF* and the length of arc *CD* is always true?

- 1) The length of arc *EF* is 2 units longer than the length of arc *CD*.
- 2) The length of arc *EF* is 4 units longer than the length of arc *CD*.
- 3) The length of arc *EF* is 1.5 times the length of arc *CD*.
- 4) The length of arc *EF* is 2.0 times the length of arc *CD*.


#### G.C.B.5: SECTORS

144 Determine and state, in terms of  $\pi$ , the area of a sector that intercepts a 40° arc of a circle with a radius of 4.5.


145 In the diagram below of circle *O*, diameter  $\overline{AB}$  and radii  $\overline{OC}$  and  $\overline{OD}$  are drawn. The length of  $\overline{AB}$  is 12 and the measure of  $\angle COD$  is 20 degrees.



- If  $\widehat{AC} \cong \widehat{BD}$ , find the area of sector *BOD* in terms of  $\pi$ .
- 146 In the diagram below of circle *O*, the area of the shaded sector *AOC* is  $12\pi$  in<sup>2</sup> and the length of  $\overline{OA}$  is 6 inches. Determine and state m $\angle AOC$ .




147 Triangle FGH is inscribed in circle O, the length of radius  $\overline{OH}$  is 6, and  $\overline{FH} \cong \overline{OG}$ .



What is the area of the sector formed by angle *FOH*?

- 1)  $2\pi$ 2)  $\frac{3}{2}\pi$
- 6π
- 4) 24*π*
- 148 In the diagram below of circle *O*, the area of the shaded sector *LOM* is  $2\pi$  cm<sup>2</sup>.



If the length of  $\overline{NL}$  is 6 cm, what is m $\angle N$ ?

- 1) 10°
- 2) 20°
- 3) 40°
- 4) 80°

Geometry Regents Exam Questions by State Standard: Topic www.jmap.org


149 What is the area of a sector of a circle with a radius of 8 inches and formed by a central angle that measures 60°?

1) 
$$\frac{8\pi}{3}$$

2) 
$$\frac{16\pi}{3}$$
  
3)  $\frac{32\pi}{3}$   
4)  $\frac{64\pi}{3}$ 

3

150 In circle O, diameter  $\overline{AB}$ , chord  $\overline{BC}$ , and radius  $\overline{OC}$ are drawn, and the measure of arc BC is  $108^{\circ}$ .




Some students wrote these formulas to find the area of sector COB:

Amy 
$$\frac{3}{10} \cdot \pi \cdot (BC)^2$$
  
Beth  $\frac{108}{360} \cdot \pi \cdot (OC)^2$   
Carl  $\frac{3}{10} \cdot \pi \cdot (\frac{1}{2}AB)^2$   
Dex  $\frac{108}{360} \cdot \pi \cdot \frac{1}{2}(AB)^2$ 

Which students wrote correct formulas?

- 1) Amy and Dex
- 2) Beth and Carl
- 3) Carl and Amy
- Dex and Beth 4)

151 In the diagram below of circle O, GO = 8 and  $m \angle GOJ = 60^{\circ}$ .




What is the area, in terms of  $\pi$ , of the shaded region?

1) 
$$\frac{4\pi}{3}$$
2) 
$$\frac{20\pi}{3}$$
3) 
$$\frac{32\pi}{3}$$
4) 
$$\frac{160\pi}{3}$$

152 In a circle with a diameter of 32, the area of a sector is  $\frac{512\pi}{3}$ . The measure of the angle of the sector, in radians, is

1) 
$$\frac{\pi}{3}$$
  
2)  $\frac{4\pi}{3}$   
3)  $\frac{16\pi}{3}$   
4)  $\frac{64\pi}{3}$ 


153 In the diagram below, the circle has a radius of 25 inches. The area of the *unshaded* sector is  $500\pi$  in<sup>2</sup>.



Determine and state the degree measure of angle Q, the central angle of the shaded sector.


#### G.GMD.A.1, 3: VOLUME

154 Two stacks of 23 quarters each are shown below. One stack forms a cylinder but the other stack does not form a cylinder.




Use Cavelieri's principle to explain why the volumes of these two stacks of quarters are equal.

155 Sue believes that the two cylinders shown in the diagram below have equal volumes.




Is Sue correct? Explain why.

156 The diagram below shows two figures. Figure A is a right triangular prism and figure B is an oblique triangular prism. The base of figure A has a height of 5 and a length of 8 and the height of prism A is 14. The base of figure B has a height of 8 and a length of 5 and the height of prism B is 14.



Use Cavalieri's Principle to explain why the volumes of these two triangular prisms are equal.


- 157 The Great Pyramid of Giza was constructed as a regular pyramid with a square base. It was built with an approximate volume of 2,592,276 cubic meters and a height of 146.5 meters. What was the length of one side of its base, to the *nearest meter*?
  1) 73
  - 2) 77
  - 3) 133
  - 4) 230
- 158 A fish tank in the shape of a rectangular prism has dimensions of 14 inches, 16 inches, and 10 inches. The tank contains 1680 cubic inches of water. What percent of the fish tank is empty?
  - 1) 10
  - 2) 25
  - 3) 50
  - 4) 75
- 159 As shown in the diagram below, a regular pyramid has a square base whose side measures 6 inches.



If the altitude of the pyramid measures 12 inches, its volume, in cubic inches, is

- 1) 72
- 2) 144
- 3) 288
- 4) 432

160 A storage tank is in the shape of a cylinder with a hemisphere on the top. The highest point on the inside of the storage tank is 13 meters above the floor of the storage tank, and the diameter inside the cylinder is 8 meters. Determine and state, to the *nearest cubic meter*, the total volume inside the storage tank.




- 161 A company is creating an object from a wooden cube with an edge length of 8.5 cm. A right circular cone with a diameter of 8 cm and an altitude of 8 cm will be cut out of the cube. Which expression represents the volume of the remaining wood?
  - 1)  $(8.5)^3 \pi(8)^2(8)$
  - 2)  $(8.5)^3 \pi(4)^2(8)$

3) 
$$(8.5)^3 - \frac{1}{3}\pi(8)^2(8)$$

4)  $(8.5)^3 - \frac{1}{3}\pi(4)^2(8)$ 

- 162 The diameter of a basketball is approximately 9.5 inches and the diameter of a tennis ball is approximately 2.5 inches. The volume of the basketball is about how many times greater than the volume of the tennis ball?
  - 1) 3591
  - 2) 65
  - 3) 55
  - 4) 4
- 163 Tennis balls are sold in cylindrical cans with the balls stacked one on top of the other. A tennis ball has a diameter of 6.7 cm. To the *nearest cubic centimeter*, what is the minimum volume of the can that holds a stack of 4 tennis balls?
  - 1) 236
  - 2) 282
  - 3) 564
  - 4) 945
- 164 A barrel of fuel oil is a right circular cylinder where the inside measurements of the barrel are a diameter of 22.5 inches and a height of 33.5 inches. There are 231 cubic inches in a liquid gallon. Determine and state, to the *nearest tenth*, the gallons of fuel that are in a barrel of fuel oil.
- 165 When volleyballs are purchased, they are not fully inflated. A partially inflated volleyball can be modeled by a sphere whose volume is approximately 180 in<sup>3</sup>. After being fully inflated, its volume is approximately 294 in<sup>3</sup>. To the *nearest tenth of an inch*, how much does the radius increase when the volleyball is fully inflated?


166 A water glass can be modeled by a truncated right cone (a cone which is cut parallel to its base) as shown below.



The diameter of the top of the glass is 3 inches, the diameter at the bottom of the glass is 2 inches, and the height of the glass is 5 inches. The base with a diameter of 2 inches must be parallel to the base with a diameter of 3 inches in order to find the height of the cone. Explain why. Determine and state, in inches, the height of the larger cone. Determine and state, to the *nearest tenth of a cubic inch*, the volume of the water glass.

- 167 A water cup in the shape of a cone has a height of 4 inches and a maximum diameter of 3 inches. What is the volume of the water in the cup, to the *nearest tenth of a cubic inch*, when the cup is filled to half its height?
  - 1) 1.2
  - 2) 3.5
  - 3) 4.7
  - 4) 14.1

168 A solid metal prism has a rectangular base with sides of 4 inches and 6 inches, and a height of 4 inches. A hole in the shape of a cylinder, with a radius of 1 inch, is drilled through the entire length of the rectangular prism.




What is the approximate volume of the remaining solid, in cubic inches?

- 1) 19
- 2) 77
- 3) 93
- 4) 96
- 169 A candle maker uses a mold to make candles like the one shown below.




The height of the candle is 13 cm and the circumference of the candle at its widest measure is 31.416 cm. Use modeling to approximate how much wax, to the *nearest cubic centimeter*, is needed to make this candle. Justify your answer.

170 The pyramid shown below has a square base, a height of 7, and a volume of 84.



What is the length of the side of the base?


- 1) 6
- 12
   18
- 3) 18
   4) 36
- 171 A fabricator is hired to make a 27-foot-long solid metal railing for the stairs at the local library. The railing is modeled by the diagram below. The railing is 2.5 inches high and 2.5 inches wide and is comprised of a rectangular prism and a half-cylinder.



How much metal, to the *nearest cubic inch*, will the railing contain?


- 1) 151
- 2) 795
- 3) 1808
- 4) 2025

172 A rectangular in-ground pool is modeled by the prism below. The inside of the pool is 16 feet wide and 35 feet long. The pool has a shallow end and a deep end, with a sloped floor connecting the two ends. Without water, the shallow end is 9 feet long and 4.5 feet deep, and the deep end of the pool is 12.5 feet long.



If the sloped floor has an angle of depression of 16.5 degrees, what is the depth of the pool at the deep end, to the *nearest tenth of a foot*? Find the volume of the inside of the pool to the *nearest cubic foot*. A garden hose is used to fill the pool. Water comes out of the hose at a rate of 10.5 gallons per minute. How much time, to the *nearest hour*, will it take to fill the pool 6 inches from the top? [1 ft<sup>3</sup>=7.48 gallons]

173 A gas station has a cylindrical fueling tank that holds the gasoline for its pumps, as modeled below. The tank holds a maximum of 20,000 gallons of gasoline and has a length of 34.5 feet.



A metal pole is used to measure how much gas is in the tank. To the *nearest tenth of a foot*, how long does the pole need to be in order to reach the bottom of the tank and still extend one foot outside the tank? Justify your answer. [1 ft<sup>3</sup>=7.48 gallons]

174 An ice cream waffle cone can be modeled by a right circular cone with a base diameter of 6.6 centimeters and a volume of  $54.45\pi$  cubic centimeters. What is the number of centimeters in the height of the waffle cone?

1) 
$$3\frac{3}{4}$$
  
2) 5


2) 5
 3) 15

4)  $24\frac{3}{4}$ 

- 175 A regular pyramid has a square base. The perimeter of the base is 36 inches and the height of the pyramid is 15 inches. What is the volume of the pyramid in cubic inches?
  - 1) 180
  - 2) 405
  - 3) 540
  - 4) 1215

#### G.MG.A.2: DENSITY

176 The water tower in the picture below is modeled by the two-dimensional figure beside it. The water tower is composed of a hemisphere, a cylinder, and a cone. Let *C* be the center of the hemisphere and let *D* be the center of the base of the cone.



If AC = 8.5 feet, BF = 25 feet, and m $\angle EFD = 47^{\circ}$ , determine and state, to the *nearest cubic foot*, the volume of the water tower. The water tower was constructed to hold a maximum of 400,000 pounds of water. If water weighs 62.4 pounds per cubic foot, can the water tower be filled to 85% of its volume and *not* exceed the weight limit? Justify your answer.

- 177 Trees that are cut down and stripped of their branches for timber are approximately cylindrical. A timber company specializes in a certain type of tree that has a typical diameter of 50 cm and a typical height of about 10 meters. The density of the wood is 380 kilograms per cubic meter, and the wood can be sold by mass at a rate of \$4.75 per kilogram. Determine and state the minimum number of whole trees that must be sold to raise at least \$50,000.
- 178 A contractor needs to purchase 500 bricks. The dimensions of each brick are 5.1 cm by 10.2 cm by 20.3 cm, and the density of each brick is 1920 kg/m<sup>3</sup>. The maximum capacity of the contractor's trailer is 900 kg. Can the trailer hold the weight of 500 bricks? Justify your answer.
- 179 A shipping container is in the shape of a right rectangular prism with a length of 12 feet, a width of 8.5 feet, and a height of 4 feet. The container is completely filled with contents that weigh, on average, 0.25 pound per cubic foot. What is the weight, in pounds, of the contents in the container?
  1) 1,632
  - 1) 1,03
  - 2) 408
  - 3) 102
  - 4) 92
- 180 A hemispherical tank is filled with water and has a diameter of 10 feet. If water weighs 62.4 pounds per cubic foot, what is the total weight of the water in a full tank, to the *nearest pound*?
  - 1) 16,336
  - 2) 32,673
  - 3) 130,690
  - 4) 261,381

181 A wooden cube has an edge length of 6 centimeters and a mass of 137.8 grams. Determine the density of the cube, to the *nearest thousandth*. State which type of wood the cube is made of, using the density table below.

Type of Wood	Density
	$(g/cm^3)$
Pine	0.373
Hemlock	0.431
Elm	0.554
Birch	0.601
Ash	0.638
Maple	0.676
Oak	0.711

182 The 2010 U.S. Census populations and population densities are shown in the table below.


State	<b>Population Density</b> $\left(\frac{\text{people}}{\text{mi}^2}\right)$	Population in 2010
Florida	350.6	18,801,310
Illinois	231.1	12,830,632
New York	411.2	19,378,102
Pennsylvania	283.9	12,702,379

Based on the table above, which list has the states' areas, in square miles, in order from largest to smallest?

- 1) Illinois, Florida, New York, Pennsylvania
- 2) New York, Florida, Illinois, Pennsylvania
- New York, Florida, Pennsylvania, Illinois
- 4) Pennsylvania, New York, Florida, Illinois
- 183 Molly wishes to make a lawn ornament in the form of a solid sphere. The clay being used to make the sphere weighs .075 pound per cubic inch. If the sphere's radius is 4 inches, what is the weight of the sphere, to the *nearest pound*?
  - 1) 34
  - 2) 20
  - 3) 15
  - 4) 4

- 184 Seawater contains approximately 1.2 ounces of salt per liter on average. How many gallons of seawater, to the *nearest tenth of a gallon*, would contain 1 pound of salt?
  - 1) 3.3
  - 2) 3.5
  - 3) 4.7
  - 4) 13.3


- 185 A hemispherical water tank has an inside diameter of 10 feet. If water has a density of 62.4 pounds per cubic foot, what is the weight of the water in a full tank, to the *nearest pound*?
  - 1) 16,336
  - 2) 32,673
  - 3) 130,690
  - 4) 261,381
- 186 Walter wants to make 100 candles in the shape of a cone for his new candle business. The mold shown below will be used to make the candles. Each mold will have a height of 8 inches and a diameter of 3 inches. To the *nearest cubic inch*, what will be the total volume of 100 candles?



Walter goes to a hobby store to buy the wax for his candles. The wax costs \$0.10 per ounce. If the weight of the wax is 0.52 ounce per cubic inch, how much will it cost Walter to buy the wax for 100 candles? If Walter spent a total of \$37.83 for the molds and charges \$1.95 for each candle, what is Walter's profit after selling 100 candles?


187 A machinist creates a solid steel part for a wind turbine engine. The part has a volume of 1015 cubic centimeters. Steel can be purchased for \$0.29 per kilogram, and has a density of 7.95 g/cm<sup>3</sup>. If the machinist makes 500 of these parts, what is the cost of the steel, to the *nearest dollar*?

- 188 The density of the American white oak tree is 752 kilograms per cubic meter. If the trunk of an American white oak tree has a circumference of 4.5 meters and the height of the trunk is 8 meters, what is the approximate number of kilograms of the trunk?
  - 1) 13
  - 2) 9694
  - 3) 13,536
  - 4) 30,456
- 189 During an experiment, the same type of bacteria is grown in two petri dishes. Petri dish *A* has a diameter of 51 mm and has approximately 40,000 bacteria after 1 hour. Petri dish *B* has a diameter of 75 mm and has approximately 72,000 bacteria after 1 hour.



Determine and state which petri dish has the greater population density of bacteria at the end of the first hour.

190 A snow cone consists of a paper cone completely filled with shaved ice and topped with a hemisphere of shaved ice, as shown in the diagram below. The inside diameter of both the cone and the hemisphere is 8.3 centimeters. The height of the cone is 10.2 centimeters.




The desired density of the shaved ice is  $0.697 \text{ g/cm}^3$ , and the cost, per kilogram, of ice is \$3.83. Determine and state the cost of the ice needed to make 50 snow cones.

191 New streetlights will be installed along a section of the highway. The posts for the streetlights will be 7.5 m tall and made of aluminum. The city can choose to buy the posts shaped like cylinders or the posts shaped like rectangular prisms. The cylindrical posts have a hollow core, with aluminum 2.5 cm thick, and an outer diameter of 53.4 cm. The rectangular-prism posts have a hollow core, with aluminum 2.5 cm thick, and a square base that measures 40 cm on each side. The density of aluminum is 2.7 g/cm3, and the cost of aluminum is \$0.38 per kilogram. If all posts must be the same shape, which post design will cost the town less? How much money will be saved per streetlight post with the less expensive design?

#### **G.SRT.B.5: SIMILARITY**


192 Triangles ABC and DEF are drawn below.



If AB = 9, BC = 15, DE = 6, EF = 10, and  $\angle B \cong \angle E$ , which statement is true? 1)  $\angle CAB \cong \angle DEF$ 2)  $\frac{AB}{CB} = \frac{FE}{DE}$ 3)  $\triangle ABC \sim \triangle DEF$ 

4) 
$$\frac{AB}{DE} = \frac{FE}{CB}$$


193 In the diagram below,  $\triangle ABC \sim \triangle DEC$ .



If AC = 12, DC = 7, DE = 5, and the perimeter of  $\triangle ABC$  is 30, what is the perimeter of  $\triangle DEC$ ? 1) 12.5

- 2) 14.0
- 3) 14.8
- 4) 17.5


- 194 A flagpole casts a shadow 16.60 meters long. Tim stands at a distance of 12.45 meters from the base of the flagpole, such that the end of Tim's shadow meets the end of the flagpole's shadow. If Tim is 1.65 meters tall, determine and state the height of the flagpole to the *nearest tenth of a meter*.
- 195 In the diagram below, the line of sight from the park ranger station, *P*, to the lifeguard chair, *L*, on the beach of a lake is perpendicular to the path joining the campground, *C*, and the first aid station, *F*. The campground is 0.25 mile from the lifeguard chair. The straight paths from both the campground and first aid station to the park ranger station are perpendicular.



If the path from the park ranger station to the campground is 0.55 mile, determine and state, to the *nearest hundredth of a mile*, the distance between the park ranger station and the lifeguard chair. Gerald believes the distance from the first aid station to the campground is at least 1.5 miles. Is Gerald correct? Justify your answer.

- 196 The ratio of similarity of  $\triangle BOY$  to  $\triangle GRL$  is 1:2. If BO = x + 3 and GR = 3x - 1, then the length of  $\overline{GR}$  is
  - 1) 5
  - 2) 7
  - 3) 10
  - 4) 20


197 As shown in the diagram below,  $\overline{AB}$  and  $\overline{CD}$  intersect at *E*, and  $\overline{AC} \parallel \overline{BD}$ .



Given  $\triangle AEC \sim \triangle BED$ , which equation is true?


1)	$\frac{CE}{DE} = \frac{EB}{EA}$
2)	$\frac{AE}{BE} = \frac{AC}{BD}$
3)	$\frac{EC}{AE} = \frac{BE}{ED}$
4)	$\frac{ED}{EC} = \frac{AC}{BD}$

198 To find the distance across a pond from point B to point C, a surveyor drew the diagram below. The measurements he made are indicated on his diagram.




Use the surveyor's information to determine and state the distance from point *B* to point *C*, to the *nearest yard*.


199 Using the information given below, which set of triangles can *not* be proven similar?



200 Triangles *RST* and *XYZ* are drawn below. If RS = 6, ST = 14, XY = 9, YZ = 21, and  $\angle S \cong \angle Y$ , is  $\triangle RST$  similar to  $\triangle XYZ$ ? Justify your answer.




201 In  $\triangle SCU$  shown below, points T and O are on  $\overline{SU}$ and  $\overline{CU}$ , respectively. Segment OT is drawn so that  $\angle C \cong \angle OTU$ .



If TU = 4, OU = 5, and OC = 7, what is the length of  $\overline{ST}$ ?


- 1) 5.6
- 8.75
   11
- 4) 15
- 202 In the diagram below,  $\triangle ABC \sim \triangle DEF$ .




If AB = 6 and AC = 8, which statement will justify similarity by SAS?

- 1) DE = 9, DF = 12, and  $\angle A \cong \angle D$
- 2) DE = 8, DF = 10, and  $\angle A \cong \angle D$
- 3) DE = 36, DF = 64, and  $\angle C \cong \angle F$
- 4)  $DE = 15, DF = 20, \text{ and } \angle C \cong \angle F$

203 In right triangle *ABC* shown below, altitude  $\overline{CD}$  is drawn to hypotenuse  $\overline{AB}$ . Explain why  $\triangle ABC \sim \triangle ACD$ .




204 In the diagram below,  $\overline{CD}$  is the altitude drawn to the hypotenuse  $\overline{AB}$  of right triangle ABC.



Which lengths would *not* produce an altitude that measures  $6\sqrt{2}$ ?


- 1) AD = 2 and DB = 36
- 2) AD = 3 and AB = 24
- 3) AD = 6 and DB = 12
- 4) AD = 8 and AB = 17

205 In  $\triangle RST$  shown below, altitude  $\overline{SU}$  is drawn to  $\overline{RT}$  at U.



If SU = h, UT = 12, and RT = 42, which value of h will make  $\triangle RST$  a right triangle with  $\angle RST$  as a right angle?


- 1)  $6\sqrt{3}$
- 2)  $6\sqrt{10}$
- 3)  $6\sqrt{14}$
- 4)  $6\sqrt{35}$
- 206 In the diagram of right triangle ABC,  $\overline{CD}$  intersects hypotenuse  $\overline{AB}$  at D.




If AD = 4 and DB = 6, which length of AC makes  $\overline{CD} \perp \overline{AB}$ ? 1)  $2\sqrt{6}$ 

2)  $2\sqrt{10}$ 3)  $2\sqrt{15}$ 4)  $4\sqrt{2}$ 


207 In triangle *CHR*, *O* is on *HR*, and *D* is on *CR* so that  $\angle H \cong \angle RDO$ .



If RD = 4, RO = 6, and OH = 4, what is the length of  $\overline{CD}$ ?




208 In the diagram below, AC = 7.2 and CE = 2.4.



Which statement is *not* sufficient to prove  $\triangle ABC \sim \triangle EDC$ ?


- 1)  $AB \parallel ED$
- 2) DE = 2.7 and AB = 8.1
- 3) CD = 3.6 and BC = 10.8
- 4) DE = 3.0, AB = 9.0, CD = 2.9, and BC = 8.7

209 In the diagram below,  $\overline{AD}$  intersects  $\overline{BE}$  at C, and  $\overline{AB} \parallel \overline{DE}$ .



If CD = 6.6 cm, DE = 3.4 cm, CE = 4.2 cm, and BC = 5.25 cm, what is the length of  $\overline{AC}$ , to the *nearest hundredth of a centimeter*?


- 1) 2.70
- 3.34
   5.28
- 3) 3.20
- 4) 8.25
- 210 Kirstie is testing values that would make triangle KLM a right triangle when  $\overline{LN}$  is an altitude, and KM = 16, as shown below.



Which lengths would make triangle *KLM* a right triangle?


- 1) LM = 13 and KN = 6
- 2) LM = 12 and NM = 9
- 3) KL = 11 and KN = 7
- 4) LN = 8 and NM = 10

211 In the diagram below,  $\overline{XS}$  and  $\overline{YR}$  intersect at Z. Segments XY and RS are drawn perpendicular to  $\overline{YR}$  to form triangles XYZ and SRZ.



Which statement is always true?

- 1) (XY)(SR) = (XZ)(RZ)
- 2)  $\triangle XYZ \cong \triangle SRZ$
- 3)  $\overline{XS} \cong \overline{YR}$
- 4)  $\frac{XY}{SR} = \frac{YZ}{RZ}$
- 212 In the diagram below of  $\triangle ABC$ ,  $\angle ABC$  is a right angle, AC = 12, AD = 8, and altitude  $\overline{BD}$  is drawn.




What is the length of  $\overline{BC}$ ?

- 1)  $4\sqrt{2}$
- 2)  $4\sqrt{3}$
- 3)  $4\sqrt{5}$
- 4)  $4\sqrt{6}$

## TRANSFORMATIONS G.SRT.A.1: LINE DILATIONS

213 In the diagram below,  $\overline{CD}$  is the image of  $\overline{AB}$  after a dilation of scale factor k with center E.



Which ratio is equal to the scale factor k of the dilation?

1)	$\underline{EC}$
	EA
2)	BA
	EA
3)	EA
	BA
4)	EA
	EC

214 Line  $\ell$  is mapped onto line *m* by a dilation centered at the origin with a scale factor of 2. The equation of line  $\ell$  is 3x - y = 4. Determine and state an equation for line *m*.


### Geometry Regents Exam Questions by Common Core State Standard: Topic

- 215 The equation of line *h* is 2x + y = 1. Line *m* is the image of line *h* after a dilation of scale factor 4 with respect to the origin. What is the equation of the line *m*?
  - 1) y = -2x + 1
  - 2) y = -2x + 4
  - 3) y = 2x + 4
  - 4) y = 2x + 1
- 216 The line y = 2x 4 is dilated by a scale factor of  $\frac{3}{2}$

and centered at the origin. Which equation represents the image of the line after the dilation?

- $1) \quad y = 2x 4$
- $2) \quad y = 2x 6$
- $3) \quad y = 3x 4$
- $4) \quad y = 3x 6$
- 217 The line 3y = -2x + 8 is transformed by a dilation centered at the origin. Which linear equation could be its image?
  - $1) \quad 2x + 3y = 5$
  - $2) \quad 2x 3y = 5$
  - $3) \quad 3x + 2y = 5$
  - $4) \quad 3x 2y = 5$
- 218 Line y = 3x 1 is transformed by a dilation with a scale factor of 2 and centered at (3,8). The line's image is
  - 1) y = 3x 8
  - 2) y = 3x 4
  - 3) y = 3x 2
  - $4) \quad y = 3x 1$

219 On the graph below, point A(3,4) and  $\overline{BC}$  with coordinates B(4,3) and C(2,1) are graphed.




What are the coordinates of *B*' and *C*' after *BC* undergoes a dilation centered at point *A* with a scale factor of 2?

- 1) B'(5,2) and C'(1,-2)
- 2) B'(6,1) and C'(0,-1)
- 3) B'(5,0) and C'(1,-2)
- 4) B'(5,2) and C'(3,0)
- 220 A line that passes through the points whose coordinates are (1, 1) and (5,7) is dilated by a scale factor of 3 and centered at the origin. The image of the line
  - 1) is perpendicular to the original line
  - 2) is parallel to the original line
  - 3) passes through the origin
  - 4) is the original line

- 221 A three-inch line segment is dilated by a scale factor of 6 and centered at its midpoint. What is the length of its image?
  - 1) 9 inches
  - 2) 2 inches
  - 3) 15 inches
  - 4) 18 inches
- 222 Line segment *A*'*B*', whose endpoints are (4, -2) and (16, 14), is the image of  $\overline{AB}$  after a dilation of  $\frac{1}{2}$  centered at the origin. What is the length of  $\overline{AB}$ ?
  - 1) 5
  - 2) 10
  - 3) 20
  - 4) 40
- 223 A line segment is dilated by a scale factor of 2 centered at a point not on the line segment. Which statement regarding the relationship between the given line segment and its image is true?
  - 1) The line segments are perpendicular, and the image is one-half of the length of the given line segment.
  - 2) The line segments are perpendicular, and the image is twice the length of the given line segment.
  - 3) The line segments are parallel, and the image is twice the length of the given line segment.
  - 4) The line segments are parallel, and the image is one-half of the length of the given line segment.

- 224 The line represented by the equation 4y = 3x + 7 is transformed by a dilation centered at the origin. Which linear equation could represent its image? 1) 3x - 4y = 9
  - 2) 3x + 4y = 9
  - 3) 4x 3y = 9
  - $4) \quad 4x + 3y = 9$
- 225 Line *n* is represented by the equation 3x + 4y = 20. Determine and state the equation of line *p*, the image of line *n*, after a dilation of scale factor  $\frac{1}{3}$


centered at the point (4,2). [The use of the set of axes below is optional.] Explain your answer.



- 226 The line whose equation is 3x 5y = 4 is dilated by a scale factor of  $\frac{5}{3}$  centered at the origin. Which statement is correct?
  - 1) The image of the line has the same slope as the pre-image but a different *y*-intercept.
  - 2) The image of the line has the same *y*-intercept as the pre-image but a different slope.
  - 3) The image of the line has the same slope and the same *y*-intercept as the pre-image.
  - 4) The image of the line has a different slope and a different *y*-intercept from the pre-image.


#### G.CO.A.5: ROTATIONS

227 Which point shown in the graph below is the image of point *P* after a counterclockwise rotation of  $90^{\circ}$  about the origin?



- A
   B
- $\frac{2}{3}$  C
- 4) D


228 The grid below shows  $\triangle ABC$  and  $\triangle DEF$ .



Let  $\triangle A'B'C'$  be the image of  $\triangle ABC$  after a rotation about point *A*. Determine and state the location of *B'* if the location of point *C'* is (8,-3). Explain your answer. Is  $\triangle DEF$  congruent to  $\triangle A'B'C'$ ? Explain your answer.


#### G.CO.A.5: REFLECTIONS

229 Triangle *ABC* is graphed on the set of axes below. Graph and label  $\triangle A'B'C'$ , the image of  $\triangle ABC$  after a reflection over the line x = 1.



#### **G.SRT.A.2: DILATIONS**


230 The image of  $\triangle ABC$  after a dilation of scale factor *k* centered at point *A* is  $\triangle ADE$ , as shown in the diagram below.




Which statement is always true?

- 1) 2AB = AD
- 2)  $\overline{AD} \perp \overline{DE}$
- $3) \quad AC = CE$
- 4)  $BC \parallel DE$
- 231 A triangle is dilated by a scale factor of 3 with the center of dilation at the origin. Which statement is true?
  - 1) The area of the image is nine times the area of the original triangle.
  - 2) The perimeter of the image is nine times the perimeter of the original triangle.
  - 3) The slope of any side of the image is three times the slope of the corresponding side of the original triangle.
  - 4) The measure of each angle in the image is three times the measure of the corresponding angle of the original triangle.

- 232 If  $\triangle ABC$  is dilated by a scale factor of 3, which statement is true of the image  $\triangle A'B'C'$ ?
  - 1) 3A'B' = AB
  - 2) B'C' = 3BC
  - 3)  $m \angle A' = 3(m \angle A)$
  - 4)  $3(m \angle C') = m \angle C$
- 233 In the diagram below,  $\triangle ABE$  is the image of  $\triangle ACD$  after a dilation centered at the origin. The coordinates of the vertices are A(0,0), B(3,0), C(4.5,0), D(0,6), and E(0,4).







1)  $\frac{2}{3}$ 2)  $\frac{3}{2}$ 3)  $\frac{3}{4}$ 4)  $\frac{4}{3}$ 

234 The coordinates of the endpoints of  $\overline{AB}$  are A(2,3)and B(5,-1). Determine the length of  $\overline{A'B'}$ , the image of  $\overline{AB}$ , after a dilation of  $\frac{1}{2}$  centered at the origin. [The use of the set of axes below is

optional.]



235 Triangle QRS is graphed on the set of axes below.




On the same set of axes, graph and label  $\triangle Q' R' S'$ , the image of  $\triangle QRS$  after a dilation with a scale factor of  $\frac{3}{2}$  centered at the origin. Use slopes to explain why  $Q' R' \parallel QR$ .

236 Rectangle A'B'C'D' is the image of rectangle ABCDafter a dilation centered at point A by a scale factor

of  $\frac{2}{3}$ . Which statement is correct?

- 1) Rectangle A'B'C'D' has a perimeter that is  $\frac{2}{3}$  the perimeter of rectangle *ABCD*.
- 2) Rectangle *A'B'C'D'* has a perimeter that is  $\frac{3}{2}$  the perimeter of rectangle *ABCD*.
- 3) Rectangle A'B'C'D' has an area that is  $\frac{2}{3}$  the area of rectangle *ABCD*.
- 4) Rectangle *A'B'C'D'* has an area that is  $\frac{3}{2}$  the area of rectangle *ABCD*.

237 Triangle *ABC* and triangle *ADE* are graphed on the set of axes below.




Describe a transformation that maps triangle *ABC* onto triangle *ADE*. Explain why this transformation makes triangle *ADE* similar to triangle *ABC*.

#### G.CO.A.3: MAPPING A POLYGON ONTO ITSELF


- 238 Which regular polygon has a minimum rotation of  $45^{\circ}$  to carry the polygon onto itself?
  - 1) octagon
  - 2) decagon
  - 3) hexagon
  - 4) pentagon

239 A regular pentagon is shown in the diagram below.



If the pentagon is rotated clockwise around its center, the minimum number of degrees it must be rotated to carry the pentagon onto itself is


- 1) 54°
- 2) 72°
- 3) 108°
- 4) 360°
- 240 In the diagram below, a square is graphed in the coordinate plane.



A reflection over which line does *not* carry the square onto itself?

- 1) x = 5
- 2) *y* = 2
- 3) y = x
- 4) x + y = 4

241 As shown in the graph below, the quadrilateral is a rectangle.




Which transformation would *not* map the rectangle onto itself?

- 1) a reflection over the *x*-axis
- 2) a reflection over the line x = 4
- 3) a rotation of  $180^{\circ}$  about the origin
- 4) a rotation of  $180^{\circ}$  about the point (4,0)
- 242 A regular hexagon is rotated in a counterclockwise direction about its center. Determine and state the minimum number of degrees in the rotation such that the hexagon will coincide with itself.
- 243 Which rotation about its center will carry a regular decagon onto itself?
  - 1) 54°
  - 2) 162°
  - 3) 198°
  - 4) 252°

- 244 Which figure always has exactly four lines of reflection that map the figure onto itself?
  - 1) square
  - 2) rectangle
  - 3) regular octagon
  - 4) equilateral triangle
- 245 A regular decagon is rotated n degrees about its center, carrying the decagon onto itself. The value of n could be
  - 1) 10°
  - 2) 150°
  - 3) 225°
  - 4) 252°
- 246 Which transformation would *not* carry a square onto itself?
  - 1) a reflection over one of its diagonals
  - 2) a  $90^{\circ}$  rotation clockwise about its center
  - 3) a  $180^{\circ}$  rotation about one of its vertices
  - 4) a reflection over the perpendicular bisector of one side


G.CO.A.5, G.SRT.A.2: COMPOSITIONS OF TRANSFORMATIONS

247 Triangle ABC and triangle DEF are drawn below.



If  $AB \cong DE$ ,  $AC \cong DF$ , and  $\angle A \cong \angle D$ , write a sequence of transformations that maps triangle *ABC* onto triangle *DEF*.


248 In the diagram below, congruent figures 1, 2, and 3 are drawn.



Which sequence of transformations maps figure 1 onto figure 2 and then figure 2 onto figure 3?

- 1) a reflection followed by a translation
- 2) a rotation followed by a translation
- 3) a translation followed by a reflection
- 4) a translation followed by a rotation


249 A sequence of transformations maps rectangle *ABCD* onto rectangle *A"B"C"D"*, as shown in the diagram below.




Which sequence of transformations maps *ABCD* onto *A'B'C'D'* and then maps *A'B'C'D'* onto *A''B''C''D''*?

- 1) a reflection followed by a rotation
- 2) a reflection followed by a translation
- 3) a translation followed by a rotation
- 4) a translation followed by a reflection


250 Describe a sequence of transformations that will map  $\triangle ABC$  onto  $\triangle DEF$  as shown below.



251 In the diagram below,  $\triangle ABC$  has coordinates A(1,1), B(4,1), and C(4,5). Graph and label  $\triangle A"B"C"$ , the image of  $\triangle ABC$  after the translation five units to the right and two units up followed by the reflection over the line y = 0.




252 Triangle *ABC* and triangle *DEF* are graphed on the set of axes below.




Which sequence of transformations maps triangle *ABC* onto triangle *DEF*?

- a reflection over the *x*-axis followed by a reflection over the *y*-axis
- 2) a 180° rotation about the origin followed by a reflection over the line y = x
- 3) a 90° clockwise rotation about the origin followed by a reflection over the *y*-axis
- a translation 8 units to the right and 1 unit up followed by a 90° counterclockwise rotation about the origin

253 Identify which sequence of transformations could map pentagon *ABCDE* onto pentagon *A"B"C"D"E"*, as shown below.




- 1) dilation followed by a rotation
- 2) translation followed by a rotation
- 3) line reflection followed by a translation
- 4) line reflection followed by a line reflection
- 254 The graph below shows  $\triangle ABC$  and its image,  $\triangle A"B"C"$ .



Describe a sequence of rigid motions which would map  $\triangle ABC$  onto  $\triangle A"B"C"$ .


255 In the diagram below,  $\triangle ABC \cong \triangle DEF$ .



Which sequence of transformations maps  $\triangle ABC$  onto  $\triangle DEF$ ?


- 1) a reflection over the *x*-axis followed by a translation
- 2) a reflection over the *y*-axis followed by a translation
- 3) a rotation of 180° about the origin followed by a translation
- 4) a counterclockwise rotation of 90° about the origin followed by a translation

256 Quadrilateral *MATH* and its image *M"A"T"H"* are graphed on the set of axes below.




Describe a sequence of transformations that maps quadrilateral *MATH* onto quadrilateral *M"A"T"H"*.

257 In the diagram below, triangles *XYZ* and *UVZ* are drawn such that  $\angle X \cong \angle U$  and  $\angle XZY \cong \angle UZV$ .



Describe a sequence of similarity transformations that shows  $\triangle XYZ$  is similar to  $\triangle UVZ$ .

258 In the diagram below,  $\triangle DEF$  is the image of  $\triangle ABC$  after a clockwise rotation of 180° and a dilation where AB = 3, BC = 5.5, AC = 4.5, DE = 6, FD = 9, and EF = 11.




Which relationship must always be true?

1)	$\frac{m\angle A}{m\angle D} =$	$=\frac{1}{2}$
2)	$\frac{\mathbf{m}\angle C}{\mathbf{m}\angle F} =$	$=\frac{2}{1}$
3)	$\frac{\mathbf{m}\angle A}{\mathbf{m}\angle C} =$	$=\frac{\mathbf{m}\angle F}{\mathbf{m}\angle D}$
4)	$\underline{m \angle B}$	$\underline{m \angle C}$


4) 
$$\frac{\mathrm{m} \angle B}{\mathrm{m} \angle E} = \frac{\mathrm{m} \angle C}{\mathrm{m} \angle F}$$

259 Which sequence of transformations will map  $\triangle ABC$  onto  $\triangle A'B'C'$ ?



- 1) reflection and translation
- 2) rotation and reflection
- 3) translation and dilation
- 4) dilation and rotation


260 Given:  $\triangle AEC$ ,  $\triangle DEF$ , and  $\overline{FE} \perp \overline{CE}$ 



What is a correct sequence of similarity transformations that shows  $\triangle AEC \sim \triangle DEF$ ?

- 1) a rotation of 180 degrees about point E followed by a horizontal translation
- 2) a counterclockwise rotation of 90 degrees about point *E* followed by a horizontal translation
- a rotation of 180 degrees about point *E* followed by a dilation with a scale factor of 2 centered at point *E*
- a counterclockwise rotation of 90 degrees about point *E* followed by a dilation with a scale factor of 2 centered at point *E*

261 In the diagram below,  $\triangle ADE$  is the image of  $\triangle ABC$  after a reflection over the line AC followed by a dilation of scale factor  $\frac{AE}{AC}$  centered at point A.



Which statement must be true?


- 1)  $m \angle BAC \cong m \angle AED$
- 2)  $m \angle ABC \cong m \angle ADE$

3) 
$$m \angle DAE \cong \frac{1}{2} m \angle BAC$$

4) 
$$m \angle ACB \cong \frac{1}{2} m \angle DAB$$


#### G.CO.B.6: PROPERTIES OF TRANSFORMATIONS

263 The image of  $\triangle ABC$  after a rotation of 90° clockwise about the origin is  $\triangle DEF$ , as shown below.




Which statement is true?

- 1)  $BC \cong DE$
- 2)  $\overline{AB} \cong \overline{DF}$
- 3)  $\angle C \cong \angle E$
- 4)  $\angle A \cong \angle D$
- 264 Triangle *MNP* is the image of triangle *JKL* after a 120° counterclockwise rotation about point *Q*. If the measure of angle *L* is 47° and the measure of angle *N* is 57°, determine the measure of angle *M*. Explain how you arrived at your answer.



- 262 Triangle A'B'C' is the image of  $\triangle ABC$  after a dilation followed by a translation. Which statement(s) would always be true with respect to this sequence of transformations?
  - I.  $\triangle ABC \cong \triangle A'B'C'$ II.  $\triangle ABC \sim \triangle A'B'C'$ III.  $\overline{AB} \parallel \overline{A'B'}$ IV. AA' = BB'
  - 1) II, only
  - 2) I and II
  - 3) II and III
  - 4) II, III, and IV


265 Quadrilateral *ABCD* is graphed on the set of axes below.



When *ABCD* is rotated 90° in a counterclockwise direction about the origin, its image is quadrilateral A'B'C'D'. Is distance preserved under this rotation, and which coordinates are correct for the given vertex?

- 1) no and C'(1,2)
- 2) no and D'(2,4)
- 3) yes and A'(6,2)
- 4) yes and B'(-3,4)

266 In the diagram below, a sequence of rigid motions maps *ABCD* onto *JKLM*.




If  $m \angle A = 82^\circ$ ,  $m \angle B = 104^\circ$ , and  $m \angle L = 121^\circ$ , the measure of  $\angle M$  is

- 1) 53°
- 2) 82°
- 3) 104°
- 4) 121°

#### G.CO.A.2: IDENTIFYING TRANSFORMATIONS


- 267 The vertices of  $\triangle JKL$  have coordinates J(5,1), K(-2,-3), and L(-4,1). Under which transformation is the image  $\triangle J'K'L'$  not congruent to  $\triangle JKL$ ?
  - 1) a translation of two units to the right and two units down
  - 2) a counterclockwise rotation of 180 degrees around the origin
  - 3) a reflection over the *x*-axis
  - 4) a dilation with a scale factor of 2 and centered at the origin

- 268 If  $\triangle A'B'C'$  is the image of  $\triangle ABC$ , under which transformation will the triangles *not* be congruent?
  - 1) reflection over the *x*-axis
  - 2) translation to the left 5 and down 4
  - dilation centered at the origin with scale factor
     2
  - 4) rotation of 270° counterclockwise about the origin
- 269 In the diagram below, which single transformation was used to map triangle *A* onto triangle *B*?




- 1) line reflection
- 2) rotation
- 3) dilation
- 4) translation
- 270 Which transformation would *not* always produce an image that would be congruent to the original figure?
  - 1) translation
  - 2) dilation
  - 3) rotation
  - 4) reflection

271 Which transformation of  $\overline{OA}$  would result in an image parallel to  $\overline{OA}$ ?




- 1) a translation of two units down
- 2) a reflection over the *x*-axis
- 3) a reflection over the *y*-axis
- 4) a clockwise rotation of  $90^{\circ}$  about the origin
- 272 On the set of axes below, rectangle *ABCD* can be proven congruent to rectangle *KLMN* using which transformation?




- 1) rotation
- 2) translation
- 3) reflection over the *x*-axis
- 4) reflection over the *y*-axis

- 273 Under which transformation would  $\triangle A'B'C'$ , the image of  $\triangle ABC$ , *not* be congruent to  $\triangle ABC$ ?
  - 1) reflection over the *y*-axis
  - 2) rotation of  $90^{\circ}$  clockwise about the origin
  - 3) translation of 3 units right and 2 units down
  - 4) dilation with a scale factor of 2 centered at the origin
- 274 Triangle *ABC* has vertices at A(-5,2), B(-4,7), and C(-2,7), and triangle *DEF* has vertices at D(3,2), E(2,7), and F(0,7). Graph and label  $\triangle ABC$  and  $\triangle DEF$  on the set of axes below. Determine and state the single transformation where  $\triangle DEF$  is the image of  $\triangle ABC$ . Use your transformation to explain why  $\triangle ABC \cong \triangle DEF$ .



- 275 The image of  $\triangle DEF$  is  $\triangle D'E'F'$ . Under which transformation will be triangles *not* be congruent?
  - 1) a reflection through the origin 2
  - 2) a reflection over the line y = x
  - 3) a dilation with a scale factor of 1 centered at (2,3)
  - 4) a dilation with a scale factor of  $\frac{3}{2}$  centered at the origin
- 276 The graph below shows two congruent triangles, *ABC* and *A'B'C'*.



Which rigid motion would map  $\triangle ABC$  onto  $\triangle A'B'C'$ ?


- 1) a rotation of 90 degrees counterclockwise about the origin
- 2) a translation of three units to the left and three units up
- 3) a rotation of 180 degrees about the origin
- 4) a reflection over the line y = x

G.CO.A.2: ANALYTICAL REPRESENTATIONS OF TRANSFORMATIONS

- 277 Which transformation would result in the perimeter of a triangle being different from the perimeter of its image?
  - 1)  $(x,y) \rightarrow (y,x)$
  - $2) \quad (x,y) \to (x,-y)$
  - 3)  $(x,y) \rightarrow (4x,4y)$
  - 4)  $(x,y) \rightarrow (x+2,y-5)$
- 278 The vertices of  $\triangle PQR$  have coordinates P(2,3), Q(3,8), and R(7,3). Under which transformation of  $\triangle PQR$  are distance and angle measure preserved?
  - 1)  $(x,y) \rightarrow (2x,3y)$
  - 2)  $(x,y) \rightarrow (x+2,3y)$
  - 3)  $(x,y) \rightarrow (2x,y+3)$
  - 4)  $(x,y) \rightarrow (x+2,y+3)$

### TRIGONOMETRY G.SRT.C.6: TRIGONOMETRIC RATIOS

279 In the diagram below,  $\triangle ERM \sim \triangle JTM$ .




Which statement is always true?

1) 
$$\cos J = \frac{RM}{RE}$$
  
2)  $\cos R = \frac{JM}{JT}$   
3)  $\tan T = \frac{RM}{EM}$ 

4) 
$$\tan E = \frac{TM}{JM}$$

280 In the diagram of right triangle *ADE* below,  $\overline{BC} \parallel \overline{DE}$ .



Which ratio is always equivalent to the sine of  $\angle A$ ?

1)	AD
	$\overline{DE}$
•	AE

- 2)  $\frac{1}{AD}$
- 3)  $\frac{BC}{AB}$
- 4)  $\frac{AB}{AC}$

# 282 Explain why cos(x) = sin(90 - x) for x such that 0 < x < 90.


- 283 In  $\triangle ABC$ , where  $\angle C$  is a right angle,  $\cos A = \frac{\sqrt{21}}{5}$ . What is  $\sin B$ ? 1)  $\frac{\sqrt{21}}{5}$ 2)  $\frac{\sqrt{21}}{2}$ 3)  $\frac{2}{5}$ 4)  $\frac{5}{\sqrt{21}}$
- 284 In right triangle *ABC* with the right angle at *C*,  $\sin A = 2x + 0.1$  and  $\cos B = 4x - 0.7$ . Determine and state the value of *x*. Explain your answer.
- 285 Which expression is always equivalent to  $\sin x$ when  $0^\circ < x < 90^\circ$ ?
  - 1)  $\cos(90^{\circ} x)$
  - 2)  $\cos(45^{\circ} x)$
  - 3)  $\cos(2x)$
  - 4)  $\cos x$

286 In  $\triangle ABC$ , the complement of  $\angle B$  is  $\angle A$ . Which statement is always true?

- 1)  $\tan \angle A = \tan \angle B$
- 2)  $\sin \angle A = \sin \angle B$
- 3)  $\cos \angle A = \tan \angle B$
- 4)  $\sin \angle A = \cos \angle B$

### G.SRT.C.7: COFUNCTIONS

281 In scalene triangle ABC shown in the diagram below,  $m \angle C = 90^{\circ}$ .




Which equation is always true?

- 1)  $\sin A = \sin B$
- 2)  $\cos A = \cos B$
- 3)  $\cos A = \sin C$
- 4)  $\sin A = \cos B$

- 287 Find the value of *R* that will make the equation  $\sin 73^\circ = \cos R$  true when  $0^\circ < R < 90^\circ$ . Explain your answer.
- 288 When instructed to find the length of HJ in right triangle HJG, Alex wrote the equation

 $\sin 28^\circ = \frac{HJ}{20}$  while Marlene wrote  $\cos 62^\circ = \frac{HJ}{20}$ .

Are both students' equations correct? Explain why.



289 In right triangle ABC, m $\angle C = 90^\circ$ . If  $\cos B = \frac{5}{13}$ ,


which function also equals  $\frac{5}{13}$ ?

- 1) tan A
- 2) tan*B*
- 3) sinA
- 4)  $\sin B$
- 290 In a right triangle,  $\sin(40-x)^\circ = \cos(3x)^\circ$ . What is the value of x?
  - 1) 10
  - 2) 15
  - 3) 20
  - 4) 25

291 Given: Right triangle ABC with right angle at C. If sinA increases, does cos B increase or decrease?Explain why.


#### <u>G.SRT.C.8: USING TRIGONOMETRY TO FIND</u> <u>A SIDE</u>

292 As shown below, a canoe is approaching a lighthouse on the coastline of a lake. The front of the canoe is 1.5 feet above the water and an observer in the lighthouse is 112 feet above the water.




At 5:00, the observer in the lighthouse measured the angle of depression to the front of the canoe to be 6°. Five minutes later, the observer measured and saw the angle of depression to the front of the canoe had increased by 49°. Determine and state, to the *nearest foot per minute*, the average speed at which the canoe traveled toward the lighthouse.

293 As shown in the diagram below, a ship is heading directly toward a lighthouse whose beacon is 125 feet above sea level. At the first sighting, point *A*, the angle of elevation from the ship to the light was  $7^{\circ}$ . A short time later, at point *D*, the angle of elevation was  $16^{\circ}$ .




To the *nearest foot*, determine and state how far the ship traveled from point *A* to point *D*.

294 The map below shows the three tallest mountain peaks in New York State: Mount Marcy, Algonquin Peak, and Mount Haystack. Mount Haystack, the shortest peak, is 4960 feet tall. Surveyors have determined the horizontal distance between Mount Haystack and Mount Marcy is 6336 feet and the horizontal distance between Mount Marcy and Algonquin Peak is 20,493 feet.



The angle of depression from the peak of Mount Marcy to the peak of Mount Haystack is 3.47 degrees. The angle of elevation from the peak of Algonquin Peak to the peak of Mount Marcy is 0.64 degrees. What are the heights, to the *nearest foot*, of Mount Marcy and Algonquin Peak? Justify your answer.


- 295 A 20-foot support post leans against a wall, making a 70° angle with the ground. To the *nearest tenth* of a foot, how far up the wall will the support post reach?
  - 1) 6.8
  - 2) 6.9
  - 3) 18.7
  - 4) 18.8
- 296 As shown in the diagram below, the angle of elevation from a point on the ground to the top of the tree is 34°.




If the point is 20 feet from the base of the tree, what is the height of the tree, to the *nearest tenth of a foot*?

- 1) 29.7
- 2) 16.6
- 3) 13.5
- 4) 11.2

297 A carpenter leans an extension ladder against a house to reach the bottom of a window 30 feet above the ground. As shown in the diagram below, the ladder makes a  $70^{\circ}$  angle with the ground. To the *nearest foot*, determine and state the length of the ladder.




298 Cathy wants to determine the height of the flagpole shown in the diagram below. She uses a survey instrument to measure the angle of elevation to the top of the flagpole, and determines it to be 34.9°. She walks 8 meters closer and determines the new measure of the angle of elevation to be 52.8°. At each measurement, the survey instrument is 1.7 meters above the ground.




Determine and state, to the *nearest tenth of a meter*, the height of the flagpole.

299 In the diagram below, a window of a house is 15 feet above the ground. A ladder is placed against the house with its base at an angle of  $75^{\circ}$  with the ground. Determine and state the length of the ladder to the *nearest tenth of a foot*.



300 The diagram below shows two similar triangles.




If  $\tan \theta = \frac{3}{7}$ , what is the value of *x*, to the *nearest tenth*? 1) 1.2

2)	5.6
3)	7.6

4) 8.8


Geometry Regents Exam Questions by State Standard: Topic www.jmap.org

301 Given the right triangle in the diagram below, what is the value of *x*, to the *nearest foot*?



- 1) 11
- 2) 17
- 3) 18
- 4) 22

- 304 In right triangle *ABC*,  $m \angle A = 32^\circ$ ,  $m \angle B = 90^\circ$ , and AE = 6.2 cm. What is the length of  $\overline{BC}$ , to the *nearest tenth of a centimeter?* 3.3 1)
  - 2) 3.9
  - 3) 5.3
  - 4) 11.7
- 305 A man was parasailing above a lake at an angle of elevation of 32° from a boat, as modeled in the diagram below.




If 129.5 meters of cable connected the boat to the parasail, approximately how many meters above the lake was the man?

- 1) 68.6
- 2) 80.9
- 109.8 3)
- 244.4 4)

- 302 A ladder 20 feet long leans against a building, forming an angle of 71° with the level ground. To the *nearest foot*, how high up the wall of the building does the ladder touch the building?
  - 1) 15
  - 2) 16 18
  - 3)
  - 4) 19
- 303 Freda, who is training to use a radar system, detects an airplane flying at a constant speed and heading in a straight line to pass directly over her location. She sees the airplane at an angle of elevation of 15° and notes that it is maintaining a constant altitude of 6250 feet. One minute later, she sees the airplane at an angle of elevation of 52°. How far has the airplane traveled, to the nearest foot? Determine and state the speed of the airplane, to the *nearest mile per hour*.

306 As shown in the diagram below, an island (*I*) is due north of a marina (*M*). A boat house (*H*) is 4.5 miles due west of the marina. From the boat house, the island is located at an angle of  $54^{\circ}$  from the marina.




Determine and state, to the *nearest tenth of a mile*, the distance from the boat house (H) to the island (I). Determine and state, to the *nearest tenth of a mile*, the distance from the island (I) to the marina (M).

#### <u>G.SRT.C.8: USING TRIGONOMETRY TO FIND</u> <u>AN ANGLE</u>


- 307 A man who is 5 feet 9 inches tall casts a shadow of 8 feet 6 inches. Assuming that the man is standing perpendicular to the ground, what is the angle of elevation from the end of the shadow to the top of the man's head, to the *nearest tenth of a degree*?
  - 1) 34.1
  - 2) 34.5
  - 3) 42.6
  - 4) 55.9

- 308 A ladder leans against a building. The top of the ladder touches the building 10 feet above the ground. The foot of the ladder is 4 feet from the building. Find, to the *nearest degree*, the angle that the ladder makes with the level ground.
- 309 The diagram below shows a ramp connecting the ground to a loading platform 4.5 feet above the ground. The ramp measures 11.75 feet from the ground to the top of the loading platform.



Determine and state, to the *nearest degree*, the angle of elevation formed by the ramp and the ground.


310 In the diagram of right triangle *ABC* shown below, AB = 14 and AC = 9.



What is the measure of  $\angle A$ , to the *nearest degree*?


- 1) 33
- 2) 40
- 3) 50
- 4) 57

311 As modeled below, a movie is projected onto a large outdoor screen. The bottom of the 60-foot-tall screen is 12 feet off the ground. The projector sits on the ground at a horizontal distance of 75 feet from the screen.



Determine and state, to the *nearest tenth of a* degree, the measure of  $\theta$ , the projection angle.


312 In the diagram of  $\triangle RST$  below, m $\angle T = 90^{\circ}$ , RS = 65, and ST = 60.



What is the measure of  $\angle S$ , to the *nearest degree*?

- 1) 23°
- 2) 43°
- 3) 47°
- 4) 67°

313 To build a handicapped-access ramp, the building code states that for every 1 inch of vertical rise in height, the ramp must extend out 12 inches horizontally, as shown in the diagram below.




What is the angle of inclination, *x*, of this ramp, to the *nearest hundredth of a degree*?

- 1) 4.76
- 2) 4.78
- 3) 85.22
- 4) 85.24
- 314 Bob places an 18-foot ladder 6 feet from the base of his house and leans it up against the side of his house. Find, to the *nearest degree*, the measure of the angle the bottom of the ladder makes with the ground.

## LOGIC


G.CO.B.7-8, G.SRT.B.5: TRIANGLE CONGRUENCY

315 Given right triangles <u>ABC</u> and <u>DEF</u> where  $\angle C$  and  $\angle F$  are right angles,  $\overline{AC} \cong \overline{DF}$  and  $\overline{CB} \cong \overline{FE}$ . Describe a precise sequence of rigid motions which would show  $\triangle ABC \cong \triangle DEF$ .




- 316 After a reflection over a line,  $\triangle A'B'C'$  is the image of  $\triangle ABC$ . Explain why triangle *ABC* is congruent to triangle  $\triangle A'B'C'$ .
- 317 Given: *D* is the image of *A* after a reflection over  $\overleftrightarrow{CH}$ .

 $\overrightarrow{CH}$  is the perpendicular bisector of  $\overrightarrow{BCE}$  $\triangle ABC$  and  $\triangle DEC$  are drawn Prove:  $\triangle ABC \cong \triangle DEC$ 




319 In the diagram below,  $\triangle ABC$  and  $\triangle XYZ$  are graphed.




Use the properties of rigid motions to explain why  $\triangle ABC \cong \triangle XYZ$ .

320 In the diagram below,  $\overline{AC} \cong \overline{DF}$  and points A, C, D, and F are collinear on line  $\ell$ .




Let  $\Delta D' E' F'$  be the image of  $\Delta DEF$  after a translation along  $\ell$ , such that point *D* is mapped onto point *A*. Determine and state the location of *F'*. Explain your answer. Let  $\Delta D''E''F''$  be the image of  $\Delta D' E' F'$  after a reflection across line  $\ell$ . Suppose that *E''* is located at *B*. Is  $\Delta DEF$  congruent to  $\Delta ABC$ ? Explain your answer.

318 Which statement is sufficient evidence that  $\triangle DEF$  is congruent to  $\triangle ABC$ ?




- 1) AB = DE and BC = EF
- 2)  $\angle D \cong \angle A, \angle B \cong \angle E, \angle C \cong \angle F$
- 3) There is a sequence of rigid motions that maps  $\overline{AB}$  onto  $\overline{DE}$ ,  $\overline{BC}$  onto  $\overline{EF}$ , and  $\overline{AC}$  onto  $\overline{DF}$ .
- 4) There is a sequence of rigid motions that maps point *A* onto point *D*,  $\overline{AB}$  onto  $\overline{DE}$ , and  $\angle B$  onto  $\angle E$ .

321 As graphed on the set of axes below,  $\triangle A'B'C'$  is the image of  $\triangle ABC$  after a sequence of transformations.




Is  $\triangle A'B'C'$  congruent to  $\triangle ABC$ ? Use the properties of rigid motion to explain your answer.

322 In the graph below,  $\triangle ABC$  has coordinates A(-9,2), B(-6,-6), and C(-3,-2), and  $\triangle RST$  has coordinates R(-2,9), S(5,6), and T(2,3).




Is  $\triangle ABC$  congruent to  $\triangle RST$ ? Use the properties of rigid motions to explain your reasoning.

- 323 In the two distinct acute triangles *ABC* and *DEF*,  $\angle B \cong \angle E$ . Triangles *ABC* and *DEF* are congruent when there is a sequence of rigid motions that maps
  - 1)  $\angle A$  onto  $\angle D$ , and  $\angle C$  onto  $\angle F$
  - 2)  $\overline{AC}$  onto  $\overline{DF}$ , and  $\overline{BC}$  onto  $\overline{EF}$
  - 3)  $\angle C$  onto  $\angle F$ , and  $\overline{BC}$  onto  $\overline{EF}$
  - 4) point *A* onto point *D*, and  $\overline{AB}$  onto  $\overline{DE}$
- 324 In the diagram below of  $\triangle ABC$  and  $\triangle XYZ$ , a sequence of rigid motions maps  $\angle A$  onto  $\angle X$ ,  $\angle C$  onto  $\angle Z$ , and  $\overline{AC}$  onto  $\overline{XZ}$ .



Determine and state whether  $\overline{BC} \cong \overline{YZ}$ . Explain why.

325 In the diagram of  $\triangle LAC$  and  $\triangle DNC$  below,  $\overline{LA} \cong \overline{DN}, \overline{CA} \cong \overline{CN}$ , and  $\overline{DAC} \perp \overline{LCN}$ .




a) Prove that  $\triangle LAC \cong \triangle DNC$ . b) Describe a sequence of rigid motions that will map  $\triangle LAC$  onto  $\triangle DNC$ .


- 326 Given  $\triangle ABC \cong \triangle DEF$ , which statement is *not* always true?
  - 1)  $\overline{BC} \cong \overline{DF}$
  - 2)  $m \angle A = m \angle D$
  - 3) area of  $\triangle ABC$  = area of  $\triangle DEF$
  - 4) perimeter of  $\triangle ABC$  = perimeter of  $\triangle DEF$

#### G.CO.C.10, G.SRT.B.5: TRIANGLE PROOFS

327 Prove the sum of the exterior angles of a triangle is  $360^{\circ}$ .




328 Line segment *EA* is the perpendicular bisector of  $\overline{ZT}$ , and  $\overline{ZE}$  and  $\overline{TE}$  are drawn.




Which conclusion can not be proven?

- 1) EA bisects angle ZET.
- 2) Triangle *EZT* is equilateral.
- 3) *EA* is a median of triangle *EZT*.
- 4) Angle Z is congruent to angle T.
- 329 Given:  $\triangle XYZ$ ,  $\overline{XY} \cong \overline{ZY}$ , and  $\overline{YW}$  bisects  $\angle XYZ$ Prove that  $\angle YWZ$  is a right angle.




330 Given the theorem, "The sum of the measures of the interior angles of a triangle is 180°," complete the proof for this theorem.



Given:  $\triangle ABC$ Prove:  $m \angle 1 + m \angle 2 + m \angle 3 = 180^{\circ}$ Fill in the missing reasons below.


Reasons
(1) Given
(2)
(3)
(4)
(5)

- 331 Two right triangles must be congruent if
  - 1) an acute angle in each triangle is congruent
  - 2) the lengths of the hypotenuses are equal
  - 3) the corresponding legs are congruent
  - 4) the areas are equal
- 332 Given:  $\triangle ABE$  and  $\triangle CBD$  shown in the diagram below with  $\overline{DB} \cong \overline{BE}$




Which statement is needed to prove  $\triangle ABE \cong \triangle CBD$  using only SAS  $\cong$  SAS?

- 1)  $\angle CDB \cong \angle AEB$
- 2)  $\angle AFD \cong \angle EFC$
- 3)  $AD \cong CE$
- 4)  $AE \cong CD$
- 333 Given:  $\overline{RS}$  and  $\overline{TV}$  bisect each other at point X  $\overline{TR}$  and  $\overline{SV}$  are drawn



Prove:  $\overline{TR} \parallel \overline{SV}$ 

334 Kelly is completing a proof based on the figure below.




She was given that  $\angle A \cong \angle EDF$ , and has already proven  $\overline{AB} \cong \overline{DE}$ . Which pair of corresponding parts and triangle congruency method would *not* prove  $\triangle ABC \cong \triangle DEF$ ?

- 1)  $AC \cong DF$  and SAS
- 2)  $\overline{BC} \cong \overline{EF}$  and SAS
- 3)  $\angle C \cong \angle F$  and AAS
- 4)  $\angle CBA \cong \angle FED$  and ASA


#### G.CO.C.11, G.SRT.B.5: QUADRILATERAL PROOFS

335 In parallelogram *ABCD* shown below, diagonals  $\overline{AC}$  and  $\overline{BD}$  intersect at *E*.




Prove:  $\angle ACD \cong \angle CAB$ 

336 Given: Quadrilateral *ABCD* with diagonals  $\overline{AC}$  and  $\overline{BD}$  that bisect each other, and  $\angle 1 \cong \angle 2$ 




Prove:  $\triangle ACD$  is an isosceles triangle and  $\triangle AEB$  is a right triangle

339 Given: Parallelogram ANDR with  $\overline{AW}$  and  $\overline{DE}$  bisecting  $\overline{NWD}$  and  $\overline{REA}$  at points W and E, respectively




Prove that  $\triangle ANW \cong \triangle DRE$ . Prove that quadrilateral *AWDE* is a parallelogram.

- 340 In the diagram of parallelogram ABCD below,  $\overline{BE} \perp \overline{CED}, \overline{DF} \perp \overline{BFC}, \overline{CE} \cong \overline{CF}.$
- 337 Given: Quadrilateral *ABCD* is a parallelogram with diagonals  $\overline{AC}$  and  $\overline{BD}$  intersecting at *E*




Prove:  $\triangle AED \cong \triangle CEB$ Describe a single rigid motion that maps  $\triangle AED$ onto  $\triangle CEB$ .






Prove:  $\triangle ABC \cong \triangle CDA$ 




Prove ABCD is a rhombus.

341 In quadrilateral *ABCD*,  $\overline{AB} \cong \overline{CD}$ ,  $\overline{AB} \parallel \overline{CD}$ , and  $\overline{BF}$  and  $\overline{DE}$  are perpendicular to diagonal  $\overline{AC}$  at points *F* and *E*.



Prove:  $\overline{AE} \cong \overline{CF}$ 


342 Isosceles trapezoid *ABCD* has bases  $\overline{DC}$  and  $\overline{AB}$ with nonparallel legs  $\overline{AD}$  and  $\overline{BC}$ . Segments AE, *BE*, *CE*, and *DE* are drawn in trapezoid *ABCD* such that  $\angle CDE \cong \angle DCE$ ,  $\overline{AE} \perp \overline{DE}$ , and  $\overline{BE} \perp \overline{CE}$ .



Prove  $\triangle ADE \cong \triangle BCE$  and prove  $\triangle AEB$  is an isosceles triangle.


#### G.SRT.B.5: CIRCLE PROOFS

343 In the diagram below, secant *ACD* and tangent *AB* are drawn from external point *A* to circle *O*.




Prove the theorem: If a secant and a tangent are drawn to a circle from an external point, the product of the lengths of the secant segment and its external segment equals the length of the tangent segment squared.  $(AC \cdot AD = AB^2)$ 


344 Given: Circle O, chords AB and CD intersect at E



Theorem: If two chords intersect in a circle, the product of the lengths of the segments of one chord is equal to the product of the lengths of the segments of the other chord. Prove this theorem by proving  $AE \cdot EB = CE \cdot ED$ .


345 In the diagram below of circle O, tangent  $\overrightarrow{EC}$  is drawn to diameter  $\overrightarrow{AC}$ . Chord  $\overrightarrow{BC}$  is parallel to secant  $\overrightarrow{ADE}$ , and chord  $\overrightarrow{AB}$  is drawn.






#### G.SRT.A.3, G.C.A.1: SIMILARITY PROOFS

346 Given: Parallelogram *ABCD*,  $\overline{EFG}$ , and diagonal  $\overline{DFB}$ 




Prove:  $\triangle DEF \sim \triangle BGF$ 

347 In the diagram below,  $\triangle A'B'C'$  is the image of  $\triangle ABC$  after a transformation.




Describe the transformation that was performed. Explain why  $\Delta A'B'C' \sim \Delta ABC$ .

348 In the diagram below,  $\overline{GI}$  is parallel to  $\overline{NT}$ , and  $\overline{IN}$  intersects  $\overline{GT}$  at A.




Prove:  $\triangle GIA \sim \triangle TNA$ 

349 In the diagram below,  $\angle GRS \cong \angle ART$ , GR = 36, SR = 45, AR = 15, and RT = 18.



Which triangle similarity statement is correct?

- 1)  $\triangle GRS \sim \triangle ART$  by AA.
- 2)  $\triangle GRS \sim \triangle ART$  by SAS.
- 3)  $\triangle GRS \sim \triangle ART$  by SSS.
- 4)  $\triangle GRS$  is not similar to  $\triangle ART$ .
- 350 As shown in the diagram below, circle *A* has a radius of 3 and circle *B* has a radius of 5.



Use transformations to explain why circles *A* and *B* are similar.

# Geometry Regents Exam Questions by Common Core State Standard: Topic

### Answer Section


1 ANS: 4 PTS: 2 REF: 061501geo NAT: G.GMD.B.4 TOP: Rotations of Two-Dimensional Objects REF: 081503geo 2 ANS: 4 PTS: 2 NAT: G.GMD.B.4 TOP: Rotations of Two-Dimensional Objects 3 ANS: 3 PTS: 2 REF: 061601geo NAT: G.GMD.B.4 TOP: Rotations of Two-Dimensional Objects 4 ANS: 1 PTS: 2 REF: 081603geo NAT: G.GMD.B.4 TOP: Rotations of Two-Dimensional Objects 5 ANS: 1  $V = \frac{1}{3} \pi(4)^2(6) = 32\pi$ 

PTS: 2 REF: 061718geo NAT: G.GMD.B.4 TOP: Rotations of Two-Dimensional Objects 6 ANS: 3


 $v = \pi r^{2} h (1) 6^{2} \cdot 10 = 360$   $150\pi = \pi r^{2} h (2) 10^{2} \cdot 6 = 600$   $150 = r^{2} h (3) 5^{2} \cdot 6 = 150$ (4) 3<sup>2</sup> \cdot 10 = 900

	PTS:	2 REF:	081713geo	NAT:	G.GMD.B.4	TOP:	Rotations of Two-Dimensional Objects	
7	ANS:	4 PTS:	2	REF:	011810geo	NAT:	G.GMD.B.4	
	TOP:	Rotations of Two-Di	mensional Obje	ects				
8	ANS:	2 PTS:	2	REF:	061506geo	NAT:	G.GMD.B.4	
	TOP:	Cross-Sections of Three-Dimensional Objects						
9	ANS:	1 PTS:	2	REF:	011601geo	NAT:	G.GMD.B.4	
	TOP:	Cross-Sections of Three-Dimensional Objects						
10	ANS:	3 PTS:	2	REF:	081613geo	NAT:	G.GMD.B.4	
	TOP:	Cross-Sections of Th	ree-Dimension	al Obje	cts			
11	ANS:	4 PTS:	2	REF:	011723geo	NAT:	G.GMD.B.4	
	TOP:	Cross-Sections of Three-Dimensional Objects						
12	ANS:	2 PTS:	2	REF:	081701geo	NAT:	G.GMD.B.4	
	TOP:	Cross-Sections of Three-Dimensional Objects						
13	ANS:	2 PTS:	2	REF:	011805geo	NAT:	G.GMD.B.4	
	TOP:	Cross-Sections of Th	ree-Dimension	al Obje	cts			







PTS: 2 REF: fall1409geo NAT: G.CO.D.12 TOP: Constructions KEY: parallel and perpendicular lines



PTS: 2 REF: 061631geo NAT: G.CO.D.12 TOP: Constructions KEY: parallel and perpendicular lines




PTS: 4 REF: 011634geo NAT: G.CO.D.12 TOP: Constructions KEY: congruent and similar figures




PTS: 2 REF: 081628geo NAT: G.CO.D.12 TOP: Constructions KEY: line bisector






PTS: 4 REF: 081632geo NAT: G.CO.D.12 TOP: Constructions

KEY: congruent and similar figures



PTS: 2 REF: 011725geo NAT: G.CO.D.12 TOP: Constructions KEY: line bisector

3




 $\sim$ 

21 ANS:

PTS: 2 REF: 061725geo NAT: G.CO.D.12 TOP: Constructions KEY: parallel and perpendicular lines


Since the square is inscribed, each vertex of the square is on the circle and the diagonals of the square are diameters of the circle. Therefore, each angle of the square is an inscribed angle in the circle that intercepts the circle at the endpoints of the diameters. Each angle of the square, which is an inscribed angle, measures 90 degrees. Therefore, the measure of the arc intercepted by two adjacent sides of the square is 180 degrees because it is twice the measure of its inscribed angle.


PTS: 4 REF: fall1412geo NAT: G.CO.D.13 TOP: Constructions 22 ANS:



PTS: 2 REF: 061525geo NAT: G.CO.D.13 TOP: Constructions

23 ANS:







PTS: 2



#### 26 ANS:





PTS: 2 REF: spr1401geo NAT: G.GPE.B.6 TOP: Directed Line Segments 28 ANS:

$$4 + \frac{4}{9}(22 - 4) 2 + \frac{4}{9}(2 - 2) (12, 2)$$

$$4 + \frac{4}{9}(18) 2 + \frac{4}{9}(0)$$

$$4 + 8 2 + 0$$


$$12 2$$

PTS: 2 REF: 061626geo NAT: G.GPE.B.6 TOP: Directed Line Segments 29 ANS: 2 2 2

$$\frac{2}{5} \cdot (16-1) = 6 \frac{2}{5} \cdot (14-4) = 4 \quad (1+6,4+4) = (7,8)$$

PTS: 2 REF: 081531geo NAT: G.GPE.B.6 TOP: Directed Line Segments

30 ANS:




PTS: 2 REF: 061527geo NAT: G.GPE.B.6 TOP: Directed Line Segments 31 ANS: 1  $2 + \frac{2}{2}$  (2) 2) 2 +  $\frac{2}{2}$  (5) 2 + 2 + 2 + 5 +  $\frac{2}{2}$  (5) 5 +  $\frac{2}{2}$  (10) 5 + 4 + 1

$$3 + \frac{2}{5}(8-3) = 3 + \frac{2}{5}(5) = 3 + 2 = 5 \quad 5 + \frac{2}{5}(-5-5) = 5 + \frac{2}{5}(-10) = 5 - 4 = 1$$

PTS: 2 REF: 011720geo NAT: G.GPE.B.6 TOP: Directed Line Segments 32 ANS: 4  $x = -6 + \frac{1}{6}(6 - -6) = -6 + 2 = -4$   $y = -2 + \frac{1}{6}(7 - -2) = -2 + \frac{9}{6} = -\frac{1}{2}$ 

PTS: 2 REF: 081618geo NAT: G.GPE.B.6 TOP: Directed Line Segments 33 ANS:






REF: 011627geo NAT: G.GPE.B.6 TOP: Directed Line Segments

34	ANS: 1						
	$x = -5 + \frac{1}{3}(4 - 5) = -5 + 3 = -2 \qquad y = 2 + \frac{1}{3}(-10 - 2) = 2 - 4 = -2$						
35	PTS: 2 ANS: 2	REF:	011806geo	NAT: G.GPE.B.6	TOP: Directed Line Segments		
	$-4 + \frac{2}{5}(64) = -4 + \frac{2}{5}(64)$	$-\frac{2}{5}(10)$	) = -4 + 4 = 0 4	$5 + \frac{2}{5}(20 - 5) = 5 + \frac{2}{5}$	(15) = 5 + 6 = 11		
36	PTS: 2 ANS: 1	REF:	061715geo	NAT: G.GPE.B.6	TOP: Directed Line Segments		
	$-8 + \frac{3}{8}(168) = -8$	$+\frac{3}{8}(24)$	4) = -8 + 9 = 1	$-2 + \frac{3}{8}(62) = -2$	$+\frac{3}{8}(8) = -2 + 3 = 1$		
37	PTS: 2 ANS:	REF:	081717geo	NAT: G.GPE.B.6	TOP: Directed Line Segments		
	Since linear angles are supplementary, $m\angle GIH = 65^\circ$ . Since $\overline{GH} \cong \overline{IH}$ , $m\angle GHI = 50^\circ$ (180 – (65 + 65)). Since $\angle EGB \cong \angle GHI$ , the corresponding angles formed by the transversal and lines are congruent and $\overline{AB} \parallel \overline{CD}$ .						
		corresp	inding angles				
20		REF:	061532geo	NAT: G.CO.C.9	TOP: Lines and Angles		
38	ANS: 1 Alternate interior ang	les					
	PTS: 2	REF:	061517geo	NAT: G.CO.C.9	TOP: Lines and Angles		
39	ANS: 1 TOP: Lines and Ang	PTS:	2	REF: 011606geo	NAT: G.CO.C.9		
40	ANS: 1	,105					
	$\frac{f}{4} = \frac{15}{6}$						
	f = 10						
	PTS: 2	REF:	061617geo	NAT: G.CO.C.9	TOP: Lines and Angles		
41	ANS: 4	PTS:	-	REF: 081611geo	-		
42	TOP: Lines and Ang ANS: 2	PTS:	2	REF: 081601geo	NAT: G.CO.C.9		
	TOP: Lines and Ang	gles		J			

43 ANS: 2



PTS: 2 REF: 011818geo NAT: G.CO.C.9 TOP: Lines and Angles 44 ANS: 1  $m = \frac{-A}{B} = \frac{-2}{-1} = 2$  $m_{\perp} = -\frac{1}{2}$ 

NAT: G.GPE.B.5 TOP: Parallel and Perpendicular Lines PTS: 2 REF: 061509geo KEY: identify perpendicular lines 1

$$m = -\frac{2}{3} \quad 1 = \left(-\frac{2}{3}\right)6 + b$$
$$1 = -4 + b$$
$$5 = b$$

PTS: 2 REF: 081510geo NAT: G.GPE.B.5 TOP: Parallel and Perpendicular Lines KEY: write equation of parallel line

$$m = -\frac{1}{2}$$
  $-4 = 2(6) + b$   
 $m_{\perp} = 2$   $-4 = 12 + b$   
 $-16 = b$ 

PTS: 2 REF: 011602geo NAT: G.GPE.B.5 TOP: Parallel and Perpendicular Lines KEY: write equation of perpendicular line 47 ANS: 1

$$m = \left(\frac{-11+5}{2}, \frac{5+-7}{2}\right) = (-3, -1) \quad m = \frac{5--7}{-11-5} = \frac{12}{-16} = -\frac{3}{4} \quad m_{\perp} = \frac{4}{3}$$

PTS: 2 REF: 061612geo NAT: G.GPE.B.5 TOP: Parallel and Perpendicular Lines KEY: perpendicular bisector

48 ANS: 1  $m = \frac{-4}{-6} = \frac{2}{3}$  $m_{\perp} = -\frac{3}{2}$ 

PTS: 2 REF: 011820geo NAT: G.GPE.B.5 TOP: Parallel and Perpendicular Lines KEY: write equation of perpendicular line
49 ANS: 4

The slope of  $\overline{BC}$  is  $\frac{2}{5}$ . Altitude is perpendicular, so its slope is  $-\frac{5}{2}$ .

PTS: 2 REF: 061614geo NAT: G.GPE.B.5 TOP: Parallel and Perpendicular Lines KEY: find slope of perpendicular line

$$y = mx + b$$
$$2 = \frac{1}{2}(-2) + b$$

$$3 = b$$

PTS: 2 REF: 011701geo NAT: G.GPE.B.5 TOP: Parallel and Perpendicular Lines KEY: write equation of parallel line

51 ANS: 2

$$m = \frac{3}{2} \quad . \quad 1 = -\frac{2}{3}(-6) + b$$
$$m_{\perp} = -\frac{2}{3} \quad 1 = 4 + b$$
$$-3 = b$$

PTS: 2 REF: 061719geo NAT: G.GPE.B.5 TOP: Parallel and Perpendicular Lines KEY: write equation of perpendicular line

52 ANS: 4


The segment's midpoint is the origin and slope is -2. The slope of a perpendicular line is  $\frac{1}{2}$ .  $y = \frac{1}{2}x + 0$ 2y = x

$$2v - x = 0$$

PTS: 2 REF: 081724geo NAT: G.GPE.B.5 TOP: Parallel and Perpendicular Lines KEY: perpendicular bisector

53 ANS: 2  $s^2 + s^2 = 7^2$  $2s^2 = 49$  $s^2 = 24.5$  $s \approx 4.9$ PTS: 2 REF: 081511geo NAT: G.SRT.C.8 TOP: Pythagorean Theorem 54 ANS:  $\frac{16}{9} = \frac{x}{20.6} \ D = \sqrt{36.6^2 + 20.6^2} \approx 42$  $x \approx 36.6$ REF: 011632geo NAT: G.SRT.C.8 TOP: Pythagorean Theorem PTS: 4 KEY: without graphics 55 ANS: 3  $\sqrt{20^2 - 10^2} \approx 17.3$ PTS: 2 REF: 081608geo NAT: G.SRT.C.8 TOP: Pythagorean Theorem KEY: without graphics 56 ANS: 2  $6 + 6\sqrt{3} + 6 + 6\sqrt{3} \approx 32.8$ **PTS:** 2 REF: 011709geo NAT: G.SRT.C.8 TOP: 30-60-90 Triangles 57 ANS:  $\triangle MNO$  is congruent to  $\triangle PNO$  by SAS. Since  $\triangle MNO \cong \triangle PNO$ , then  $\overline{MO} \cong \overline{PO}$  by CPCTC. So  $\overline{NO}$  must divide MP in half, and MO = 8. PTS: 2 REF: fall1405geo NAT: G.SRT.B.5 **TOP:** Isosceles Triangle Theorem 58 ANS: 180 - 2(25) = 130PTS: 2 REF: 011730geo NAT: G.SRT.B.5 TOP: Isosceles Triangle Theorem 59 ANS: 3  $\frac{9}{5} = \frac{9.2}{x}$  5.1 + 9.2 = 14.3 9x = 46 $x \approx 5.1$ PTS: 2 REF: 061511geo NAT: G.SRT.B.5 TOP: Side Splitter Theorem


60	ANS: 4 $\frac{2}{6} = \frac{5}{15}$					
61	PTS: 2 ANS: 2 $\frac{12}{4} = \frac{36}{x}$	REF:	081517geo	NAT: G.SRT.B.5	TOP:	Side Splitter Theorem
	12x = 144 $x = 12$					
62	PTS: 2 ANS:	REF:	061621geo	NAT: G.SRT.B.5	TOP:	Side Splitter Theorem
02	$\frac{3.75}{5} = \frac{4.5}{6}$	$\overline{AB}$ is paral	lel to $\overline{CD}$ beca	ause $\overline{AB}$ divides the side	les prop	ortionately.
	39.375 = 39.375	DEE	0.01.07		TOD	
63	PTS: 2 ANS: 4 $\frac{2}{4} = \frac{9-x}{x}$	KEF:	061627geo	NAI: G.SKI.B.5	TOP:	Side Splitter Theorem
	36 - 4x = 2x $x = 6$					
64	PTS: 2 ANS: 4 1 x	REF:	061705geo	NAT: G.SRT.B.5	TOP:	Side Splitter Theorem
	$\frac{1}{3.5} = \frac{x}{18-x}$ $3.5x = 18-x$					
	4.5x = 18					
	<i>x</i> = 4					
65	PTS: 2 ANS: 3 $\frac{24}{40} = \frac{15}{x}$	REF:	081707geo	NAT: G.SRT.B.5	TOP:	Side Splitter Theorem
	24x = 600					
	<i>x</i> = 25					
	PTS: 2	REF:	011813geo	NAT: G.SRT.B.5	TOP:	Side Splitter Theorem



PTS: 2 REF: 081604geo NAT: G.CO.C.10 TOP: Interior and Exterior Angles of Triangles 67 ANS: 2

 $\angle B = 180 - (82 + 26) = 72; \ \angle DEC = 180 - 26 = 154; \ \angle EDB = 360 - (154 + 26 + 72) = 108; \ \angle BDF = \frac{108}{2} = 54; \ \angle DFB = 180 - (54 + 72) = 54$ 

PTS: 2 REF: 061710geo NAT: G.CO.C.10 TOP: Interior and Exterior Angles of Triangles 68 ANS: 4



PTS: 2 REF: 081711geo NAT: G.CO.C.10 TOP: Exterior Angle Theorem 70 ANS: 3 6x - 40 + x + 20 = 180 - 3x m $\angle BAC = 180 - (80 + 40) = 60$ 


10x = 200

x = 20

PTS: 2 REF: 011809geo NAT: G.CO.C.10 TOP: Exterior Angle Theorem 71 ANS: 4 PTS: 2 REF: 011704geo NAT: G.CO.C.10 **TOP:** Midsegments 72 ANS: 4 PTS: 2 REF: 081716geo NAT: G.CO.C.10 **TOP:** Midsegments 73 ANS: 1  $m_{\overline{RT}} = \frac{5-3}{4-2} = \frac{8}{6} = \frac{4}{3}$   $m_{\overline{ST}} = \frac{5-2}{4-8} = \frac{3}{-4} = -\frac{3}{4}$  Slopes are opposite reciprocals, so lines form a right angle. PTS: 2 REF: 011618geo NAT: G.GPE.B.4 TOP: Triangles in the Coordinate Plane

#### 74 ANS:


The slopes of perpendicular line are opposite reciprocals. Since the lines are perpendicular, they form right angles



and a right triangle.  $m_{BC} = -\frac{3}{2} - 1 = \frac{2}{3}(-3) + b$  or  $-4 = \frac{2}{3}(-1) + b$   $m_{\perp} = \frac{2}{3} -1 = -2 + b$   $\frac{-12}{3} = \frac{-2}{3} + b$   $3 = \frac{2}{3}x + 1$   $-\frac{10}{3} = b$   $2 = \frac{2}{3}x$   $3 = \frac{2}{3}x - \frac{10}{3}$  3 = x 9 = 2x - 1019 = 2x

9.5 = x


PTS: 4 REF: 081533geo NAT: G.GPE.B.4 TOP: Triangles in the Coordinate Plane 75 ANS:



PTS: 4 REF: 081732geo NAT: G.GPE.B.4 TOP: Triangles in the Coordinate Plane

76 ANS:

Opposite angles in a parallelogram are congruent, so  $m \angle O = 118^{\circ}$ . The interior angles of a triangle equal  $180^{\circ}$ . 180 - (118 + 22) = 40.




87 ANS: 4 PTS: 2 REF: 011705geo NAT: G.CO.C.11 TOP: Special Quadrilaterals 88 ANS: 1 PTS: 2 REF: 011716geo NAT: G.CO.C.11 **TOP:** Special Quadrilaterals 89 ANS: 3 In (1) and (2), ABCD could be a rectangle with non-congruent sides. (4) is not possible PTS: 2 REF: 081714geo NAT: G.CO.C.11 **TOP:** Special Quadrilaterals REF: 061711geo 90 ANS: 4 PTS: 2 NAT: G.CO.C.11 **TOP:** Special Quadrilaterals 91 ANS: The four small triangles are 8-15-17 triangles.  $4 \times 17 = 68$ NAT: G.CO.C.11 PTS: 2 REF: 081726geo **TOP:** Special Quadrilaterals PTS: 2 92 ANS: 4 REF: 011819geo NAT: G.CO.C.11 TOP: Special Quadrilaterals 93 ANS:  $M\left(\frac{4+0}{2},\frac{6-1}{2}\right) = M\left(2,\frac{5}{2}\right) m = \frac{6--1}{4-0} = \frac{7}{4} m_{\perp} = -\frac{4}{7} y - 2.5 = -\frac{4}{7}(x-2)$  The diagonals,  $\overline{MT}$  and  $\overline{AH}$ , of rhombus MATH are perpendicular bisectors of each other. PTS: 4 REF: fall1411geo NAT: G.GPE.B.4 TOP: Quadrilaterals in the Coordinate Plane KEY: grids 94 ANS: 4  $\frac{-2-1}{-1-3} = \frac{-3}{2} \quad \frac{3-2}{0-5} = \frac{1}{-5} \quad \frac{3-1}{0-3} = \frac{2}{3} \quad \frac{2-2}{5-1} = \frac{4}{6} = \frac{2}{3}$ PTS: 2 REF: 081522geo NAT: G.GPE.B.4 TOP: Quadrilaterals in the Coordinate Plane KEY: general

ID: A

95 ANS:

 $m_{\overline{TS}} = \frac{-10}{6} = -\frac{5}{3} m_{\overline{SR}} = \frac{3}{5}$  Since the slopes of  $\overline{TS}$  and  $\overline{SR}$  are opposite reciprocals, they are perpendicular and form a right angle.  $\triangle RST$  is a right triangle because  $\angle S$  is a right angle.  $P(0,9) m_{\overline{RP}} = \frac{-10}{6} = -\frac{5}{3} m_{\overline{PT}} = \frac{3}{5}$ 

Since the slopes of all four adjacent sides ( $\overline{TS}$  and  $\overline{SR}$ ,  $\overline{SR}$  and  $\overline{RP}$ ,  $\overline{PT}$  and  $\overline{TS}$ ,  $\overline{RP}$  and  $\overline{PT}$ ) are opposite reciprocals, they are perpendicular and form right angles. Quadrilateral *RSTP* is a rectangle because it has four right angles.



PTS: 6 REF: 061536geo NAT: G.GPE.B.4 TOP: Quadrilaterals in the Coordinate Plane KEY: grids

96 ANS: 1


 $m_{\overline{TA}} = -1 \quad y = mx + b$  $m_{\overline{EM}} = 1 \quad 1 = 1(2) + b$ -1 = b

PTS: 2 REF: 081614geo NAT: G.GPE.B.4 TOP: Quadrilaterals in the Coordinate Plane KEY: general

97 ANS: 3

 $\frac{7-1}{0-2} = \frac{6}{-2} = -3$  The diagonals of a rhombus are perpendicular.


PTS: 2 REF: 011719geo NAT: G.GPE.B.4 TOP: Quadrilaterals in the Coordinate Plane 98 ANS:



PTS: 2 REF: 011731geo NAT: G.GPE.B.4 TOP: Quadrilaterals in the Coordinate Plane KEY: grids

99 ANS:

 $\frac{1}{PQ} \sqrt{(8-3)^2 + (3--2)^2} = \sqrt{50} \quad \overline{QR} \sqrt{(1-8)^2 + (4-3)^2} = \sqrt{50} \quad \overline{RS} \sqrt{(-4-1)^2 + (-1-4)^2} = \sqrt{50}$   $\frac{1}{PS} \sqrt{(-4-3)^2 + (-1--2)^2} = \sqrt{50} \quad PQRS \text{ is a rhombus because all sides are congruent.} \quad m_{\overline{PQ}} = \frac{8-3}{3--2} = \frac{5}{5} = 1$   $m_{\overline{QR}} = \frac{1-8}{4-3} = -7 \text{ Because the slopes of adjacent sides are not opposite reciprocals, they are not perpendicular}$ 




and do not form a right angle. Therefore PQRS is not a square.

PTS: 6 REF: 061735geo NAT: G.GPE.B.4 TOP: Quadrilaterals in the Coordinate Plane KEY: grids

100 ANS:

 $\triangle PAT$  is an isosceles triangle because sides  $\overline{AP}$  and  $\overline{AT}$  are congruent ( $\sqrt{3^2 + 11^2} = \sqrt{7^2 + 9^2} = \sqrt{130}$ ). *R*(2,9). Quadrilateral *PART* is a parallelogram because the opposite sides are parallel since they have equal slopes



$$(m_{\overline{AR}} = \frac{4}{6} = \frac{2}{3}; \ m_{\overline{PT}} = \frac{4}{6} = \frac{2}{3}; \ m_{\overline{PA}} = -\frac{11}{3}; \ m_{\overline{RT}} = -\frac{11}{3})$$

PTS: 6 REF: 011835geo NAT: G.GPE.B.4 TOP: Quadrilaterals in the Coordinate Plane KEY: grids

101 ANS: 2


$$\sqrt{\left(-1-2\right)^2 + \left(4-3\right)^2} = \sqrt{10}$$

PTS: 2

REF: 011615geo

NAT: G.GPE.B.7 TOP: Polygons in the Coordinate Plane

18



103	PTS: 2 ANS: 3 $A = \frac{1}{2}ab$ 3-6= $24 = \frac{1}{2}a(8)$ $\frac{4+12}{2}=$	-3 = x	NAT: G.GPE.B.7	TOP:	Polygons in the Coordinate Plane
	a = 6				
104	PTS: 2 ANS: 3	REF: 081615geo	NAT: G.GPE.B.7	TOP:	Polygons in the Coordinate Plane
104	$4\sqrt{(-13)^2+(5-)^2}$	$1)^2 = 4\sqrt{20}$			
	PTS: 2	REF: 081703geo	NAT: G.GPE.B.7	TOP:	Polygons in the Coordinate Plane
105	ANS: 3	PTS: 2	REF: 061702geo		G.GPE.B.7
	TOP: Polygons in t	he Coordinate Plane	-		
106	ANS: 1	PTS: 2	REF: 061520geo	NAT:	G.C.A.2
		nts and Tangents			
107		PTS: 2	REF: 061508geo	NAT:	G.C.A.2
100	TOP: Chords, Seca	nts and Tangents	KEY: inscribed		
108					
	$5 \cdot \frac{10}{4} = \frac{50}{4} = 12.5$				
	PTS: 2 KEY: common tang	REF: 081512geo	NAT: G.C.A.2	TOP:	Chords, Secants and Tangents
109	ANS: 3	PTS: 2	REF: 011621geo	NAT:	G.C.A.2
	TOP: Chords, Seca	nts and Tangents	KEY: inscribed		

110 ANS: 180 - 2(30) = 120PTS: 2 REF: 011626geo NAT: G.C.A.2 TOP: Chords, Secants and Tangents **KEY:** parallel lines 111 ANS: 2 PTS: 2 REF: 061610geo NAT: G.C.A.2 TOP: Chords, Secants and Tangents KEY: inscribed 112 ANS: 1 The other statements are true only if  $\overline{AD} \perp \overline{BC}$ . PTS: 2 REF: 081623geo NAT: G.C.A.2 TOP: Chords, Secants and Tangents KEY: inscribed 113 ANS:  $\frac{3}{8} \cdot 56 = 21$ PTS: 2 REF: 081625geo NAT: G.C.A.2 TOP: Chords, Secants and Tangents KEY: common tangents 114 ANS: 2 8(x+8) = 6(x+18)8x + 64 = 6x + 1082x = 44*x* = 22 PTS: 2 REF: 011715geo NAT: G.C.A.2 TOP: Chords, Secants and Tangents KEY: secants drawn from common point, length 115 ANS:  $\frac{152-56}{2} = 48$ PTS: 2 REF: 011728geo NAT: G.C.A.2 TOP: Chords, Secants and Tangents KEY: secant and tangent drawn from common point, angle 116 ANS: 4  $\frac{1}{2}(360 - 268) = 46$ PTS: 2 REF: 061704geo NAT: G.C.A.2 TOP: Chords, Secants and Tangents KEY: inscribed

ID: A

117 ANS: 2  $6 \cdot 6 = x(x - 5)$  $36 = x^2 - 5x$  $0 = x^2 - 5x - 36$ 0 = (x - 9)(x + 4)x = 9PTS: 2 REF: 061708geo NAT: G.C.A.2 TOP: Chords, Secants and Tangents KEY: intersecting chords, length 118 ANS: 1 Parallel chords intercept congruent arcs.  $\frac{180 - 130}{2} = 25$ REF: 081704geo NAT: G.C.A.2 PTS: 2 TOP: Chords, Secants and Tangents **KEY:** parallel lines 119 ANS: 2  $x^2 = 3 \cdot 18$  $x = \sqrt{3 \cdot 3 \cdot 6}$  $x = 3\sqrt{6}$ PTS: 2 TOP: Chords, Secants and Tangents REF: 081712geo NAT: G.C.A.2 KEY: secant and tangent drawn from common point, length 120 ANS: 4 PTS: 2 REF: 011816geo NAT: G.C.A.2 TOP: Chords, Secants and Tangents KEY: inscribed 121 ANS: 3 PTS: 2 REF: 081515geo NAT: G.C.A.3 TOP: Inscribed Quadrilaterals 122 ANS: 4 Opposite angles of an inscribed quadrilateral are supplementary. PTS: 2 REF: 011821geo NAT: G.C.A.3 **TOP:** Inscribed Quadrilaterals 123 ANS: 2  $x^{2} + y^{2} + 6y + 9 = 7 + 9$  $x^{2} + (y+3)^{2} = 16$ PTS: 2 REF: 061514geo NAT: G.GPE.A.1 TOP: Equations of Circles KEY: completing the square 124 ANS: 3  $x^{2} + 4x + 4 + y^{2} - 6y + 9 = 12 + 4 + 9$  $(x+2)^{2} + (y-3)^{2} = 25$ PTS: 2 REF: 081509geo NAT: G.GPE.A.1 TOP: Equations of Circles

KEY: completing the square

125 ANS: 4  $x^{2} + 6x + 9 + y^{2} - 4y + 4 = 23 + 9 + 4$  $(x+3)^2 + (y-2)^2 = 36$ PTS: 2 REF: 011617geo NAT: G.GPE.A.1 TOP: Equations of Circles KEY: completing the square 126 ANS: 1 Ö Since the midpoint of  $\overline{AB}$  is (3,-2), the center must be either (5,-2) or (1,-2).  $r = \sqrt{2^2 + 5^2} = \sqrt{29}$ PTS: 2 REF: 061623geo NAT: G.GPE.A.1 TOP: Equations of Circles KEY: other 127 ANS: 1  $x^{2} - 4x + 4 + y^{2} + 8y + 16 = -11 + 4 + 16$  $(x-2)^2 + (y+4)^2 = 9$ PTS: 2 NAT: G.GPE.A.1 TOP: Equations of Circles REF: 081616geo KEY: completing the square 128 ANS: 2 PTS: 2 REF: 061603geo NAT: G.GPE.A.1 TOP: Equations of Circles KEY: find center and radius | completing the square 129 ANS: 1  $x^{2} + y^{2} - 6y + 9 = -1 + 9$  $x^{2} + (y - 3)^{2} = 8$ PTS: 2 REF: 011718geo NAT: G.GPE.A.1 TOP: Equations of Circles KEY: completing the square 130 ANS: 1  $x^2 + y^2 - 12y + 36 = -20 + 36$  $x^{2} + (y - 6)^{2} = 16$ PTS: 2 REF: 061712geo NAT: G.GPE.A.1 TOP: Equations of Circles KEY: completing the square

131 ANS:  $x^{2}-6x+9+y^{2}+8y+16=56+9+16$  (3,-4); r=9 $(x-3)^{2} + (y+4)^{2} = 81$ PTS: 2 REF: 081731geo NAT: G.GPE.A.1 TOP: Equations of Circles KEY: completing the square 132 ANS: 2  $x^{2} + y^{2} - 6x + 2y = 6$  $x^{2} - 6x + 9 + y^{2} + 2y + 1 = 6 + 9 + 1$  $(x-3)^{2} + (y+1)^{2} = 16$ PTS: 2 REF: 011812geo NAT: G.GPE.A.1 TOP: Equations of Circles KEY: completing the square 133 ANS: 3  $r = \sqrt{(7-3)^2 + (1-2)^2} = \sqrt{16+9} = 5$ PTS: 2 REF: 061503geo NAT: G.GPE.B.4 TOP: Circles in the Coordinate Plane 134 ANS: Yes.  $(x-1)^2 + (v+2)^2 = 4^2$  $(3.4-1)^{2} + (1.2+2)^{2} = 16$ 5.76 + 10.24 = 1616 = 16REF: 081630geo NAT: G.GPE.B.4 TOP: Circles in the Coordinate Plane PTS: 2 135 ANS: 3  $\sqrt{(-5)^2 + 12^2} = \sqrt{169} \sqrt{11^2 + (2\sqrt{12})^2} = \sqrt{121 + 48} = \sqrt{169}$ PTS: 2 REF: 011722geo NAT: G.GPE.B.4 TOP: Circles in the Coordinate Plane 136 ANS: 1  $\frac{64}{4} = 16 \quad 16^2 = 256 \quad 2w + 2(w+2) = 64 \quad 15 \times 17 = 255 \quad 2w + 2(w+4) = 64 \quad 14 \times 18 = 252 \quad 2w + 2(w+6) = 64$ w = 15w = 14w = 13 $13 \times 19 = 247$ PTS: 2 REF: 011708geo NAT: G.MG.A.3 TOP: Area of Polygons 137 ANS:  $x^{2} + x^{2} = 58^{2}$   $A = (\sqrt{1682} + 8)^{2} \approx 2402.2$  $2x^2 = 3364$  $x = \sqrt{1682}$ PTS: 4 REF: 081734geo NAT: G.MG.A.3 TOP: Area of Polygons

138 ANS: 2  $SA = 6 \cdot 12^2 = 864$  $\frac{864}{450} = 1.92$ PTS: 2 REF: 061519geo NAT: G.MG.A.3 TOP: Surface Area 139 ANS: 2 x is  $\frac{1}{2}$  the circumference.  $\frac{C}{2} = \frac{10\pi}{2} \approx 16$ PTS: 2 REF: 061523geo NAT: G.GMD.A.1 TOP: Circumference 140 ANS: 1  $\frac{1000}{20\pi} \approx 15.9$ PTS: 2 REF: 011623geo NAT: G.GMD.A.1 TOP: Circumference 141 ANS: 3  $\theta = \frac{s}{r} = \frac{2\pi}{10} = \frac{\pi}{5}$ REF: fall1404geo NAT: G.C.B.5 TOP: Arc Length PTS: 2 KEY: angle 142 ANS:  $s = \theta \cdot r$   $s = \theta \cdot r$  Yes, both angles are equal.  $\pi = A \cdot 4 \quad \frac{13\pi}{8} = B \cdot 6.5$  $\frac{\pi}{4} = A \qquad \frac{\pi}{4} = B$ PTS: 2 REF: 061629geo NAT: G.C.B.5 TOP: Arc Length KEY: arc length 143 ANS: 3  $\frac{s_L}{s_s} = \frac{6\theta}{4\theta} = 1.5$ REF: 011824geo NAT: G.C.B.5 TOP: Arc Length PTS: 2 KEY: arc length 144 ANS:  $\frac{40}{360} \cdot \pi (4.5)^2 = 2.25\pi$ PTS: 2 REF: 061726geo NAT: G.C.B.5 TOP: Sectors

145 ANS:  $\frac{\left(\frac{180-20}{2}\right)}{360} \times \pi(6)^2 = \frac{80}{360} \times 36\pi = 8\pi$ PTS: 4 REF: spr1410geo NAT: G.C.B.5 TOP: Sectors 146 ANS:  $A = 6^2 \pi = 36\pi \ 36\pi \cdot \frac{x}{360} = 12\pi$  $x = 360 \cdot \frac{12}{36}$ x = 120PTS: 2 REF: 061529geo NAT: G.C.B.5 TOP: Sectors 147 ANS: 3  $\frac{60}{360} \cdot 6^2 \pi = 6\pi$ PTS: 2 REF: 081518geo NAT: G.C.B.5 TOP: Sectors 148 ANS: 3  $\frac{x}{360} \cdot 3^2 \pi = 2\pi \ 180 - 80 = 100$  $x = 80 \quad \frac{180 - 100}{2} = 40$ REF: 011612geo NAT: G.C.B.5 TOP: Sectors PTS: 2 149 ANS: 3  $\frac{60}{360} \cdot 8^2 \pi = \frac{1}{6} \cdot 64 \pi = \frac{32\pi}{3}$  
 PTS:
 2
 REF:
 061624geo
 NAT:
 G.C.B.5

 150
 ANS:
 2
 PTS:
 2
 REF:
 081619geo
 **TOP:** Sectors NAT: G.C.B.5 TOP: Sectors 151 ANS: 4  $\frac{300}{360} \cdot 8^2 \pi = \frac{160\pi}{3}$ PTS: 2 REF: 011721geo NAT: G.C.B.5 TOP: Sectors 152 ANS: 2  $\frac{\frac{512\pi}{3}}{\left(\frac{32}{2}\right)^2\pi} \cdot 2\pi = \frac{4\pi}{3}$ PTS: 2 REF: 081723geo NAT: G.C.B.5 TOP: Sectors

$$\frac{Q}{360} (\pi) \left(25^2\right) = (\pi) \left(25^2\right) - 500\pi$$
$$Q = \frac{125\pi (360)}{625\pi}$$
$$Q = 72$$

PTS: 2 REF: 011828geo NAT: G.C.B.5 TOP: Sectors

154 ANS:

Each quarter in both stacks has the same base area. Therefore, each corresponding cross-section of the stacks will have the same area. Since the two stacks of quarters have the same height of 23 quarters, the two volumes must be the same.

PTS: 2 REF: spr1405geo NAT: G.GMD.A.1 TOP: Volume

155 ANS:

Yes. The bases of the cylinders have the same area and the cylinders have the same height.

PTS: 2 REF: 081725geo NAT: G.GMD.A.1 TOP: Volume

156 ANS:

Each triangular prism has the same base area. Therefore, each corresponding cross-section of the prisms will have the same area. Since the two prisms have the same height of 14, the two volumes must be the same.

157	PTS: 2 ANS: 4 $2592276 = \frac{1}{3} \cdot s^2 \cdot 14$	C C	NAT: G.GMD.A.1	TOP: Volume
	$2392276 = \frac{1}{3} \cdot s + 14$ $230 \approx s$	0.5		
158	PTS: 2 KEY: pyramids ANS: 2	REF: 081521geo	NAT: G.GMD.A.3	TOP: Volume
	$14 \times 16 \times 10 = 2240$	$\frac{2240 - 1680}{2240} = 0.25$		
159	PTS: 2 KEY: prisms ANS: 2	REF: 011604geo	NAT: G.GMD.A.3	TOP: Volume
	$V = \frac{1}{3} \cdot 6^2 \cdot 12 = 144$ PTS: 2	<b>PEE:</b> 011607map	NAT: G.GMD.A.3	TOP: Volume
	KEY: pyramids	KLP. 01100/gc0		

$$V = (\pi)(4^2)(9) + \left(\frac{1}{2}\right) \left(\frac{4}{3}\right) (\pi) \left(4^3\right) \approx 586$$

PTS: 4 REF: 011833geo NAT: G.GMD.A.3 TOP: Volume KEY: compositions

161ANS: 4PTS: 2REF: 061606geoNAT: G.GMD.A.3TOP: VolumeKEY: compositions

162 ANS: 3  
$$\frac{\frac{4}{3}\pi \left(\frac{9.5}{2}\right)^{3}}{\frac{4}{3}\pi \left(\frac{2.5}{2}\right)^{3}} \approx 55$$

PTS: 2 REF: 011614geo NAT: G.GMD.A.3 TOP: Volume KEY: spheres

163 ANS: 4

$$V = \pi \left(\frac{6.7}{2}\right)^2 (4 \cdot 6.7) \approx 945$$

PTS: 2 REF: 081620geo NAT: G.GMD.A.3 TOP: Volume KEY: cylinders

164 ANS:

$$\frac{\pi \cdot 11.25^2 \cdot 33.5}{231} \approx 57.7$$

PTS: 4 REF: 061632geo NAT: G.GMD.A.3 TOP: Volume KEY: cylinders

165 ANS:

ANS:  

$$\sqrt[3]{\frac{3V_f}{4\pi}} - \sqrt[3]{\frac{3V_p}{4\pi}} = \sqrt[3]{\frac{3(294)}{4\pi}} - \sqrt[3]{\frac{3(180)}{4\pi}} \approx 0.6$$

PTS: 2 REF: 061728geo NAT: G.GMD.A.3 TOP: Volume KEY: spheres

Similar triangles are required to model and solve a proportion.  $\frac{x+5}{1.5} = \frac{x}{1} = \frac{1}{3}\pi(1.5)^2(15) - \frac{1}{3}\pi(1)^2(10) \approx 24.9$ 

$$x + 5 = 1.5x$$
$$5 = .5x$$
$$10 = x$$
$$10 + 5 = 15$$

PTS: 6 REF: 061636geo NAT: G.GMD.A.3 TOP: Volume KEY: cones 167 ANS: 1  $V = \frac{1}{3} \pi \left(\frac{1.5}{2}\right)^2 \left(\frac{4}{2}\right) \approx 1.2$ PTS: 2 REF: 011724geo NAT: G.GMD.A.3 TOP: Volume KEY: cones 168 ANS: 2  $4 \times 4 \times 6 - \pi(1)^2(6) \approx 77$ REF: 011711geo NAT: G.GMD.A.3 TOP: Volume PTS: 2 **KEY:** compositions 169 ANS:  $C = 2\pi r \quad V = \frac{1}{3}\pi \cdot 5^2 \cdot 13 \approx 340$  $31.416 = 2\pi r$  $5 \approx r$ PTS: 4 REF: 011734geo NAT: G.GMD.A.3 TOP: Volume KEY: cones 170 ANS: 1  $84 = \frac{1}{3} \cdot s^2 \cdot 7$ 6 = sREF: 061716geo NAT: G.GMD.A.3 TOP: Volume PTS: 2 **KEY**: pyramids 171 ANS: 3  $2.5 \times 1.25 \times (27 \times 12) + \frac{1}{2} \pi (1.25)^2 (27 \times 12) \approx 1808$ PTS: 2 REF: 061723geo NAT: G.GMD.A.3 TOP: Volume **KEY:** compositions

28

$$\tan 16.5 = \frac{x}{13.5} \qquad 9 \times 16 \times 4.5 = 648 \quad 3752 - (35 \times 16 \times .5) = 3472$$
$$x \approx 4 \qquad 13.5 \times 16 \times 4.5 = 972 \quad 3472 \times 7.48 \approx 25971$$
$$4 + 4.5 = 8.5 \qquad \frac{1}{2} \times 13.5 \times 16 \times 4 = 432 \quad \frac{25971}{10.5} \approx 2473.4$$
$$12.5 \times 16 \times 8.5 = \frac{1700}{3752} \quad \frac{2473.4}{60} \approx 41$$

PTS: 6 REF: 081736geo NAT: G.GMD.A.3 TOP: Volume KEY: compositions

173 ANS:

$$20000 \operatorname{g} \left( \frac{1 \operatorname{ft}^3}{7.48 \operatorname{g}} \right) = 2673.8 \operatorname{ft}^3 2673.8 = \pi r^2 (34.5) 9.9 + 1 = 10.9$$
$$r \approx 4.967$$
$$d \approx 9.9$$

PTS: 4 REF: 061734geo NAT: G.GMD.A.3 TOP: Volume KEY: cylinders

174 ANS: 3

$$V = \frac{1}{3} \pi r^2 h$$
  
54.45 $\pi = \frac{1}{3} \pi (3.3)^2 h$   
 $h = 15$ 

PTS: 2 REF: 011807geo NAT: G.GMD.A.3 TOP: Volume KEY: cones 175 ANS: 2

$$V = \frac{1}{3} \left(\frac{36}{4}\right)^2 \cdot 15 = 405$$

PTS: 2 REF: 011822geo NAT: G.GMD.A.3 TOP: Volume KEY: pyramids

176 ANS:

$$\tan 47 = \frac{x}{8.5} \quad \text{Cone: } V = \frac{1}{3} \pi (8.5)^2 (9.115) \approx 689.6 \text{ Cylinder: } V = \pi (8.5)^2 (25) \approx 5674.5 \text{ Hemisphere:}$$
$$x \approx 9.115$$
$$V = \frac{1}{2} \left(\frac{4}{3} \pi (8.5)^3\right) \approx 1286.3 \quad 689.6 + 5674.5 + 1286.3 \approx 7650 \text{ No, because } 7650 \cdot 62.4 = 477,360$$
$$477,360 \cdot .85 = 405,756, \text{ which is greater than } 400,000.$$

PTS: 6 REF: 061535geo NAT: G.MG.A.2 TOP: Density

177 ANS:  $r = 25 \operatorname{cm}\left(\frac{1 \operatorname{m}}{100 \operatorname{cm}}\right) = 0.25 \operatorname{m} V = \pi (0.25 \operatorname{m})^2 (10 \operatorname{m}) = 0.625 \pi \operatorname{m}^3 W = 0.625 \pi \operatorname{m}^3 \left(\frac{380 \operatorname{K}}{1 \operatorname{m}^3}\right) \approx 746.1 \operatorname{K}$  $n = \frac{\$50,000}{\left(\frac{\$4.75}{K}\right)(746.1 \text{ K})} = 14.1 \quad 15 \text{ trees}$ REF: spr1412geo NAT: G.MG.A.2 TOP: Density PTS: 4 178 ANS: No, the weight of the bricks is greater than 900 kg.  $500 \times (5.1 \text{ cm} \times 10.2 \text{ cm} \times 20.3 \text{ cm}) = 528,003 \text{ cm}^3$ .  $528,003 \text{ cm}^3 \times \frac{1 \text{ m}^3}{100 \text{ cm}^3} = 0.528003 \text{ m}^3. \frac{1920 \text{ kg}}{\text{m}^3} \times 0.528003 \text{ m}^3 \approx 1013 \text{ kg}.$ REF: fall1406geo NAT: G.MG.A.2 TOP: Density PTS: 2 179 ANS: 3  $V = 12 \cdot 8.5 \cdot 4 = 408$  $W = 408 \cdot 0.25 = 102$ PTS: 2 REF: 061507geo NAT: G.MG.A.2 TOP: Density 180 ANS: 1  $V = \frac{\frac{4}{3}\pi \left(\frac{10}{2}\right)^3}{2} \approx 261.8 \cdot 62.4 = 16,336$ PTS: 2 REF: 081516geo NAT: G.MG.A.2 TOP: Density 181 ANS:  $\frac{137.8}{6^3} \approx 0.638$  Ash REF: 081525geo NAT: G.MG.A.2 TOP: Density **PTS:** 2 182 ANS: 1 Illinois:  $\frac{12830632}{231.1} \approx 55520$  Florida:  $\frac{18801310}{350.6} \approx 53626$  New York:  $\frac{19378102}{411.2} \approx 47126$  Pennsylvania:  $\frac{12702379}{283.9} \approx 44742$ PTS: 2 REF: 081720geo NAT: G.MG.A.2 TOP: Density 183 ANS: 2  $\frac{4}{3}\pi \cdot 4^3 + 0.075 \approx 20$ REF: 011619geo NAT: G.MG.A.2 TOP: Density PTS: 2

184 ANS: 2  

$$\frac{11}{1.2 \text{ oz}} \left( \frac{16 \text{ oz}}{1 \text{ b}} \right) = \frac{13.31}{\text{ b}} \frac{13.31}{\text{ b}} \left( \frac{1 \text{ g}}{3.7851} \right) \approx \frac{3.5 \text{ g}}{1 \text{ b}}$$
185 ANS: 2  
REF: 061618geo NAT: G.MG.A.2 TOP: Density  
186 ANS:  

$$\frac{1}{2} \left( \frac{4}{3} \right) \pi \cdot 5^3 \cdot 62.4 \approx 16.336$$
PTS: 2 REF: 061620geo NAT: G.MG.A.2 TOP: Density  
186 ANS:  

$$V = \frac{1}{3} \pi \left( \frac{3}{2} \right)^2 \cdot 8 \approx 18.85 \cdot 100 = 1885 \ 1885 \cdot 0.52 \cdot 0.10 = 98.02 \ 1.95(100) - (37.83 + 98.02) = 59.15$$
PTS: 6 REF: 081536geo NAT: G.MG.A.2 TOP: Density  
187 ANS:  
500 × 1015 cc ×  $\frac{50.29}{\text{ kg}} \times \frac{7.95 \text{ g}}{\text{ cc}} \times \frac{1 \text{ kg}}{1000 \text{ g}} = \$1170$ 
PTS: 2 REF: 011829geo NAT: G.MG.A.2 TOP: Density  
188 ANS: 2  


$$C = \pi d \ V = \pi \left( \frac{2.25}{\pi} \right)^2 \cdot 8 \approx 12.8916 \ W = 12.8916 \cdot 752 \approx 9694 \ 4.5 = \pi d \ \frac{4.5}{\pi} = d \ \frac{2.25}{\pi} = r$$
189 PTS: 2 REF: 081617geo NAT: G.MG.A.2 TOP: Density  
189 ANS:  

$$\frac{40000}{\pi \left( \frac{51}{2} \right)^2} \approx 19.6 \ \frac{72000}{\pi \left( \frac{72}{2} \right)^2} \approx 16.3 \ \text{Dish } A \ \frac{40000}{\pi \left( \frac{51}{2} \right)^2} (10.2) + \frac{1}{2} \cdot \frac{4}{3} \pi \left( \frac{8.3}{2} \right)^3 \approx 183.961 + 149.693 \approx 333.65 \text{ cm}^3 \ 333.65 \times 50 = 16682.7 \text{ cm}^3 \ 16682.7 \times 0.697 = 11627.8 \text{ g} 11.6278 \times 3.83 = $44.53 \ \text{PTS: } 6 \text{ REF: 081636geo NAT: G.MG.A.2 TOP: Density \ 20000 \text{ cm}^2 \text{ cm$$

191 ANS: C:  $V = \pi (26.7)^2 (750) - \pi (24.2)^2 (750) = 95,437.5\pi$ 95,437.5 $\pi$  cm<sup>3</sup>  $\left(\frac{2.7 \text{ g}}{\text{cm}^3}\right) \left(\frac{1 \text{ kg}}{1000 \text{ g}}\right) \left(\frac{\$0.38}{\text{kg}}\right) = \$307.62$ P:  $V = 40^{2}(750) - 35^{2}(750) = 281,250$ 307.62 - 288.56 = 19.06281,250 cm<sup>3</sup>  $\left(\frac{2.7 \text{ g}}{\text{cm}^3}\right) \left(\frac{1 \text{ kg}}{1000 \text{ g}}\right) \left(\frac{\$0.38}{\text{kg}}\right) = \$288.56$ PTS: 6 REF: 011736geo NAT: G.MG.A.2 TOP: Density 192 ANS: 3  $\frac{AB}{BC} = \frac{DE}{EF}$  $\frac{9}{15} = \frac{6}{10}$ 90 = 90PTS: 2 REF: 061515geo NAT: G.SRT.B.5 TOP: Similarity KEY: basic 193 ANS: 4  $\frac{7}{12} \cdot 30 = 17.5$ 

PTS: 2 REF: 061521geo NAT: G.SRT.B.5 TOP: Similarity KEY: perimeter and area

194 ANS:



PTS: 2 REF: 061531geo NAT: G.SRT.B.5 TOP: Similarity KEY: basic

195 ANS:  $x = \sqrt{.55^2 - .25^2} \cong 0.49$  No,  $.49^2 = .25y$  .9604 + .25 < 1.5 .9604 = yREF: 061534geo NAT: G.SRT.B.5 TOP: Similarity PTS: 4 KEY: leg 196 ANS: 4  $\frac{1}{2} = \frac{x+3}{3x-1}$  GR = 3(7) - 1 = 20 3x - 1 = 2x + 6*x* = 7 PTS: 2 REF: 011620geo NAT: G.SRT.B.5 TOP: Similarity KEY: basic 197 ANS: 2 PTS: 2 REF: 081519geo NAT: G.SRT.B.5 TOP: Similarity KEY: basic 198 ANS:  $\frac{120}{230} = \frac{x}{315}$ x = 164REF: 081527geo NAT: G.SRT.B.5 TOP: Similarity PTS: 2 KEY: basic 199 ANS: 3 1)  $\frac{12}{9} = \frac{4}{3}$  2) AA 3)  $\frac{32}{16} \neq \frac{8}{2}$  4) SAS PTS: 2 REF: 061605geo NAT: G.SRT.B.5 TOP: Similarity KEY: basic 200 ANS:  $\frac{6}{14} = \frac{9}{21}$  SAS 126 = 126PTS: 2 REF: 081529geo NAT: G.SRT.B.5 TOP: Similarity KEY: basic 201 ANS: 3  $\frac{12}{4} = \frac{x}{5}$  15 - 4 = 11 *x* = 15 PTS: 2 REF: 011624geo NAT: G.SRT.B.5 TOP: Similarity KEY: basic

202 ANS: 1  $\frac{6}{8} = \frac{9}{12}$ PTS: 2 REF: 011613geo NAT: G.SRT.B.5 **TOP:** Similarity KEY: basic 203 ANS: If an altitude is drawn to the hypotenuse of a triangle, it divides the triangle into two right triangles similar to each other and the original triangle. **PTS:** 2 REF: 061729geo NAT: G.SRT.B.5 **TOP:** Similarity KEY: altitude 204 ANS: 2  $\sqrt{3 \cdot 21} = \sqrt{63} = 3\sqrt{7}$ PTS: 2 REF: 011622geo NAT: G.SRT.B.5 **TOP:** Similarity KEY: altitude 205 ANS: 2  $h^2 = 30 \cdot 12$  $h^2 = 360$  $h = 6\sqrt{10}$ PTS: 2 REF: 061613geo NAT: G.SRT.B.5 **TOP:** Similarity KEY: altitude 206 ANS: 2  $x^2 = 4 \cdot 10$  $x = \sqrt{40}$  $x = 2\sqrt{10}$ PTS: 2 REF: 081610geo NAT: G.SRT.B.5 **TOP:** Similarity KEY: leg 207 ANS: 3  $\frac{x}{10} = \frac{6}{4}$   $\overline{CD} = 15 - 4 = 11$ *x* = 15 PTS: 2 REF: 081612geo NAT: G.SRT.B.5 **TOP:** Similarity KEY: basic 208 ANS: 2 (1) AA; (3) SAS; (4) SSS. NYSED has stated that all students should be awarded credit regardless of their answer to this question. REF: 061724geo NAT: G.SRT.B.5 **TOP:** Similarity PTS: 2

KEY: basic

209 ANS: 4  $\frac{6.6}{x} = \frac{4.2}{5.25}$ 4.2x = 34.65*x* = 8.25 PTS: 2 REF: 081705geo NAT: G.SRT.B.5 TOP: Similarity KEY: basic 210 ANS: 2  $12^2 = 9 \cdot 16$ 144 = 144PTS: 2 REF: 081718geo NAT: G.SRT.B.5 **TOP:** Similarity KEY: leg 211 ANS: 4 PTS: 2 REF: 011817geo NAT: G.SRT.B.5 TOP: Similarity KEY: basic 212 ANS: 2  $x^2 = 12(12 - 8)$  $x^2 = 48$  $x = 4\sqrt{3}$ PTS: 2 REF: 011823geo NAT: G.SRT.B.5 TOP: Similarity KEY: leg 213 ANS: 1 PTS: 2 REF: 061518geo NAT: G.SRT.A.1 TOP: Line Dilations 214 ANS:  $\ell$ : y = 3x - 4*m*: y = 3x - 8PTS: 2 REF: 011631geo NAT: G.SRT.A.1 TOP: Line Dilations

# Geometry Regents Exam Questions by Common Core State Standard: Topic Answer Section

#### 215 ANS: 2

The given line h, 2x + y = 1, does not pass through the center of dilation, the origin, because the *y*-intercept is at (0,1). The slope of the dilated line, *m*, will remain the same as the slope of line *h*, -2. All points on line *h*, such as (0,1), the *y*-intercept, are dilated by a scale factor of 4; therefore, the *y*-intercept of the dilated line is (0,4) because the center of dilation is the origin, resulting in the dilated line represented by the equation y = -2x + 4.

PTS: 2 REF: spr1403geo NAT: G.SRT.A.1 TOP: Line Dilations

The line y = 2x - 4 does not pass through the center of dilation, so the dilated line will be distinct from y = 2x - 4. Since a dilation preserves parallelism, the line y = 2x - 4 and its image will be parallel, with slopes of 2. To obtain the y-intercept of the dilated line, the scale factor of the dilation,  $\frac{3}{2}$ , can be applied to the y-intercept, (0,-4). Therefore,  $\left(0 \cdot \frac{3}{2}, -4 \cdot \frac{3}{2}\right) \rightarrow (0,-6)$ . So the equation of the dilated line is y = 2x - 6. **PTS:** 2 REF: fall1403geo NAT: G.SRT.A.1 **TOP:** Line Dilations 217 ANS: 1 The line 3y = -2x + 8 does not pass through the center of dilation, so the dilated line will be distinct from 3y = -2x + 8. Since a dilation preserves parallelism, the line 3y = -2x + 8 and its image 2x + 3y = 5 are parallel, with slopes of  $-\frac{2}{3}$ . NAT: G.SRT.A.1 PTS: 2 REF: 061522geo **TOP:** Line Dilations 218 ANS: 4 The line y = 3x - 1 passes through the center of dilation, so the dilated line is not distinct. PTS: 2 REF: 081524geo NAT: G.SRT.A.1 **TOP:** Line Dilations 219 ANS: 1  $B: (4-3,3-4) \to (1,-1) \to (2,-2) \to (2+3,-2+4)$  $C: (2-3, 1-4) \rightarrow (-1, -3) \rightarrow (-2, -6) \rightarrow (-2+3, -6+4)$ PTS: 2 REF: 011713geo NAT: G.SRT.A.1 **TOP:** Line Dilations 220 ANS: 2 REF: 011610geo PTS: 2 NAT: G.SRT.A.1 **TOP:** Line Dilations 221 ANS: 4  $3 \times 6 = 18$ PTS: 2 REF: 061602geo NAT: G.SRT.A.1 **TOP:** Line Dilations 222 ANS: 4  $\sqrt{(32-8)^2 + (28--4)^2} = \sqrt{576+1024} = \sqrt{1600} = 40$ PTS: 2 REF: 081621geo NAT: G.SRT.A.1 **TOP:** Line Dilations

223 ANS: 3 PTS: 2 REF: 061706geo NAT: G.SRT.A.1 TOP: Line Dilations

224 ANS: 1

(4,2)

Since a dilation preserves parallelism, the line 4y = 3x + 7 and its image 3x - 4y = 9 are parallel, with slopes of  $\frac{3}{4}$ .

PTS: 2 REF: 081710geo NAT: G.SRT.A.1 TOP: Line Dilations 225 ANS:

The line is on the center of dilation, so the line does not change. p: 3x + 4y = 20

	PTS: 2	REF:	061731geo	NAT:	G.SRT.A.1	TOP:	Line Dilations
226	ANS: 1	PTS:	2	REF:	011814geo	NAT:	G.SRT.A.1
	TOP: Line Dilation	5					
227	ANS: 1	PTS:	2	REF:	081605geo	NAT:	G.CO.A.5
	TOP: Rotations	KEY:	grids				
228	ANS:					•	
	ABC – point of reflect	tion $\rightarrow$	(-y,x) + point of	of reflec	tion $\triangle DEF \cong$	$\leq \Delta A' B$	"C" because $\triangle DEF$ is a reflection of
	A(2,-3) - (2,-3) = (0,-3) =	$(0,0) \rightarrow $	(0,0) + (2,-3) =	= A' (2,-	-3)		
	B(6,-8) - (2,-3) = (4)	$(,-5) \rightarrow$	(5,4) + (2,-3)	= B'(7,	1)		
	C(2,-9) - (2,-3) = (0) $\triangle A'B'C' \text{ and reflect}$	. ,			,-3)		
229	PTS: 4 KEY: grids ANS:	REF:	081633geo	NAT:	G.CO.A.5	TOP:	Rotations
		A' **					

	PTS: 2	REF: 011625geo	NAT: G.CO.A.5	TOP: Reflections
	KEY: grids			
230	ANS: 4	PTS: 2	REF: 081506geo	NAT: G.SRT.A.2
	TOP: Dilations		C	


231 ANS: 1  $3^2 = 9$ PTS: 2 REF: 081520geo NAT: G.SRT.A.2 **TOP:** Dilations 232 ANS: 2 PTS: 2 REF: 061516geo NAT: G.SRT.A.2 **TOP:** Dilations 233 ANS: 1  $\frac{4}{6} = \frac{3}{4.5} = \frac{2}{3}$ PTS: 2 REF: 081523geo NAT: G.SRT.A.2 **TOP:** Dilations 234 ANS:

REF: 081729geo

 $\sqrt{(2.5-1)^2 + (-.5-1.5)^2} = \sqrt{2.25+4} = 2.5$ 

NAT: G.SRT.A.2

PTS: 2



A dilation preserves slope, so the slopes of  $\overline{QR}$  and  $\overline{Q'R'}$  are equal. Because the slopes

**TOP:** Dilations

are equal,  $Q'R' \parallel QR$ .

	PTS: 4	REF: 011732geo	NAT: G.SRT.A.2	TOP: Dilations
	KEY: grids			
236	ANS: 1	PTS: 2	REF: 011811geo	NAT: G.SRT.A.2
	TOP: Dilations		-	

237 ANS:

A dilation of 3 centered at A. A dilation preserves angle measure, so the triangles are similar.

PTS: 4 238 ANS: 1  $\frac{360^{\circ}}{45^{\circ}} = 8$ PTS: 2 REF: 011832geo NAT: G.SRT.A.2 TOP: Dilations NAT: G.SRT.A.2 TOP: Dilations TOP: Dilations

Segments drawn from the center of the regular pentagon bisect each angle of the pentagon, and create five isosceles triangles as shown in the diagram below. Since each exterior angle equals the angles formed by the segments drawn from the center of the regular pentagon, the minimum degrees necessary to carry a regular polygon onto itself are equal to the measure of an exterior angle of the regular polygon.

 $\frac{360}{5} = 72.$ PTS: 2 REF: spr1402geo NAT: G.CO.A.3 TOP: Mapping a Polygon onto Itself 240 ANS: 1 PTS: 2 REF: 081505geo NAT: G.CO.A.3 TOP: Mapping a Polygon onto Itself 241 ANS: 3 The x-axis and line x = 4 are lines of symmetry and (4,0) is a point of symmetry. PTS: 2 REF: 081706geo NAT: G.CO.A.3 TOP: Mapping a Polygon onto Itself 242 ANS:  $\frac{360}{6} = 60$ PTS: 2 NAT: G.CO.A.3 REF: 081627geo TOP: Mapping a Polygon onto Itself 243 ANS: 4  $\frac{360^{\circ}}{10} = 36^{\circ} 252^{\circ}$  is a multiple of 36° PTS: 2 NAT: G.CO.A.3 REF: 011717geo TOP: Mapping a Polygon onto Itself 244 ANS: 1 REF: 061707geo NAT: G.CO.A.3 PTS: 2 TOP: Mapping a Polygon onto Itself 245 ANS: 4  $\frac{360^{\circ}}{10} = 36^{\circ} 252^{\circ}$  is a multiple of 36° PTS: 2 NAT: G.CO.A.3 REF: 081722geo TOP: Mapping a Polygon onto Itself 246 ANS: 3 PTS: 2 REF: 011815geo NAT: G.CO.A.3 TOP: Mapping a Polygon onto Itself 247 ANS: Rotate  $\triangle ABC$  clockwise about point *C* until  $\overline{DF} \parallel \overline{AC}$ . Translate  $\triangle ABC$  along  $\overline{CF}$  so that *C* maps onto *F*. PTS: 2 REF: 061730geo NAT: G.CO.A.5 **TOP:** Compositions of Transformations KEY: identify 248 ANS: 4 PTS: 2 REF: 061504geo NAT: G.CO.A.5 **TOP:** Compositions of Transformations KEY: identify REF: 081507geo 249 ANS: 1 PTS: 2 NAT: G.CO.A.5 **TOP:** Compositions of Transformations KEY: identify

 $T_{6,0} \circ r_{x-axis}$ 


251	PTS: 2 KEY: identify ANS:	REF: 061625geo	NAT: G.CO.A.5	TOP:	Compositions of Transformations
	PTS: 2 KEY: grids	REF: 081626geo	NAT: G.CO.A.5	TOP:	Compositions of Transformations
252	ANS: 1 TOP: Compositions	PTS: 2 of Transformations	REF: 011608geo KEY: identify	NAT:	G.CO.A.5
253	ANS: 3 TOP: Compositions	PTS: 2	REF: 011710geo KEY: identify	NAT:	G.CO.A.5
254	ANS: $T_{0,-2} \circ r_{y-axis}$				
	PTS: 2 KEY: identify	REF: 011726geo	NAT: G.CO.A.5	TOP:	Compositions of Transformations
255	ANS: 2	PTS: 2	REF: 061701geo	NAT:	G.CO.A.5
256	TOP: Compositions ANS:	of Transformations	KEY: identify		
200	$R_{180^\circ}$ about $\left(-\frac{1}{2}, \frac{1}{2}\right)$				
257	PTS: 2 KEY: identify ANS:	REF: 081727geo	NAT: G.CO.A.5	TOP:	Compositions of Transformations

Triangle X'YZ is the image of  $\triangle XYZ$  after a rotation about point Z such that  $\overline{ZX}$  coincides with  $\overline{ZU}$ . Since rotations preserve angle measure,  $\overline{ZY}$  coincides with  $\overline{ZV}$ , and corresponding angles X and Y, after the rotation, remain congruent, so  $\overline{XY} \parallel \overline{UV}$ . Then, dilate  $\triangle X' Y' Z'$  by a scale factor of  $\frac{ZU}{ZX}$  with its center at point Z. Since dilations preserve parallelism,  $\overline{XY}$  maps onto  $\overline{UV}$ . Therefore,  $\triangle XYZ \sim \triangle UVZ$ .

REF: spr1406geo NAT: G.SRT.A.2 TOP: Compositions of Transformations PTS: 2 KEY: grids

258	ANS: 4 PTS: 2	REF: 081514geo NAT: G.SRT.A.2
	TOP: Compositions of Transformations	KEY: grids
259	ANS: 4 PTS: 2	REF: 061608geo NAT: G.SRT.A.2
	TOP: Compositions of Transformations	KEY: grids
260	ANS: 4 PTS: 2	REF: 081609geo NAT: G.SRT.A.2
	TOP: Compositions of Transformations	KEY: grids
261	ANS: 2 PTS: 2	REF: 011702geo NAT: G.SRT.A.2
	TOP: Compositions of Transformations	KEY: basic
262	ANS: 1	
-		ct answer. Statement III is not true if A, B, A' and B' are collinear.
	r i i i i i i i i i i i i i i i i i i i	,,,,,,,,,,,,,,,,,,,,,
	PTS: 2 REF: 061714geo	NAT: G.SRT.A.2 TOP: Compositions of Transformations
	KEY: basic	L L
263	ANS: 4	
		main the same after all rotations because rotations are rigid motions
	which preserve angle measure.	
	1 0	
	PTS: 2 REF: fall1402geo	NAT: G.CO.B.6 TOP: Properties of Transformations
	KEY: graphics	*
264	ANS:	
	M = 180 - (47 + 57) = 76 Rotations do not	change angle measurements.
	PTS: 2 REF: 081629geo	NAT: G.CO.B.6 TOP: Properties of Transformations
265	ANS: 4 PTS: 2	REF: 011611geo NAT: G.CO.B.6
	TOP: Properties of Transformations	KEY: graphics
266	ANS: 1	
	360 - (82 + 104 + 121) = 53	
	PTS: 2 REF: 011801geo	NAT: G.CO.B.6 TOP: Properties of Transformations
0.47	KEY: basic	
267	ANS: 4 PTS: 2	REF: 061502geo NAT: G.CO.A.2
• • • •	TOP: Identifying Transformations	KEY: basic
268	ANS: 3 PTS: 2	REF: 081502geo NAT: G.CO.A.2
	TOP: Identifying Transformations	KEY: basic
269	ANS: 2 PTS: 2	REF: 081513geo NAT: G.CO.A.2
	TOP: Identifying Transformations	KEY: graphics
270	ANS: 2 PTS: 2	REF: 081602geo NAT: G.CO.A.2
	TOP: Identifying Transformations	KEY: basic
271	ANS: 1 PTS: 2	REF: 061604geo NAT: G.CO.A.2
	TOP: Identifying Transformations	KEY: graphics
272	ANS: 3 PTS: 2	REF: 061616geo NAT: G.CO.A.2
	TOP: Identifying Transformations	KEY: graphics
273	ANS: 4 PTS: 2	REF: 011706geo NAT: G.CO.A.2
	TOP: Identifying Transformations	KEY: basic

274 ANS:



 $r_{x=-1}$  Reflections are rigid motions that preserve distance, so  $\triangle ABC \cong \triangle DEF$ .

	PTS: 4 KEY: graphics	REF:	061732geo	NAT:	G.CO.A.2	TOP:	Identifying Transformations
275	ANS: 4	PTS:			081702geo	NAT:	G.CO.A.2
	TOP: Identifying T				basic		
276	ANS: 4	PTS:			011803geo	NAT:	G.CO.A.2
	TOP: Identifying T			KEY:	graphics		
277	ANS: 3	PTS:	2	REF:	011605geo	NAT:	G.CO.A.2
	TOP: Analytical Re	epresent	ations of Trans	sformati	ons	KEY:	basic
278	ANS: 4	PTS:	2	REF:	011808geo	NAT:	G.CO.A.2
	TOP: Analytical Re	epresent	ations of Trans	sformati	ions	KEY:	basic
279	ANS: 4	PTS:	2	REF:	061615geo	NAT:	G.SRT.C.6
	TOP: Trigonometri	c Ratio	S		U		
280	ANS: 3	PTS:		REF:	011714geo	NAT:	G.SRT.C.6
	TOP: Trigonometri						
281	ANS: 4	PTS:		REF	061512geo	NAT·	G.SRT.C.7
201	TOP: Cofunctions	110.	2	1021.	001512500	11111	0.51(1.0.7
282	ANS:						
202		a right t	rianole are alw	avs com	nlementary T	'he sine	of any acute angle is equal to the cosine
	of its complement.		frangie ale alw	uys com	ipienieniury. 1	ne sine	of any dedice angle is equal to the cosme
	or its complement.						
	PTS: 2	REF:	spr1407geo	NAT:	G.SRT.C.7	TOP:	Cofunctions
283	ANS: 1	PTS:			081606geo		G.SRT.C.7
	TOP: Cofunctions						
284	ANS:						
201		nA is th	e ratio of the o	nnosite	side and the hy	notenu	se while cos <i>B</i> is the ratio of the adjacent
		121 15 (11	e futio of the o	pposite	side and the hy	potenta	se while cost is the fullo of the adjacent
	2x = 0.8						
	x = 0.4						
		use Tł	ne side opposite	e angle	A is the same s	ide as tl	he side adjacent to angle <i>B</i> . Therefore,
	$\sin A = \cos B.$	450. 11	ie side oppositi	e ungre i	i is the sume s	ide dis ti	te side adjacent to angle 21 Therefore,
	00021						
	PTS: 2	REF:	fall1407geo	NAT:	G.SRT.C.7	TOP:	Cofunctions
285	ANS: 1	PTS:	•		081504geo		G.SRT.C.7
_00	TOP: Cofunctions						
286	ANS: 4	PTS:	2	REF	011609geo	ΝΑΤ·	G.SRT.C.7
200	TOP: Cofunctions	110.	-	11121 .	011007600		0.51(1.0.7
	ior. continentitis						

73 + R = 90 Equal cofunctions are complementary.

*R* = 17

#### PTS: 2 REF: 061628geo NAT: G.SRT.C.7 TOP: Cofunctions

288 ANS:

Yes, because 28° and 62° angles are complementary. The sine of an angle equals the cosine of its complement.

PTS: 2 NAT: G.SRT.C.7 REF: 011727geo **TOP:** Cofunctions 289 ANS: 3 PTS: 2 REF: 061703geo NAT: G.SRT.C.7 **TOP:** Cofunctions 290 ANS: 4 40 - x + 3x = 902x = 50*x* = 25 PTS: 2 REF: 081721geo NAT: G.SRT.C.7 **TOP:** Cofunctions 291 ANS:

 $\cos B$  increases because  $\angle A$  and  $\angle B$  are complementary and  $\sin A = \cos B$ .

PTS: 2 REF: 011827geo NAT: G.SRT.C.7 TOP: Cofunctions

292 ANS:

*x* represents the distance between the lighthouse and the canoe at 5:00; *y* represents the distance between the lighthouse and the canoe at 5:05.  $\tan 6 = \frac{112 - 1.5}{x} \tan(49 + 6) = \frac{112 - 1.5}{y} \frac{1051.3 - 77.4}{5} \approx 195$ 


 $x \approx 1051.3$   $y \approx 77.4$ 

PTS: 4 REF: spr1409geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side KEY: advanced

293 ANS:

 $\tan 7 = \frac{125}{x}$   $\tan 16 = \frac{125}{y}$   $1018 - 436 \approx 582$  $x \approx 1018$   $y \approx 436$ 

PTS: 4 REF: 081532geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side KEY: advanced



PTS: 6 REF: fall1413geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side KEY: advanced 295 ANS: 4

 $\sin 70 = \frac{x}{20}$  $x \approx 18.8$ 

PTS: 2 REF: 061611geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side KEY: without graphics

 $\tan 34 = \frac{T}{20}$ 

 $T \approx 13.5$ 

PTS: 2 REF: 061505geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side KEY: graphics

297 ANS:

$$\sin 70 = \frac{30}{L}$$
$$L \approx 32$$

PTS: 2 REF: 011629geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side KEY: graphics

298 ANS:

$$\tan 52.8 = \frac{h}{x} \qquad x \tan 52.8 = x \tan 34.9 + 8 \tan 34.9 \ \tan 52.8 \approx \frac{h}{9} \qquad 11.86 + 1.7 \approx 13.6$$

$$h = x \tan 52.8 \qquad x \tan 52.8 - x \tan 34.9 = 8 \tan 34.9 \qquad x \approx 11.86$$

$$\tan 34.9 = \frac{h}{x+8} \qquad x(\tan 52.8 - \tan 34.9) = 8 \tan 34.9 \qquad x \approx 11.86$$

$$h = (x+8) \tan 34.9 \qquad x = \frac{8 \tan 34.9}{\tan 52.8 - \tan 34.9} \qquad x \approx 9$$

PTS: 6 REF: 011636geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side KEY: advanced

299 ANS:  $\sin 75 = \frac{15}{r}$  $x = \frac{15}{\sin 75}$  $x \approx 15.5$ PTS: 2 REF: 081631geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side **KEY**: graphics 300 ANS: 2  $\tan \theta = \frac{2.4}{r}$  $\frac{3}{7} = \frac{2.4}{r}$ x = 5.6PTS: 2 REF: 011707geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side 301 ANS: 3  $\cos 40 = \frac{14}{r}$  $x \approx 18$ PTS: 2 REF: 011712geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side 302 ANS: 4  $\sin 71 = \frac{x}{20}$  $x = 20 \sin 71 \approx 19$ PTS: 2 REF: 061721geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side KEY: without graphics 303 ANS:  $\tan 15 = \frac{6250}{x} \qquad \tan 52 = \frac{6250}{y} \quad 23325.3 - 4883 = 18442 \quad \frac{18442 \text{ ft}}{1 \text{ min}} \left(\frac{1 \text{ min}}{5280 \text{ ft}}\right) \left(\frac{60 \text{ min}}{1 \text{ h}}\right) \approx 210$  $x \approx 23325.3$   $y \approx 4883$ PTS: 6 REF: 061736geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side KEY: advanced 304 ANS: 1  $\sin 32 = \frac{x}{6.2}$  $x \approx 3.3$ PTS: 2 REF: 081719geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side 305 ANS: 1  $\sin 32 = \frac{O}{129.5}$  $O \approx 68.6$ 

PTS: 2 REF: 011804geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side 306 ANS:  $\cos 54 = \frac{4.5}{1.5} \tan 54 = \frac{h}{1.5}$ 

$$m \approx 7.7$$
  $h \approx 6.2$ 

PTS: 4 REF: 011834geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side 307 ANS: 1 The man's height, 69 inches, is opposite to the angle of elevation, and the shadow length, 102 inches, is adjacent to the angle of elevation. Therefore, tangent must be used to find the angle of elevation.  $\tan x = \frac{69}{102}$ 

 $x \approx 34.1$ 

PTS: 2 REF: fall1401geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find an Angle 308 ANS:  $\tan x = \frac{10}{4}$  $x \approx 68$ PTS: 2 REF: 061630geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find an Angle 309 ANS:  $\sin x = \frac{4.5}{11.75}$  $x \approx 23$ PTS: 2 REF: 061528geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find an Angle 310 ANS: 3  $\cos A = \frac{9}{14}$  $A \approx 50^{\circ}$ PTS: 2 REF: 011616geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find an Angle 311 ANS:  $\tan x = \frac{12}{75}$   $\tan y = \frac{72}{75}$   $43.83 - 9.09 \approx 34.7$  $x \approx 9.09$  $y \approx 43.83$ PTS: 4 REF: 081634geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find an Angle 312 ANS: 1  $\cos S = \frac{60}{65}$   $S \approx 23$ PTS: 2 313 ANS: 1  $\tan x = \frac{1}{12}$   $x \approx 4.76$ PTS: 2 REF: 061713geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find an Angle REF: 081715geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find an Angle

ID: A

314 ANS:  

$$\cos W = \frac{6}{18}$$
  
 $W \approx 71$ 

PTS: 2 REF: 011831geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find an Angle 315 ANS:

Translate  $\triangle ABC$  along  $\overline{CF}$  such that point *C* maps onto point *F*, resulting in image  $\triangle A'B'C'$ . Then reflect  $\triangle A'B'C'$  over  $\overline{DF}$  such that  $\triangle A'B'C'$  maps onto  $\triangle DEF$ . or

Reflect  $\triangle ABC$  over the perpendicular bisector of *EB* such that  $\triangle ABC$  maps onto  $\triangle DEF$ .

PTS: 2 REF: fall1408geo NAT: G.CO.B.7 TOP: Triangle Congruency

316 ANS:

Reflections are rigid motions that preserve distance.

PTS: 2 REF: 061530geo NAT: G.CO.B.7 TOP: Triangle Congruency

317 ANS:

It is given that point *D* is the image of point *A* after a reflection in line *CH*. It is given that *CH* is the perpendicular bisector of  $\overline{BCE}$  at point *C*. Since a bisector divides a segment into two congruent segments at its midpoint,  $\overline{BC} \cong \overline{EC}$ . Point *E* is the image of point *B* after a reflection over the line *CH*, since points *B* and *E* are equidistant from point *C* and it is given that  $\overrightarrow{CH}$  is perpendicular to  $\overline{BE}$ . Point *C* is on  $\overrightarrow{CH}$ , and therefore, point *C* maps to itself after the reflection over  $\overrightarrow{CH}$ . Since all three vertices of triangle *ABC* map to all three vertices of triangle *DEC* under the same line reflection, then  $\triangle ABC \cong \triangle DEC$  because a line reflection is a rigid motion and triangles are congruent when one can be mapped onto the other using a sequence of rigid motions.


	PTS:	6 REF:	spr1414geo	NAT:	G.CO.B.7	TOP:	Triangle Congruency
318	ANS:	3 PTS:	2	REF:	061524geo	NAT:	G.CO.B.7
	TOP:	Triangle Congruency	y		-		

The transformation is a rotation, which is a rigid motion.

320	-	e distanc		s mapp	-	l, point	Triangle Congruency F would map onto point C.
321	PTS: 4 ANS:	REF:	081534geo ormations cons	NAT:	G.CO.B.7	TOP:	eflection preserves distance. Triangle Congruency slation, which are isometries which
322	PTS: 2 ANS: No. Since $\overline{BC} = 5$ ar preserve distance, the	nd $\overline{ST} =$	$\sqrt{18}$ are not c	ongrue		ngles aı	Triangle Congruency re not congruent. Since rigid motions
323	PTS: 2 ANS: 3 NYSED has stated th		011830geo udents should		G.CO.B.7 ded credit rega		Triangle Congruency of their answer to this question.
324	PTS: 2 ANS: Yes. $\angle A \cong \angle X$ , $\angle C$ measure, so $\triangle ABC \cong$	$\cong \angle Z, Z$		a s <u>eq</u> ue			Triangle Congruency which preserve distance and angle
325	lines). $\triangle LAC$ and $\triangle$	, and $\overline{D}$	re right triangl	iven). es (Def	inition of a rig	CN are ht triang	Triangle Congruency e right angles (Definition of perpendicular gle). $\triangle LAC \cong \triangle DNC$ (HL). ° about point <i>C</i> such that point <i>L</i> maps
326 327	interior angle of the t $m\angle ABC + m\angle FBC =$	PTS: gruency casures of triangle = 180°, t 640°. W	of the angles of and its exterior $m \angle BCA + m \angle B$ then the angle i	REF: a trian angle DCA = measure	form a linear part of $180^{\circ}$ , and m $\angle C$	NAT: $\angle ABC +$ air. Lir $\angle AB +$ n	Triangle Congruency G.SRT.B.5 $m\angle BCA + m\angle CAB = 180^{\circ}$ . Each hear pairs are supplementary, so $m\angle EAB = 180^{\circ}$ . By addition, the sum of abtracted from this sum, the result is 360°,

PTS: 4 REF: fall1410geo NAT: G.CO.C.10 TOP: Triangle Proofs

ID: A



(Definition of isosceles triangle).  $\overline{YW}$  is an altitude of  $\triangle XYZ$  (The angle bisector of the vertex of an isosceles triangle is also the altitude of that triangle).  $\overline{YW} \perp \overline{XZ}$  (Definition of altitude).  $\angle YWZ$  is a right angle (Definition of perpendicular lines).

- PTS: 4 REF: spr1411geo NAT: G.CO.C.10 TOP: Triangle Proofs
- 330 ANS:

(2) Euclid's Parallel Postulate; (3) Alternate interior angles formed by parallel lines and a transversal are congruent; (4) Angles forming a line are supplementary; (5) Substitution

PTS: 4 REF: 011633geo NAT: G.CO.C.10 TOP: Triangle Proofs 331 ANS: 3

1) only proves AA; 2) need congruent legs for HL; 3) SAS; 4) only proves product of altitude and base is equal

	PTS: 2	REF: 061607geo	NAT: G.SRT.B.5	TOP: Triangle Proofs
	KEY: statemer	nts		
332	ANS: 3	PTS: 2	REF: 081622geo	NAT: G.SRT.B.5
	TOP: Triangle	Proofs	<b>KEY</b> : statements	

 $\overline{RS}$  and  $\overline{TV}$  bisect each other at point *X*;  $\overline{TR}$  and  $\overline{SV}$  are drawn (given);  $\overline{TX} \cong \overline{XV}$  and  $\overline{RX} \cong \overline{XS}$  (segment bisectors create two congruent segments);  $\angle TXR \cong \angle VXS$  (vertical angles are congruent);  $\triangle TXR \cong \triangle VXS$  (SAS);  $\angle T \cong \angle V$  (CPCTC);  $\overline{TR} \parallel \overline{SV}$  (a transversal that creates congruent alternate interior angles cuts parallel lines).

	PTS: 4	REF:	061733geo	NAT: G.SRT.B.5	TOP: Triangle Proofs
	KEY: proof				
334	ANS: 2	PTS:	2	REF: 061709geo	NAT: G.SRT.B.5
	TOP: Triangle Proc	ofs		KEY: statements	

335 ANS:

Parallelogram *ABCD*, diagonals  $\overline{AC}$  and  $\overline{BD}$  intersect at *E* (given). *DC* || AB; *DA* || CB (opposite sides of a parallelogram are parallel).  $\angle ACD \cong \angle CAB$  (alternate interior angles formed by parallel lines and a transversal are congruent).

PTS: 2 REF: 081528geo NAT: G.CO.C.11 TOP: Quadrilateral Proofs

336 ANS:

Quadrilateral *ABCD* with diagonals *AC* and *BD* that bisect each other, and  $\angle 1 \cong \angle 2$  (given); quadrilateral *ABCD* is a parallelogram (the diagonals of a parallelogram bisect each other);  $\overline{AB} \parallel \overline{CD}$  (opposite sides of a parallelogram are parallel);  $\angle 1 \cong \angle 3$  and  $\angle 2 \cong \angle 4$  (alternate interior angles are congruent);  $\angle 2 \cong \angle 3$  and  $\angle 3 \cong \angle 4$  (substitution);  $\triangle ACD$  is an isosceles triangle (the base angles of an isosceles triangle are congruent);  $\overline{AD} \cong \overline{DC}$  (the sides of an isosceles triangle are congruent); quadrilateral *ABCD* is a rhombus has consecutive congruent sides);  $\overline{AE} \perp \overline{BE}$  (the diagonals of a rhombus are perpendicular);  $\angle BEA$  is a right angle (perpendicular lines form a right angle);  $\triangle AEB$  is a right triangle (a right triangle has a right angle).

PTS: 6 REF: 061635geo NAT: G.CO.C.11 TOP: Quadrilateral Proofs

337 ANS:

Quadrilateral *ABCD* is a parallelogram with diagonals *AC* and *BD* intersecting at *E* (Given).  $AD \cong BC$  (Opposite sides of a parallelogram are congruent).  $\angle AED \cong \angle CEB$  (Vertical angles are congruent).  $BC \parallel DA$  (Definition of parallelogram).  $\angle DBC \cong \angle BDA$  (Alternate interior angles are congruent).  $\triangle AED \cong \triangle CEB$  (AAS). 180° rotation of  $\triangle AED$  around point *E*.

PTS: 4 REF: 061533geo NAT: G.SRT.B.5 TOP: Quadrilateral Proofs

338 ANS:

Parallelogram *ABCD* with diagonal *AC* drawn (given).  $AC \cong AC$  (reflexive property).  $AD \cong CB$  and  $BA \cong DC$  (opposite sides of a parallelogram are congruent).  $\triangle ABC \cong \triangle CDA$  (SSS).

PTS: 2 REF: 011825geo NAT: G.SRT.B.5 TOP: Quadrilateral Proofs

Parallelogram *ANDR* with  $\overline{AW}$  and  $\overline{DE}$  bisecting  $\overline{NWD}$  and  $\overline{REA}$  at points *W* and *E* (Given).  $\overline{AN} \cong \overline{RD}$ ,  $\overline{AR} \cong \overline{DN}$  (Opposite sides of a parallelogram are congruent).  $AE = \frac{1}{2}AR$ ,  $WD = \frac{1}{2}DN$ , so  $\overline{AE} \cong \overline{WD}$  (Definition of bisect and division property of equality).  $\overline{AR} \parallel \overline{DN}$  (Opposite sides of a parallelogram are parallel). *AWDE* is a parallelogram (Definition of parallelogram).  $RE = \frac{1}{2}AR$ ,  $NW = \frac{1}{2}DN$ , so  $\overline{RE} \cong \overline{NW}$  (Definition of bisect and division property of equality).  $\overline{ED} \cong \overline{AW}$  (Opposite sides of a parallelogram are congruent).  $\Delta ANW \cong \Delta DRE$ (SSS).

PTS: 6 REF: 011635geo NAT: G.SRT.B.5 TOP: Quadrilateral Proofs

340 ANS:

Parallelogram *ABCD*,  $\overline{BE \perp CED}$ ,  $\overline{DF \perp BFC}$ ,  $\overline{CE} \cong \overline{CF}$  (given).  $\angle BEC \cong \angle DFC$  (perpendicular lines form right angles, which are congruent).  $\angle FCD \cong \angle BCE$  (reflexive property).  $\triangle BEC \cong \triangle DFC$  (ASA).  $\overline{BC} \cong \overline{CD}$  (CPCTC). *ABCD* is a rhombus (a parallelogram with consecutive congruent sides is a rhombus).

PTS: 6 REF: 081535geo NAT: G.SRT.B.5 TOP: Quadrilateral Proofs

341 ANS:

Quadrilateral *ABCD*,  $AB \cong CD$ , AB || CD, and *BF* and *DE* are perpendicular to diagonal *AC* at points *F* and *E* (given).  $\angle AED$  and  $\angle CFB$  are right angles (perpendicular lines form right angles).  $\angle AED \cong \angle CFB$  (All right angles are congruent). *ABCD* is a parallelogram (A quadrilateral with one pair of sides congruent and parallel is a parallelogram).  $\overline{AD} || \overline{BC}$  (Opposite sides of a parallelogram are parallel).  $\angle DAE \cong \angle BCF$  (Parallel lines cut by a transversal form congruent alternate interior angles).  $\overline{DA} \cong \overline{BC}$  (Opposite sides of a parallelogram are congruent).  $\triangle ADE \cong \triangle CBF$  (AAS).  $\overline{AE} \cong \overline{CF}$  (CPCTC).

PTS: 6 REF: 011735geo NAT: G.SRT.B.5 TOP: Quadrilateral Proofs

342 ANS:

Isosceles trapezoid *ABCD*,  $\angle CDE \cong \angle DCE$ ,  $AE \perp DE$ , and  $BE \perp CE$  (given);  $AD \cong BC$  (congruent legs of isosceles trapezoid);  $\angle DEA$  and  $\angle CEB$  are right angles (perpendicular lines form right angles);  $\angle DEA \cong \angle CEB$  (all right angles are congruent);  $\angle CDA \cong \angle DCB$  (base angles of an isosceles trapezoid are congruent);

 $\angle CDA - \angle CDE \cong \angle DCB - \angle DCE$  (subtraction postulate);  $\triangle ADE \cong \triangle BCE$  (AAS);  $EA \cong EB$  (CPCTC);

 $\angle EDA \cong \angle ECB$ 

 $\triangle AEB$  is an isosceles triangle (an isosceles triangle has two congruent sides).

PTS: 6 REF: 081735geo NAT: G.SRT.B.5 TOP: Quadrilateral Proofs

Circle *O*, secant  $\overline{ACD}$ , tangent  $\overline{AB}$  (Given). Chords  $\overline{BC}$  and  $\overline{BD}$  are drawn (Auxiliary lines).  $\angle A \cong \angle A$ ,  $\widehat{BC} \cong \widehat{BC}$  (Reflexive property).  $m \angle BDC = \frac{1}{2} \widehat{mBC}$  (The measure of an inscribed angle is half the measure of the intercepted arc).  $m \angle CBA = \frac{1}{2} \widehat{mBC}$  (The measure of an angle formed by a tangent and a chord is half the measure of the intercepted arc).  $\angle BDC \cong \angle CBA$  (Angles equal to half of the same arc are congruent).  $\triangle ABC \sim \triangle ADB$  (AA).  $\frac{AB}{AC} = \frac{AD}{AB}$  (Corresponding sides of similar triangles are proportional).  $AC \cdot AD = AB^2$ (In a proportion, the product of the means equals the product of the extremes). PTS: 6 REF: spr1413geo NAT: G.SRT.B.5 **TOP:** Circle Proofs 344 ANS: Circle O, chords AB and CD intersect at E (Given); Chords CB and AD are drawn (auxiliary lines drawn);  $\angle CEB \cong \angle AED$  (vertical angles);  $\angle C \cong \angle A$  (Inscribed angles that intercept the same arc are congruent);  $\triangle BCE \sim \triangle DAE$  (AA);  $\frac{AE}{CE} = \frac{ED}{EB}$  (Corresponding sides of similar triangles are proportional);  $AE \cdot EB = CE \cdot ED$  (The product of the means equals the product of the extremes). REF: 081635geo NAT: G.SRT.B.5 PTS: 6 **TOP:** Circle Proofs 345 ANS: Circle O, tangent  $\overline{EC}$  to diameter  $\overline{AC}$ , chord  $\overline{BC} \parallel$  secant  $\overline{ADE}$ , and chord  $\overline{AB}$  (given);  $\angle B$  is a right angle (an angle inscribed in a semi-circle is a right angle);  $EC \perp \overline{OC}$  (a radius drawn to a point of tangency is perpendicular to the tangent);  $\angle ECA$  is a right angle (perpendicular lines form right angles);  $\angle B \cong \angle ECA$  (all right angles are congruent);  $\angle BCA \cong \angle CAE$  (the transversal of parallel lines creates congruent alternate interior angles);  $\triangle ABC \sim \triangle ECA (AA); \quad \frac{BC}{CA} = \frac{AB}{EC}$  (Corresponding sides of similar triangles are in proportion). PTS: 4 NAT: G.SRT.B.5 TOP: Circle Proofs REF: 081733geo 346 ANS: Parallelogram ABCD,  $\overline{EFG}$ , and diagonal  $\overline{DFB}$  (given);  $\angle DFE \cong \angle BFG$  (vertical angles);  $\overline{AD} \parallel \overline{CB}$  (opposite sides of a parallelogram are parallel);  $\angle EDF \cong \angle GBF$  (alternate interior angles are congruent);  $\triangle DEF \sim \triangle BGF$ (AA). PTS: 4 REF: 061633geo NAT: G.SRT.A.3 **TOP:** Similarity Proofs 347 ANS: A dilation of  $\frac{5}{2}$  about the origin. Dilations preserve angle measure, so the triangles are similar by AA. REF: 061634geo NAT: G.SRT.A.3 PTS: 4 **TOP:** Similarity Proofs 348 ANS:  $\overline{GI}$  is parallel to  $\overline{NT}$ , and  $\overline{IN}$  intersects at A (given);  $\angle I \cong \angle N$ ,  $\angle G \cong \angle T$  (paralleling lines cut by a transversal form congruent alternate interior angles);  $\Delta GIA \sim \Delta TNA$  (AA). PTS: 2 REF: 011729geo NAT: G.SRT.A.3 TOP: Similarity Proofs

349 ANS: 4  $\frac{36}{45} \neq \frac{15}{18}$   $\frac{4}{5} \neq \frac{5}{6}$ 

## PTS: 2 REF: 081709geo NAT: G.SRT.A.3 TOP: Similarity Proofs 350 ANS:

Circle *A* can be mapped onto circle *B* by first translating circle *A* along vector  $\overline{AB}$  such that *A* maps onto *B*, and then dilating circle *A*, centered at *A*, by a scale factor of  $\frac{5}{3}$ . Since there exists a sequence of transformations that maps circle *A* onto circle *B*, circle *A* is similar to circle *B*.

PTS: 2 REF: spr1404geo NAT: G.C.A.1 TOP: Similarity Proofs