The University of the State of New York REGENTS HIGH SCHOOL EXAMINATION

## TWELFTH YEAR MATHEMATICS 12B (Solid Geometry)

Monday, June 19, 1961 — 1:15 to 4:15 p.m., only

	Name of school	
Name and author of textbook used	of a subsection of the calculation of the calculati	
Name of teacher		
	Part I	
Answer all questions in this part. E be allowed. Unless otherwise specified,	ach correct answer will receive 2 credits.	No partial credit will adical form.
1 The volume of a sphere is 36π cubic in the radius of the sphere.	c inches. Find the number of inches	1
2 The lateral area of a certain cylinde radius of the base. What is the rather diameter of its base?	or of revolution is $2\pi r^2$ where $r$ is the atio of the height of the cylinder to	2
3 Two similar pyramids have heights of If the volume of the first is 10 cul inches in the volume of the second	oic inches, find the number of cubic	3
4 Triangle RST is inscribed in circle segment OQ is perpendicular to the QS.	O whose diameter $RT$ is 24. Line plane of the circle. If $OQ$ is 5, find	4
5 Each lateral face of a regular squa the base. If the base edge is repre- of the pyramid in terms of m.	escince by m, express an	5
6 A rectangular solid has dimensions a diagonal of the solid?		6
7 The lateral edge of a frustum of inches. If an upper base edge is 5 inches, find the number of square	e inches in the lateral area of the	7
8 What is the locus of points which trihedral angle?	are equidistant from the faces of a	8
		[aurn]

[1]


9 The radius of a sphere is 12 inches and the radius of a small circle on this sphere is 8 inches. Find the distance in inches from the center of the sphere to the plane of the small circle. 10 Find the total area of a right circular cylinder circumscribed about a sphere whose radius is 5. 11 The angles of a spherical triangle are 50°, 125° and 104°. Find the number of degrees in the perimeter of its polar triangle. 12 The altitude of a zone is equal to  $\frac{1}{4}$  the radius, r, of the sphere on which it is drawn. Express in terms of r the area of the zone. 13 Corresponding edges of two similar solids are in the ratio 3:5. If the lateral area of the smaller solid is 72, find the lateral area of the larger solid. 14 A pyramid and a prism have equal altitudes. The area of the base of the pyramid is 4 times the area of the base of the prism. What is the numerical value of the ratio of the volume of the pyramid to the volume of the prism? 15 Point P is equidistant from the faces of a 48° dihedral angle and 6 inches from the edge of the angle. Find to the nearest tenth the number of inches from P to either face. 16 Find in spherical degrees the area of an equilateral spherical triangle, each of whose angles is 70°. 17 The slant height l of a certain right circular cone is equal to the diameter of the base. A sphere is inscribed in the cone. Express in terms of l the radius of this sphere. Directions (18-26): Write on the line at the right of each of the following the number preceding the expression that best completes the statement. 18 Two face angles of a trihedral angle are 125° and 65°. The third face angle (1) 170° (2) 60° 19 If two planes R and S make equal angles with a third plane, then R and S(1) are always perpendicular to the third plane (2) are always parallel to each other (3) may intersect each other (4) must intersect each other 20 The total number of lines which can be drawn obliquely to a plane from an external point so as to make equal angles with the plane is (1) infinite (2) 220....

23.	Plan	e M and plane N are parallel to	o line AB. If M intersects N in QR, the	m
	(1)	are parallel may intersect	(3) are skew (4) may coincide	21
22	It is	not true that the diagonals of a	a cube	
	(1)	are equal		
		are perpendicular bisect each other		
		intersect in a point which is ed	quidistant from the faces	22
23	If a	regular polyhedron has 12 edg	ges and 6 vertices, the number of faces i	s
	(1)	12	(3) 6	
	(2)	8	(4) 4	23
24		line intersects a plane and is erpendicular to	not perpendicular to the plane, then this	line
	(1)	only one line in the given pla	ane (3) every line in the given plane	
	(2)	two lines in the given plane	(4) no line in the given plane	24
25	The	projection of a straight line segment when the given segm	segment upon a plane can not be a stra	aight
	(1)	intersects the plane at a 45°	angle	
	(2)	is oblique to the plane but do is perpendicular to the plane	es not intersect the plane	
	(4)	is parallel to the plane	and the state of t	25
			to the intersecting planes and als	o at
26	Th	e total number of lines equidist iven distance from the line of in	tant from two intersecting planes and als	manife and se be
	(1)	1	(3) infinite	26
	(2)	2	(4) 4	26
	501	netimes (but not always) of n	k space in each statement below is replaced never, the resulting statement will be trustatement and write this word on the lin	by the word always, e. Select the word e at the right.
2	7 Tu	vo spherical triangles which ar congruent to each other.	e symmetric to a third triangle are	27
2			the same sphere, the plane of the first plane of the second.	28
2	0 4	section of an oblique prism mad the prism is a rectangle.	the a plane parallel to a lateral edge	9
			equal to 360°.	0
3	0 T	ne perimeter of a spherical polys	golf is clam	
			[3]	[OVER]
			[e]	


Answer four questions from this part. Show all work unless other

- 31 Prove either a or b:
  - a Two lines perpendicular to the same plane are parallel.
  - b In two polar triangles each angle of one has the same measure as the supplement of the side lying opposite it in the other. [10]
- 32 In the accompanying diagram plane p is perpendicular to plane s, intersecting s in line QR. Line EF (in plane s) is perpendicular to QR at E. Line AB is drawn parallel to EF through any point A in p not on QR. Line AE is drawn.

Prove: Angle BAE is a right angle.



- 33 Given plane m and point P at distance d from m. Describe fully the locus of points
  - a at a distance f from P [2]
  - b at a distance g from m [2]
  - c that satisfy both conditions in a and b if
    - (1) f = d and g = 2d
    - (2) f = 2d and q < d[3]
- 34 Each leg of an isosceles triangle is 3m units in length and the base is 2m units. A line s is drawn through the vertex of the triangle parallel to the base. The triangle is revolved through 360° about line s with the base of the triangle always remaining parallel to s. Find in terms of m the volume of the resulting solid. [10]
- 35 The accompanying figure represents one type of prismatoid with altitude equal to h. Line EF is parallel to side AB of rectangle ABCD. Let EF = p, AB = 2p and BC = 2q. Using the prismatoid formula, find the volume of the solid in terms of h, p and q.



- \*36 Answer either a or b:
  - a In spherical triangle ABC, angle  $C=90^\circ$ , side  $b=28^\circ$  and side  $c=102^\circ$ . Find side a to
  - b Points A (-2, 1, 4) and B (3, -3, 6) are located with reference to three mutually perpen-
    - (1) Write an equation of the xy-plane.
    - (2) Write an equation of the plane through point A parallel to the yz-plane.

    - (4) Find the coordinates of the midpoint of line segment AB. [3]
    - \*This question is based on optional topics in the syllabus.

## FOR TEACHERS ONLY

12B

# INSTRUCTIONS FOR RATING TWELFTH YEAR MATHEMATICS 12B (Solid Geometry)

Monday, June 19, 1961 — 1:15 to 4:15 p.m., only

Use only red ink or pencil in rating Regents papers. Do not attempt to correct the pupil's work by making insertions or changes of any kind. Use checkmarks to indicate pupil errors.

Unless otherwise specified, mathematically correct variations in the answers will be allowed. Units need not be given when the wording of the questions allows such omissions.

### Part I

Allow 2 credits for each correct answer; allow no partial credit. For questions 18-26, allow credit if the pupil has written the correct answer instead of the number 1, 2, 3 or 4.

- (1) 3
- (2) 1:2
- (3) 270
- (4) 13
- (5) 3m2
- (6)  $\sqrt{70}$  or 8.4
- (7) 264
- (8) straight line

- (9)  $4\sqrt{5}$  or 8.9
- $(10) 150\pi$
- (11) 261
- (12)  $\frac{\pi r^2}{2}$
- (13) 200
- $(14) \frac{4}{3}$
- (15) 2.4
- (16) 30
- $(17) \ \frac{l\sqrt{3}}{6}$
- (18) 4
- (19) 3
- (20) 1

- (21) 1
- (22) 2
- (23) 2
- (24) 1
- (25) 3
- (26) 4
- (27) always
- (28) never
- (29) sometimes
- (30) never



Please refer to the Department's pamphlet Suggestions on the Rating of Regents Examination Papers in Mathematics. Care should be exercised in making deductions as to whether the error is purely mechanical or due to a violation of some principle. A mechanical error generally should receive a deduction of 10 percent while an error due to a violation of some cardinal principle should receive a deduction ranging from 30 percent to 50 percent depending on the relative importance of the principle in the solution of the problem.

### Part II

(33) There are many ways of describing these loci. Each description should include shape and position. For instance, phrases such as the following should be allowed credit as indicated:

a a spherical surface with center at P and radius f [2]

b two planes parallel to m, one on either side and at a distance g from m [2]

c (1) the point of tangency between the spherical surface described in a and one of the planes described in b [3]

(2) two circles, the intersections formed by the spherical surface described in a and the two planes described in b [3]

$$(34) \frac{32}{3} \pi m^2$$
 [10]

$$(35) \frac{5}{3} hpq$$
 [10]

(36) a 104° [10] [Note: 3 credits should be deducted if 76° is given as the answer.] b (1) z = 0 [2] (2) x = -2 or x + 2 = 0(3)  $3\sqrt{5}$  [3] (4)  $(\frac{1}{2}, -1, 5)$  [3]

