## A.APR.A.1: Operations with Polynomials 4b

- 1 Which expression is equivalent to  $(x+4)^2(x+4)^3$ ?
  - 1)  $(x+4)^6$
  - 2)  $(x+4)^5$
  - 3)  $(x^2 + 16)^6$
  - 4)  $(x^2 + 16)^5$
- 2 The expression  $\frac{1}{3}x(6x^2 3x + 9)$  is equivalent to
- 3 The expression  $(m-3)^2$  is equivalent to
- 4 What is the product of (2x + 7) and (x 3)?
- 5 When written in standard form, the product of (3+x) and (2x-5) is
- 6 Which trinomial is equivalent to  $3(x-2)^2 2(x-1)?$
- 7 The product of  $(x^2 + 3x + 9)$  and (x 3) is
- 8 What is the product of 2x + 3 and  $4x^2 5x + 6$ ?
- 9 When  $(2x-3)^2$  is subtracted from  $5x^2$ , the result is
- 10 Which expression is *not* equivalent to  $-4x^3 + x^2 - 6x + 8$ ? 1)  $x^2(-4x + 1) - 2(3x - 4)$ 
  - 2)  $x(-4x^2 x + 6) + 8$
  - 3)  $-4x^3 + (x-2)(x-4)$
  - 4)  $-4(x^3-2) + x(x-6)$
- 11 Fred is given a rectangular piece of paper. If the length of Fred's piece of paper is represented by 2x 6 and the width is represented by 3x 5, then the paper has a total area represented by

- 12 The length, width, and height of a rectangular box are represented by 2x, 3x + 1, and 5x - 6, respectively. When the volume is expressed as a polynomial in standard form, what is the coefficient of the 2nd term?
- 13 Given:

 $B = x^2 - 18$ 

A = x + 5

Express  $A^2 + B$  in standard form.

- 14 Express the product of  $2x^2 + 7x 10$  and x + 5 in standard form.
- 15 Write the expression  $5x + 4x^2(2x + 7) 6x^2 9x$  as a polynomial in standard form.
- 16 If the difference  $(3x^2 2x + 5) (x^2 + 3x 2)$  is multiplied by  $\frac{1}{2}x^2$ , what is the result, written in standard form?
- 17 Express  $(3x-4)(x+7) \frac{1}{4}x^2$  as a trinomial in standard form.

## A.APR.A.1: Operations with Polynomials 4b Answer Section

1 ANS: 2 REF: 012309ai 2 ANS:  $2x^3 - x^2 + 3x$ REF: 082206ai 3 ANS:  $m^2 - 6m + 9$ REF: 062217ai 4 ANS:  $2x^2 + x - 21$  $(2x+7)(x-3) = 2x^{2} - 6x + 7x - 21 = 2x^{2} + x - 21$ REF: 082308ai 5 ANS:  $2x^2 + x - 15$ (d) is the product, but not written in standard form. REF: 062108ai 6 ANS:  $3x^2 - 14x + 14$  $3(x^{2} - 4x + 4) - 2x + 2 = 3x^{2} - 12x + 12 - 2x + 2 = 3x^{2} - 14x + 14$ REF: 081524ai 7 ANS:  $x^3 - 27$  $(x^{2}+3x+9)(x-3) = x^{3}-3x^{2}+3x^{2}-9x+9x-27 = x^{3}-27$ REF: 012415ai 8 ANS:  $8x^3 + 2x^2 - 3x + 18$  $(2x+3)(4x^2-5x+6) = 8x^3 - 10x^2 + 12x + 12x^2 - 15x + 18 = 8x^3 + 2x^2 - 3x + 18$ REF: 081612ai 9 ANS:  $x^{2} + 12x - 9$  $5x^2 - (4x^2 - 12x + 9) = x^2 + 12x - 9$ REF: 011610ai 10 ANS: 2  $x(-4x^{2} - x + 6) + 8 = -4x^{3} - x^{2} + 6x + 8$ REF: 012016ai

11 ANS:  

$$6x^2 - 28x + 30$$
  
REF: 011510ai  
12 ANS:  
 $-26$   
 $(6x^2 + 2x)(5x - 6) = 30x^3 - 36x^2 + 10x^2 - 12x = 30x^3 - 26x^2 - 12x$   
REF: 081824ai  
13 ANS:  
 $(x + 5)^2 + x^2 - 18 = x^2 + 10x + 25 + x^2 - 18 = 2x^2 + 10x + 7$   
REF: 062329ai  
14 ANS:  
 $(2x^2 + 7x - 10)(x + 5)$   
 $2x^3 + 7x^2 - 10x + 10x^2 + 35x - 50$   
 $2x^3 + 17x^2 + 25x - 50$   
REF: 081428ai  
15 ANS:  
 $5x + 4x^2(2x + 7) - 6x^2 - 9x = -4x + 8x^3 + 28x^2 - 6x^2 = 8x^3 + 22x^2 - 4x$   
REF: 081731ai  
16 ANS:  
 $(3x^2 - 2x + 5) - (x^2 + 3x - 2) = 2x^2 - 5x + 7$   
 $\frac{1}{2}x^2(2x^2 - 5x + 7) = x^4 - \frac{5}{2}x^3 + \frac{7}{2}x^2$   
REF: 061528ai  
17 ANS:  
 $3x^2 + 21x - 4x - 28 - \frac{1}{4}x^2 = 2.75x^2 + 17x - 28$ 

REF: 012028ai