

Lesson 6-1: Rate of Change and Slope

Part 2: Finding Slope


1. fall0716ia, P.I. A.A.33

What is the slope of the line containing the points (3,4) and (-6,10)?

[A] $-\frac{2}{3}$ [B] 2 [C] $\frac{1}{2}$ [D] $-\frac{3}{2}$

2. 010115a, P.I. 8.G.13


What is the slope of line ℓ in the accompanying diagram?



[A] $\frac{2}{3}$ [B] $-\frac{3}{2}$ [C] $\frac{3}{2}$ [D] $-\frac{2}{3}$

3. 069918a, P.I. 8.G.13


What is the slope of line ℓ shown in the accompanying diagram?



[A] $-\frac{4}{3}$ [B] $\frac{4}{3}$ [C] $\frac{3}{4}$ [D] $-\frac{3}{4}$

4. 060012a, P.I. A.A.37

The accompanying figure shows the graph of the equation $x = 5$.



What is the slope of the line $x = 5$?

[A] -5 [B] 5 [C] 0 [D] undefined

5. 060618a

If a line is horizontal, its slope is

[A] negative [B] undefined
[C] 0 [D] 1

6. 080728a

Line segment AB has a slope of $\frac{3}{4}$. If the


coordinates of point A are $(2,5)$, the
coordinates of point B could be

[A] $(5,9)$ [B] $(6,8)$

[C] $(6,2)$ [D] $(-1,1)$

7. 010024a

A straight line with slope 5 contains the
points $(1,2)$ and $(3,K)$. Find the value of K .
[The use of the accompanying grid is
optional.]



9. 010203a, P.I. A.A.37

What is the slope of the line whose equation
is $2y = 5x + 4$?

[A] $\frac{2}{5}$ [B] $\frac{5}{2}$ [C] 5 [D] 2

10. 010605a

What is the y -intercept of the graph of the line
whose equation is $y = -\frac{2}{5}x + 4$?

[A] $-\frac{2}{5}$ [B] 0 [C] 4 [D] $-\frac{5}{2}$

11. 060521a, P.I. A.A.34

If point $(-1,0)$ is on the line whose equation is
 $y = 2x + b$, what is the value of b ?

[A] 3 [B] 0 [C] 2 [D] 1

12. fall0713ia, P.I. A.A.35

What is an equation for the line that passes
through the coordinates $(2,0)$ and $(0,3)$?

[A] $y = -\frac{3}{2}x + 3$ [B] $y = -\frac{2}{3}x - 2$

[C] $y = -\frac{2}{3}x + 2$ [D] $y = -\frac{3}{2}x - 3$

Lesson 6-2: Slope-Intercept Form

Part 1: Writing Linear Equations

8. 010408a, P.I. 8.G.16


An equation of the line that has a slope of 3
and a y -intercept of -2 is

[A] $y = -x$ [B] $y = 3x - 2$

[C] $x = 3y - 2$ [D] $y = -2x + 3$

13. 060225a

Write the equation for the line shown in the accompanying graph. Explain your answer.







14. 089929a

Line ℓ contains the points $(0,4)$ and $(2,0)$. Show that the point $(-25,81)$ does or does not lie on line ℓ .


Lesson 6-3: Applying Linear Functions

Part 1: Interpreting Linear Functions

15. Super Painters charges \$1.00 per square foot plus an additional fee of \$25.00 to paint a living room. If x represents the area of the walls of Francesca's living room, in square feet, and y represents the cost, in dollars, which graph best represents the cost of painting her living room?







16. The accompanying graph represents the yearly cost of playing 0 to 5 games of golf at the Shadybrook Golf Course. What is the total cost of joining the club and playing 10 games during the year?



Lesson 6-4: Standard Form

Part 1: Graphing Equations Using Intercepts

17. 060428a, P.I. A.A.37
The line $3x - 2y = 12$ has
- [A] a slope of $\frac{3}{2}$ and a y-intercept of -6
[B] a slope of -3 and a y-intercept of -6
[C] a slope of 3 and a y-intercept of -2
[D] a slope of $-\frac{3}{2}$ and a y-intercept of 6
18. 089919a, P.I. A.A.37
What is the slope of the line whose equation is $3x - 4y - 16 = 0$?
- [A] $\frac{4}{3}$ [B] 3 [C] -4 [D] $\frac{3}{4}$

19. 060205a, P.I. A.A.37
What is the slope of the linear equation $5y - 10x = -15$?
- [A] 10 [B] 2 [C] -10 [D] -15
20. 080619a, P.I. A.A.39
The graph of the equation $x + 3y = 6$ intersects the y-axis at the point whose coordinates are
- [A] (6,0) [B] (0,2)
[C] (0,6) [D] (0,18)
21. 080628a, P.I. A.A.39
Point $(k, -3)$ lies on the line whose equation is $x - 2y = -2$. What is the value of k ?
- [A] 6 [B] 8 [C] -8 [D] -6
22. 060721a, P.I. A.A.39
The graph of the equation $2x + 6y = 4$ passes through point $(x, -2)$. What is the value of x ?
- [A] 16 [B] 8 [C] -4 [D] 4
23. 060523a, P.I. A.A.36
Which graph represents the equation $x = 2$?
- [A]  [B] 
[C]  [D] 
24. 060613a, P.I. A.A.36
Which statement describes the graph of $x = 4$?
- [A] It has a slope of 4.
[B] It is parallel to the x-axis.
[C] It passes through the point (0, 4).
[D] It is parallel to the y-axis.

Lesson 6-6: Parallel and Perpendicular Lines

Part 1: Parallel Lines

25. 080009a, P.I. A.A.38

Which equation represents a line parallel to the line $y = 2x - 5$?

[A] $y = -2x - 5$ [B] $y = -\frac{1}{2}x - 5$

[C] $y = 2x + 5$ [D] $y = 5x - 2$

26. 010522a, P.I. A.A.38

Which equation represents a line that is parallel to the line whose equation is $2x + 3y = 12$?

[A] $6y + 4x = 2$ [B] $6y - 4x = 2$

[C] $6x + 4y = -2$ [D] $4x - 6y = 2$

27. 010309a

Line P and line C lie on a coordinate plane and have equal slopes. Neither line crosses the second or third quadrant. Lines P and C must

[A] be horizontal

[B] form an angle of 45°

[C] be vertical [D] be perpendicular

28. 060105a

Which properties best describe the coordinate graph of two distinct parallel lines?

[A] same slopes and different intercepts

[B] different slopes and different intercepts

[C] different slopes and same intercepts

[D] same slopes and same intercepts

29. 060210a

If two lines are parallel and the slope of one of the lines is m , what is the product of their slopes?

[A] 1 [B] m^2 [C] $2m$ [D] 0

Part 2: Perpendicular Lines

30. 060729a

If the product of x and $\frac{1}{m}$ is -1 , $m \neq 0$, then x is equivalent to

[A] $-\frac{1}{m}$ [B] $1 - m$ [C] m [D] $-m$

31. 060528a, P.I. G.G.63

Which equation represents a line that is perpendicular to the line whose equation is $-2y = 3x + 7$?

[A] $2y = 3x - 3$ [B] $y = \frac{3}{2}x - 3$

[C] $y = \frac{2}{3}x - 3$ [D] $y = x + 7$

32. 080630a, P.I. G.G.63

Which line is perpendicular to the line whose equation is $5y + 6 = -3x$?

[A] $y = \frac{5}{3}x + 7$ [B] $y = -\frac{3}{5}x + 7$

[C] $y = \frac{3}{5}x + 7$ [D] $y = -\frac{5}{3}x + 7$

33. 060722a, P.I. G.G.63

Which statement describes the lines whose equations are $y = \frac{1}{3}x + 12$ and $6y = 2x + 6$?

- [A] They are parallel to each other.
- [B] They intersect each other.
- [C] They are perpendicular to each other.
- [D] They are segments.

34. 080130a, P.I. G.G.63

Shanaya graphed the line represented by the equation $y = x - 6$. Write an equation for a line that is parallel to the given line. Write an equation for a line that is perpendicular to the given line. Write an equation for a line that is identical to the given line but has different coefficients.

35. 010834a, P.I. G.G.64

Write an equation of a line that is perpendicular to the line $y = \frac{2}{3}x + 5$ and that passes through the point (0,4).

Lesson 6-7: Scatter Plots and Equations of Lines

Part 1: Writing an Equation for a Trend Line

36. 060722b, P.I. A2.S.7

The accompanying table shows the enrollment of a preschool from 1980 through 2000. Write a linear regression equation to model the data in the table.

Year (x)	Enrollment (y)
1980	14
1985	20
1990	22
1995	28
2000	37

37. 060134b, P.I. A2.S.7

The 1999 win-loss statistics for the American League East baseball teams on a particular date is shown in the accompanying chart.

	W	L
New York	52	34
Boston	49	39
Toronto	47	43
Tampa Bay	39	49
Baltimore	36	51

Find the mean for the number of wins, \bar{W} , and the mean for the number of losses, \bar{L} , and determine if the point (\bar{W}, \bar{L}) is a point on the line of best fit. Justify your answer.

38. 010530b, P.I. A2.S.7

A real estate agent plans to compare the price of a cottage, y , in a town on the seashore to the number of blocks, x , the cottage is from the beach. The accompanying table shows a random sample of sales and location data. Write a linear regression equation that relates the price of a cottage to its distance from the beach. Use the equation to predict the price of a cottage, to the *nearest dollar*, located three blocks from the beach.

Number of Blocks from the Beach (x)	Price of a Cottage (y)
5	\$132,000
0	\$310,000
4	\$204,000
2	\$238,000
1	\$275,000
7	\$60,800

39. 080728b, P.I. A2.S.7

The accompanying table shows the percent of the adult population that married before age 25 in several different years. Using the year as the independent variable, find the linear regression equation. Round the regression coefficients to the *nearest hundredth*. Using the equation found above, estimate the percent of the adult population in the year 2009 that will marry before age 25, and round to the *nearest tenth of a percent*.

Year (x)	Percent (y)
1971	42.4
1976	37.4
1980	37.1
1984	34.1
1989	32.1
1993	28.8
1997	25.7
2000	25.5

40. 080133b, P.I. A2.S.7

The availability of leaded gasoline in New York State is decreasing, as shown in the accompanying table.

Year	1984	1988	1992	1996	2000
Gallons Available (in thousands)	150	124	104	76	50

Determine a linear relationship for x (years) versus y (gallons available), based on the data given. The data should be entered using the year and gallons available (in thousands), such as (1984,150). If this relationship continues, determine the number of gallons of leaded gasoline available in New York State in the year 2005. If this relationship continues, during what year will leaded gasoline first become unavailable in New York State?

41. 080533b, P.I. A2.S.7

The accompanying table illustrates the number of movie theaters showing a popular film and the film's weekly gross earnings, in millions of dollars.

Number of Theaters (x)	Gross Earnings (y) (millions of dollars)
443	2.57
455	2.65
493	3.73
530	4.05
569	4.76
657	4.76
723	5.15
1,064	9.35

Write the linear regression equation for this set of data, rounding values to *five decimal places*. Using this linear regression equation, find the approximate gross earnings, in millions of dollars, generated by 610 theaters. Round your answer to *two decimal places*. Find the minimum number of theaters that would generate at least 7.65 million dollars in gross earnings in one week.

42. 010328b, P.I. A2.S.7

In a mathematics class of ten students, the teacher wanted to determine how a homework grade influenced a student's performance on the subsequent test. The homework grade and subsequent test grade for each student are given in the accompanying table.

Homework Grade (x)	Test Grade (y)
94	98
95	94
92	95
87	89
82	85
80	78
75	73
65	67
50	45
20	40


a Give the equation of the linear regression line for this set of data.

b A new student comes to the class and earns a homework grade of 78. Based on the equation in part *a*, what grade would the teacher predict the student would receive on the subsequent test, to the *nearest integer*?

43. 080331b, P.I. A2.S.7
- The table below shows the results of an experiment that relates the height at which a ball is dropped, x , to the height of its first bounce, y .

Drop Height (x) (cm)	Bounce Height (y) (cm)
100	26
90	23
80	21
70	18
60	16


Find \bar{x} , the mean of the drop heights. Find \bar{y} , the mean of the bounce heights. Find the linear regression equation that best fits the data. Show that (\bar{x}, \bar{y}) is a point on the line of regression. [The use of the grid is optional.]



44. 010234b, P.I. A2.S.7
- Two different tests were designed to measure understanding of a topic. The two tests were given to ten students with the following results:

Test x	75	78	88	92	95	67	55	72	74	81
Test y	81	73	85	88	89	73	66	75	70	78

Construct a scatter plot for these scores, and then write an equation for the line of best fit (round slope and intercept to the *nearest hundredth*).



Find the correlation coefficient.
Predict the score, to the *nearest integer*, on test y for a student who scored 87 on test x .

45. 010633b, P.I. A2.S.7

Since 1990, fireworks usage nationwide has grown, as shown in the accompanying table, where t represents the number of years since 1990, and p represents the fireworks usage per year, in millions of pounds.

Number of Years Since 1990 (t)	Fireworks Usage per Year, In Millions of Pounds (p)
0	67.6
2	88.8
4	119.0
6	120.1
7	132.5
8	118.3
9	159.2
11	161.6

Find the equation of the linear regression model for this set of data, where t is the independent variable. Round values to *four decimal places*. Using this equation, determine in what year fireworks usage would have reached 99 million pounds. Based on this linear model, how many millions of pounds of fireworks would be used in the year 2008? Round your answer to the *nearest tenth*.

46. 060631b, P.I. A2.S.7

A factory is producing and stockpiling metal sheets to be shipped to an automobile manufacturing plant. The factory ships only when there is a minimum of 2,050 sheets in stock. The accompanying table shows the day, x , and the number of sheets in stock, $f(x)$.


Day (x)	Sheets in Stock ($f(x)$)
1	860
2	930
3	1000
4	1150
5	1200
6	1360

Write the linear regression equation for this set of data, rounding the coefficients to *four decimal places*. Use this equation to determine the day the sheets will be shipped.

Part 2: Writing an Equation for a Line of Best Fit

47. 010515b, P.I. A2.S.8

Which scatter diagram shows the strongest positive correlation?



48. 060109b, P.I. A2.S.8

The relationship of a woman's shoe size and length of a woman's foot, in inches, is given in the accompanying table.

Woman's Shoe Size	5	6	7	8
Foot Length (in)	9.00	9.25	9.50	9.75

The linear correlation coefficient for this relationship is

- [A] 1 [B] -1 [C] 0.5 [D] 0





49. 060211b, P.I. A2.S.8

A linear regression equation of best fit between a student's attendance and the degree of success in school is $h = 0.5x + 68.5$. The correlation coefficient, r , for these data would be

- [A] $r = -1$ [B] $r = 0$
[C] $0 < r < 1$ [D] $-1 < r < 0$


50. 080306b, P.I. A2.S.8

Which graph represents data used in a linear regression that produces a correlation coefficient closest to -1 ?



51. 060705b, P.I. A2.S.8





What could be the approximate value of the correlation coefficient for the accompanying scatter plot?



- [A] 0.21 [B] -0.16 [C] 0.90 [D] -0.85

52. 010816b, P.I. A2.S.8

In the physics lab, Thelma determined the kinetic energy, KE , of an object at various velocities, V , and found the linear correlation coefficient between KE and V to be $+0.8$. Which graph shows this relationship?




Lesson 6-8: Graphing Absolute Value Equations

Part 1: Translating Graphs of Absolute Value Equations

53. 060314b, P.I. A.G.4

Which equation is represented by the accompanying graph?




[A] $y = |x + 3| - 1$ [B] $y = (x - 3)^2 + 1$

[C] $y = |x - 3| + 1$ [D] $y = |x| - 3$

54. 080707b, P.I. A.G.4

Which equation represents the function shown in the accompanying graph?




[A] $f(x) = |x| - 1$ [B] $f(x) = |x| + 1$





[C] $f(x) = |x - 1|$ [D] $f(x) = |x + 1|$

55. fall0722ia, P.I. A.G.4

The diagram below shows the graph of
 $y = |x - 3|$.




Which diagram shows the graph of
 $y = -|x - 3|$?







56. 010414b, P.I. A.G.4

The graph below represents $f(x)$.



Which graph best represents $|f(x)|$?



[1] A

[2] D

[3] B

[4] D

[5] C

[6] B

[2] 12 and an appropriate explanation is given.

[1] The student uses an appropriate method, such as showing $\frac{k-2}{3-1} = 5$ or graphing of a line through (1,2) having a slope of 5, but the correct answer is not found.

or [1] 12 and no explanation is given.

[0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously

[7] incorrect procedure.

[8] B

[9] B

[10] C

[11] C

[12] A

[2] $y = 2x - 3$ or an equivalent equation, and appropriate work is shown, or an appropriate explanation is given, such as the slope is 2 and the y-intercept is -3.

[1] $y = 2x - 3$, but the slope and intercept are incorrect, or the explanation is not given or is incorrect, such as $m = 2$ and $b = -3$.

or [1] The slope and intercept are explained correctly, but the equation is incorrect.

or [1] $y = 2x - 3$, but no work is shown and no explanation is given.

[0] The equation is incorrect, and the explanation of slope and intercept is not given or is incorrect.

or [0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.

[13]

[3] The student says the point does not lie on the line and an appropriate method is shown, such as slope of -2 does not work with the new point (-25,81) and either other point (0,4) or (2,0), or accurately shows a graph where (-25,81) is not on line ℓ .

[2] The student says the point does not lie on the line but gives an inappropriate explanation of slope.

or [2] The student tries to use slope concept but makes one computational mistake and gives an appropriate answer based on this mistake.

[1] Only the slope of -2 is found.

or [1] The correct diagram is drawn with no interpretation.

[0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously

[14] incorrect procedure.

[15] C

[2] \$390 or 390 and appropriate work is shown, such as a numerical table or the equation $y = 30x + 90$ or the expression $90 + 30N$.

[1] Appropriate work is shown, but one computational error is made.

or [1] \$300 or 300 or a slope of 30 but appropriate work is shown.

or [1] \$390 or 390 but no work is shown.

[0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously

[16] incorrect procedure.

[17] A

[18] D

[19] B

[20] B

[21] C

[22] B

[23] B

[24] D

[25] C

[26] A

[27] C

[28] A

[29] B

[30] D

[31] C

[32] A

[33] A

[3] Three correct equations are shown, such as $y = x + 7$, $y = -x - 6$, and $2y = 2x - 12$.

[2] Only two correct equations are shown.

[1] Only one correct equation is shown.

[0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously

[34] incorrect procedure.

[2] A correct equation is written, such as

$$y = -\frac{3}{2}x + 4 \text{ or } (y - 4) = -\frac{3}{2}(x - 0).$$

[1] An appropriate equation is written, but one computational error is made or one incorrect substitution is made.

[1] An appropriate equation is written, but one conceptual error is made, such as writing an equation for a parallel line going through (0,4) or for a perpendicular line that does not go through (0,4).

or [1] The slope is identified correctly as $-\frac{3}{2}$

or the y-intercept as 4, but no equation or an incorrect equation is written.

[0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously

[35] incorrect procedure.

[2] $y = 1.08x - 2125$ or an equivalent equation is written.

[1] One conceptual error is made, such as writing a regression equation that is not linear.

or [1] The expression $1.08x - 2125$ is written, but no equation is written.

or [1] The correct values are identified for a and b , but no equation is written.

[0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously

[36] incorrect procedure.

- [6] $\bar{W} = 44.6$ and $\bar{L} = 43.2$, the line of best-fit equation ($y = -1.007559x + 88.137149$) is shown, and an appropriate justification of point (\bar{W}, \bar{L}) fitting or not fitting, depending on the rounding of the equation, is given.
- [5] \bar{W} or \bar{L} is incorrect, but the rest of the work is appropriate.
- or [5] All conditions of the problem are met, except it is not stated whether (\bar{W}, \bar{L}) lies or does not lie on the line of best fit.
- or [5] \bar{W} and \bar{L} and the equation of the line of best fit are correct, but one error results in an incorrect conclusion, such as the calculation or interchanging of \bar{W} and \bar{L} .
- [4] Both \bar{W} and \bar{L} are incorrect, but the rest of the work is appropriate.
- or [4] \bar{W} and \bar{L} are correct, but the equation of the line of best fit is incorrect, but the justification is appropriate, based on the incorrect equation.
- or [4] \bar{W} and \bar{L} are correct, a correct scatter plot is drawn, a correct line of best fit is drawn, (\bar{W}, \bar{L}) is plotted correctly, and a statement indicating that the point does or does not fit the line is given, with an appropriate explanation, but no equation is used.
- or [4] All conditions of the problem are met, except for the justification of whether (\bar{W}, \bar{L}) lies on the line.
- [3] \bar{W} and \bar{L} are correct, but the equation of the line of best fit is stated incorrectly, and no further work is shown.
- [2] Only \bar{W} and \bar{L} are found correctly.
- [1] Only one mean is found correctly.
- [0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.
-
- [37]

- [4] $y = -34739.71292x + 313309.0909$ and 209,090, and appropriate work is shown.
- [3] Appropriate work is shown, but one computational or rounding error is made.
- or [3] An incorrect linear equation with a negative slope is written, but an appropriate price is found for three blocks from the beach.
- [2] Appropriate work is shown, but two or more computational or rounding errors are made.
- or [2] Appropriate work is shown, but one conceptual error is made.
- or [2] A correct linear function is written, but no further correct work is shown.
- or [2] An incorrect linear equation with a positive slope is written, but an appropriate price is found for three blocks from the beach.
- [1] Appropriate work is shown, but one conceptual error and one computational or rounding error are made.
- or [1] 209,090, but no work is shown.
- [0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.
-
- [38]
- [4] $y = -0.58x + 1185.09$ and 19.9, and appropriate work is shown.
- [3] Appropriate work is shown, but one computational or rounding error is made.
- [2] Appropriate work is shown, but two or more computational or rounding errors are made.
- or [2] Appropriate work is shown, but one conceptual error is made.
- or [2] A correct linear equation is written, but no further correct work is shown.
- or [2] An incorrect linear equation is written, but an appropriate percentage is found.
- [1] Appropriate work is shown, but one conceptual error and one computational or rounding error are made.
- or [1] 19.9, but no work is shown.
- [0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.
-
- [39]

- [6] $y = -6.2x + 12,451.2$; 20.2 thousand; and 2008; and appropriate work is shown.
- [5] The correct equation is shown, but only the number of gallons or the year is correct.
- [4] The slope and y -intercept are incorrect, but the slope is negative and the number of gallons and the year are appropriate, based on the incorrect equation.
- [3] The slope and y -intercept are incorrect, but the slope is negative, but only the number of gallons or the year is appropriate, based on the incorrect equation.
- [2] The correct equation is shown, but the number of gallons and the year are not determined or are determined incorrectly.
- or [2] The incorrect equation $y = 6.2x + 12,451.2$ is shown, but appropriate work is shown for the number of gallons and the year.
- [1] An incorrect equation is shown with a negative slope, and the number of gallons and the year are not determined.
- or [1] 20.2 thousand and 2008, but no work is shown.
- [0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.
-

- [6] $y = 0.01021x - 1.66787$, 4.56, and 913, and appropriate work is shown.
- [5] Appropriate work is shown, but one computational or rounding error is made.
- or [5] The expression $0.01021x - 1.66787$ is written and 4.56 and 913 are found, and appropriate work is shown.
- [4] Appropriate work is shown, but two or more computational or rounding errors are made.
- or [4] A correct equation is written, but either the gross earnings or the number of theaters is not found, but appropriate work is shown.
- or [4] An incorrect equation of equal difficulty is written, but appropriate answers are found, and appropriate work is shown.
- [3] Appropriate work is shown, but one conceptual error is made.
- or [3] $y = 0.01021x - 1.66787$, 4.56, and 913, but no work is shown.
- or [3] The expression $0.01021x - 1.66787$ is written and either 4.56 or 913 is found, and appropriate work is shown.
- [2] Appropriate work is shown, but one conceptual error and one computational or rounding error are made.
- or [2] A correct equation is written, but no further correct work is shown.
- [1] 4.56 and 913, but no work is shown.
- or [1] The expression $0.01021x - 1.66787$ is written, but no further correct work is shown.
- [0] Either 4.56 or 913, but no work is shown.
- or [0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.
-

- [4] a $y = 0.8344648562x + 14.64960064$ or an equivalent answer expressed to three significant digits
and b 80, and appropriate work is shown.
- [3] One computational error is made or one rounding error is made with one of the numbers in the equation, such as truncating or not giving at least three significant digits.
- [2] Only the correct answer for either part a or part b is found.
or [2] Appropriate work is shown, but more than one computational or rounding error is made.
- [1] 78 is substituted into an incorrect linear equation, but it is evaluated appropriately.
or [1] $y = 0.8344648562x + 14.64960064$ and 80, but no work is shown.
- [0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.
-
- [42] [4] $\bar{x} = 80$, $\bar{y} = 20.8$, and $y = 0.25x + 0.8$, and appropriate work is shown to prove that (\bar{x}, \bar{y}) is a point on the line of regression.
- [3] Appropriate work is shown, but one computational error is made.
- [2] Appropriate work is shown, but two or more computational errors are made.
or [2] Appropriate work is shown, but one conceptual error is made.
- [1] $\bar{x} = 80$, $\bar{y} = 20.8$, and $y = 0.25x + 0.8$, but no work is shown.
- [0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.
-
- [43] [6] A correct scatter plot, $y = 0.62x + 29.18$, $r = 0.92$, and 83; and appropriate work is shown.
- [5] Appropriate work is shown, but one computational or rounding error is made.
or [5] A correct scatter plot, equation, and score are shown, but no r -value is found.
- [4] A correct scatter plot and equation are shown, but the r -value and score are missing or incorrect.
or [4] An incorrect equation is shown, but all further work is appropriate.
or [4] The scatter plot is missing or incorrect, but all further work is appropriate.
- [3] The scatter plot is incorrect, but a correct equation and either a correct r -value or score are found.
or [3] The scatter plot is correct, but an incorrect equation and either an appropriate r -value or score based on the incorrect equation are found.
- [2] Only a correct scatter plot is shown, and all further work is missing or incorrect.
or [2] Only a correct equation is shown, and all further work is missing or incorrect.
- [1] An incorrect equation is shown, but an appropriate score is found.
- [0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.
-
- [44]

- [6] $p = 8.1875t + 72.7860$, 1993, and 220.2, and appropriate work is shown.
 [5] Appropriate work is shown, but one computational or rounding error is made.
 or [5] The expression $8.1875t + 72.7860$ is written and 1993 and 220.2 are found, and appropriate work is shown.
 [4] Appropriate work is shown, but two or more computational or rounding errors are made.
 or [4] A correct equation is written, but either the year or the predicted value for 2008 is not found, but appropriate work is shown.
 or [4] An incorrect equation is solved appropriately.
 [3] Appropriate work is shown, but one conceptual error is made.
 or [3] $p = 8.1875t + 72.7860$, 1993, and 220.2, but no work is shown.
 or [3] The expression $8.1875t + 72.7860$ is written and either 1993 or 220.2 is found, and appropriate work is shown.
 [2] Appropriate work is shown, but one conceptual error and one computational or rounding error are made.
 or [2] A correct equation is written, but no further correct work is shown.
 or [2] 1993 and 220.2, but no work is shown.
 [1] The expression $8.1875t + 72.7860$ is written, but no further correct work is shown.
 or [1] 1993 or 220.2, but no work is shown.
 [0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.
 [45] _____

- [4] $f(x) = 98.8571x + 737.3333$ or $y = 98.8571x + 737.3333$ and day 14, and appropriate substitution is made, such as $2050 = 98.8571x + 737.3333$.
 [3] Appropriate work is shown, but one computational or rounding error is made.
 or [3] A correct linear regression equation is written and day 14, but no substitution is made.
 or [3] The expression $98.8571x + 737.3333$ is written and day 14, and appropriate substitution is made, but no equation is written.
 [2] Appropriate work is shown, but two or more computational or rounding errors are made.
 or [2] Appropriate work is shown, but one conceptual error is made.
 or [2] A correct linear regression equation is written, but no further correct work is shown.
 or [2] An incorrect equation of equal difficulty is solved appropriately.
 [1] Appropriate work is shown, but one conceptual error and one computational or rounding error are made.
 or [1] The expression $98.8571x + 737.3333$ is written, but no further correct work is shown.
 or [1] Day 14, but no work is shown.
 [0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.
 [46] _____
 [47] A _____
 [48] A _____
 [49] C _____
 [50] B _____
 [51] C _____
 [52] C _____
 [53] C _____
 [54] B _____
 [55] C _____

[56] A