

F.TF.A.2: Determining Trigonometric Functions 2

1 At $x = \frac{\pi}{2}$, the difference $2\sin x - \cos 2x$ is

- 1) 1 2) 2 3) 3 4) 0

2 The value of $\cos^2\left(\frac{\pi}{4}\right)$ is

- 1) 1 2) $\frac{1}{2}$ 3) $\frac{1}{4}$ 4) 0

3 If $f(x) = \sin^2 x$, then $f\left(\frac{\pi}{2}\right)$ equals

- 1) 1 2) $\frac{3}{4}$ 3) $\frac{1}{2}$ 4) $\frac{1}{4}$

4 If $f(x) = \sin x + \cos 2x$, then $f(\pi)$ is

- 1) 1 2) 2 3) 0 4) -1

5 The value of $\sin\frac{\pi}{3} \cos \pi$ is

- 1) $-\frac{\sqrt{3}}{2}$ 2) $\frac{1}{2}$ 3) $-\frac{1}{2}$ 4) 0

6 If $f(x) = \sin\frac{x}{4}$, then $f(\pi)$ equals

- 1) 1 2) $\frac{1}{2}\sqrt{3}$ 3) $\frac{1}{2}\sqrt{2}$ 4) $\frac{1}{2}$

7 The value of $\cos\frac{\pi}{3} - \sin\frac{3\pi}{2}$ is

- 1) $1\frac{1}{2}$ 2) $\frac{1}{2}$ 3) $-\frac{1}{2}$ 4) $-1\frac{1}{2}$

8 If $f(x) = \cos 3x + \sin x$, then $f\left(\frac{\pi}{2}\right)$ equals

- 1) 1 2) 2 3) -1 4) 0

9 The value of $\sin\left(\frac{3\pi}{2}\right) - \cos\left(\frac{\pi}{3}\right)$ is

- 1) $-1\frac{1}{2}$ 2) $1\frac{1}{2}$ 3) $\frac{1}{2}$ 4) $-\frac{1}{2}$

10 The numerical value of $\sin\frac{3\pi}{2} + \cos\frac{\pi}{4}$ is

- 1) $1 + \frac{\sqrt{2}}{2}$ 2) $\frac{\sqrt{2}}{2}$ 3) $-1 + \frac{\sqrt{2}}{2}$ 4) -1

11 If $f(x) = \sin 2x + \cos x$, what is $f\left(\frac{\pi}{4}\right)$?

- 1) $1 + \frac{\sqrt{2}}{2}$ 2) $\frac{1 + \sqrt{3}}{2}$ 3) $\sqrt{2}$ 4) 0

12 The value of $\sin \frac{7\pi}{6}$ is

- 1) $\frac{1}{2}$ 2) $-\frac{1}{2}$ 3) $\frac{\sqrt{3}}{2}$ 4) $-\frac{\sqrt{3}}{2}$

13 If $f(x) = 4 \cos 3x$, what is the value of $f\left(\frac{\pi}{4}\right)$?

- 1) $-\sqrt{2}$ 2) $-2\sqrt{2}$ 3) 135 4) 4

14 The value of $\sin \frac{3\pi}{2} + \cos \frac{2\pi}{3}$ is

- 1) $\frac{1}{2}$ 2) $1\frac{1}{2}$ 3) $-1\frac{1}{2}$ 4) $-\frac{1}{2}$

15 The value of $\sin \frac{4\pi}{3}$ is

- 1) $\frac{1}{2}$ 2) $-\frac{1}{2}$ 3) $\frac{\sqrt{3}}{2}$ 4) $-\frac{\sqrt{3}}{2}$

16 If $f(x) = \cos x + \tan \frac{x}{3}$, then $f(\pi)$ is

- 1) $\frac{\sqrt{3} + 3}{3}$ 2) $\frac{\sqrt{3} - 3}{3}$ 3) $\sqrt{3} + 1$ 4) $\sqrt{3} - 1$

17 The value of $\sin \frac{\pi}{6} + \tan \frac{\pi}{4}$ is

- 1) $\frac{3}{2}$ 2) $\frac{\sqrt{3} + 2}{2}$ 3) $\frac{1 + \sqrt{2}}{2}$ 4) $\frac{\sqrt{3} + \sqrt{2}}{2}$

18 The exact value of $\sin \left(\frac{8\pi}{3}\right)$ is

- 1) $\frac{1}{2}$ 2) $-\frac{1}{2}$ 3) $-\frac{\sqrt{3}}{2}$ 4) $\frac{\sqrt{3}}{2}$

19 Which expression, when rounded to three decimal places, is equal to -1.155 ?

- 1) $\sec \left(\frac{5\pi}{6}\right)$ 2) $\tan(49^\circ 20')$ 3) $\sin \left(-\frac{3\pi}{5}\right)$ 4) $\csc(-118^\circ)$

F.TF.A.2: Determining Trigonometric Functions 2**Answer Section**

- | | | |
|----|--------|-----------------|
| 1 | ANS: 3 | REF: 068437siii |
| 2 | ANS: 2 | REF: 088426siii |
| 3 | ANS: 1 | REF: 089322siii |
| 4 | ANS: 1 | REF: 068924siii |
| 5 | ANS: 1 | REF: 088935siii |
| 6 | ANS: 3 | REF: 019420siii |
| 7 | ANS: 1 | REF: 069531siii |
| 8 | ANS: 1 | REF: 069718siii |
| 9 | ANS: 1 | REF: 089722siii |
| 10 | ANS: 3 | REF: 010017siii |
| 11 | ANS: 1 | REF: 080317siii |
| 12 | ANS: 2 | REF: 018732siii |
| 13 | ANS: 2 | REF: 089626siii |
| 14 | ANS: 3 | REF: 069819siii |
| 15 | ANS: 4 | REF: 060120siii |
| 16 | ANS: 4 | REF: 068129siii |
| 17 | ANS: 1 | REF: 068528siii |
| 18 | ANS: 4 | REF: 012501aii |
| 19 | ANS: 1 | REF: 011203a2 |