


G.GPE.B.6: Directed Line Segments 1

- 1 In the diagram below, \overline{AC} has endpoints with coordinates $A(-5, 2)$ and $C(4, -10)$.



If B is a point on \overline{AC} and $AB:BC = 1:2$, what are the coordinates of B ?

- 1) $(-2, -2)$
 - 2) $\left(-\frac{1}{2}, -4\right)$
 - 3) $\left(0, -\frac{14}{3}\right)$
 - 4) $(1, -6)$
- 2 What are the coordinates of point C on the directed segment from $A(-8, 4)$ to $B(10, -2)$ that partitions the segment such that $AC:CB = 2:1$?
- 1) $(1, 1)$
 - 2) $(-2, 2)$
 - 3) $(2, -2)$
 - 4) $(4, 0)$
- 3 The coordinates of the endpoints of \overline{QS} are $Q(-9, 8)$ and $S(9, -4)$. Point R is on \overline{QS} such that $QR:RS$ is in the ratio of $1:2$. What are the coordinates of point R ?
- 1) $(0, 2)$
 - 2) $(3, 0)$
 - 3) $(-3, 4)$
 - 4) $(-6, 6)$

- 4 The coordinates of the endpoints of \overline{SC} are $S(-7, 3)$ and $C(2, -6)$. If point M is on \overline{SC} , what are the coordinates of M such that $SM:MC = 1:2$?

- 1) $(-4, 0)$
- 2) $(0, -4)$
- 3) $(-1, -3)$
- 4) $\left(\frac{5}{2}, -\frac{3}{2}\right)$

- 5 Point M divides \overline{AB} so that $AM:MB = 1:2$. If A has coordinates $(-1, -3)$ and B has coordinates $(8, 9)$, the coordinates of M are

- 1) $(2, 1)$
- 2) $\left(\frac{5}{3}, 0\right)$
- 3) $(5, 5)$
- 4) $\left(\frac{23}{3}, 8\right)$

- 6 The endpoints of directed line segment PQ have coordinates of $P(-7, -5)$ and $Q(5, 3)$. What are the coordinates of point A , on \overline{PQ} , that divide \overline{PQ} into a ratio of $1:3$?

- 1) $A(-1, -1)$
- 2) $A(2, 1)$
- 3) $A(3, 2)$
- 4) $A(-4, -3)$

- 7 Line segment APB has endpoints $A(-5, 4)$ and $B(7, -4)$. What are the coordinates of P if $AP:PB$ is in the ratio $1:3$?

- 1) $(-2, 2)$
- 2) $(-1, 1.3)$
- 3) $(1, 0)$
- 4) $(4, -2)$

- 8 The endpoints of \overline{AB} are $A(-5, 3)$ and $B(7, -5)$. Point P is on \overline{AB} such that $AP:PB = 3:1$. What are the coordinates of point P ?
- 1) $(-2, -3)$
 - 2) $(1, -1)$
 - 3) $(-2, 1)$
 - 4) $(4, -3)$
- 9 Point Q is on \overline{MN} such that $MQ:QN = 2:3$. If M has coordinates $(3, 5)$ and N has coordinates $(8, -5)$, the coordinates of Q are
- 1) $(5, 1)$
 - 2) $(5, 0)$
 - 3) $(6, -1)$
 - 4) $(6, 0)$
- 10 Line segment PAQ has endpoints whose coordinates are $P(-2, 6)$ and $Q(3, -4)$. What are the coordinates of point A , such that $PA:AQ = 2:3$?
- 1) $(1, 0)$
 - 2) $(2, -2)$
 - 3) $(-1, 4)$
 - 4) $(0, 2)$
- 11 Directed line segment AJ has endpoints whose coordinates are $A(5, 7)$ and $J(-10, -8)$. Point E is on \overline{AJ} such that $AE:EJ$ is $2:3$. What are the coordinates of point E ?
- 1) $(1, -1)$
 - 2) $(-5, -3)$
 - 3) $(-4, -2)$
 - 4) $(-1, 1)$
- 12 Line segment RW has endpoints $R(-4, 5)$ and $W(6, 20)$. Point P is on \overline{RW} such that $RP:PW$ is $2:3$. What are the coordinates of point P ?
- 1) $(2, 9)$
 - 2) $(0, 11)$
 - 3) $(2, 14)$
 - 4) $(10, 2)$
- 13 Directed line segment DE has endpoints $D(-4, -2)$ and $E(1, 8)$. Point F divides \overline{DE} such that $DF:FE$ is $2:3$. What are the coordinates of F ?
- 1) $(-3, 0)$
 - 2) $(-2, 2)$
 - 3) $(-1, 4)$
 - 4) $(2, 4)$
- 14 Point P divides the directed line segment from point $A(-4, -1)$ to point $B(6, 4)$ in the ratio $2:3$. The coordinates of point P are
- 1) $(-1, 1)$
 - 2) $(0, 1)$
 - 3) $(1, 0)$
 - 4) $(2, 2)$
- 15 The coordinates of the endpoints of directed line segment ABC are $A(-8, 7)$ and $C(7, -13)$. If $AB:BC = 3:2$, the coordinates of B are
- 1) $(1, -5)$
 - 2) $(-2, -1)$
 - 3) $(-3, 0)$
 - 4) $(3, -6)$
- 16 Directed line segment KC has endpoints $K(-4, -2)$ and $C(1, 8)$. Point E divides \overline{KC} such that $KE:EC$ is $3:2$. What are the coordinates of point E ?
- 1) $(-1, 4)$
 - 2) $(-2, 2)$
 - 3) $(-3, 0)$
 - 4) $(0, 6)$
- 17 What are the coordinates of the point on the directed line segment from $K(-5, -4)$ to $L(5, 1)$ that partitions the segment into a ratio of 3 to 2?
- 1) $(-3, -3)$
 - 2) $(-1, -2)$
 - 3) $\left(0, -\frac{3}{2}\right)$
 - 4) $(1, -1)$


- 18 Point P is on the directed line segment from point $X(-6, -2)$ to point $Y(6, 7)$ and divides the segment in the ratio $1:5$. What are the coordinates of point P ?

- 1) $\left(4, 5\frac{1}{2}\right)$
- 2) $\left(-\frac{1}{2}, -4\right)$
- 3) $\left(-4\frac{1}{2}, 0\right)$
- 4) $\left(-4, -\frac{1}{2}\right)$


- 19 The coordinates of the endpoints of \overline{AB} are $A(-8, -2)$ and $B(16, 6)$. Point P is on \overline{AB} . What are the coordinates of point P , such that $AP:PB = 3:5$?

- 1) $(1, 1)$
- 2) $(7, 3)$
- 3) $(9.6, 3.6)$
- 4) $(6.4, 2.8)$


- 20 The coordinates of the endpoints of \overline{AB} are $A(-6, -5)$ and $B(4, 0)$. Point P is on \overline{AB} . Determine and state the coordinates of point P , such that $AP:PB = 2:3$. [The use of the set of axes below is optional.]




- 21 Line segment PQ has endpoints $P(-5, 1)$ and $Q(5, 6)$, and point R is on \overline{PQ} . Determine and state the coordinates of R , such that $PR:RQ = 2:3$. [The use of the set of axes below is optional.]



- 22 Directed line segment PT has endpoints whose coordinates are $P(-2, 1)$ and $T(4, 7)$. Determine the coordinates of point J that divides the segment in the ratio 2 to 1. [The use of the set of axes below is optional.]



- 23 Directed line segment AB has endpoints whose coordinates are $A(-2, 5)$ and $B(8, -1)$. Determine and state the coordinates of P , the point which divides the segment in the ratio 3:2. [The use of the set of axes below is optional.]



- 24 The endpoints of \overline{DEF} are $D(1, 4)$ and $F(16, 14)$. Determine and state the coordinates of point E , if $DE:EF = 2:3$.
- 25 Point P is on segment AB such that $AP:PB$ is 4:5. If A has coordinates $(4, 2)$, and B has coordinates $(22, 2)$, determine and state the coordinates of P .

G.GPE.B.6: Directed Line Segments 1**Answer Section**

1 ANS: 1

$$x = -5 + \frac{1}{3}(4 - -5) = -5 + 3 = -2 \quad y = 2 + \frac{1}{3}(-10 - 2) = 2 - 4 = -2$$

REF: 011806geo

2 ANS: 4

$$-8 + \frac{2}{3}(10 - -8) = -8 + \frac{2}{3}(18) = -8 + 12 = 4 \quad 4 + \frac{2}{3}(-2 - 4) = 4 + \frac{2}{3}(-6) = 4 - 4 = 0$$

REF: 061919geo

3 ANS: 3

$$-9 + \frac{1}{3}(9 - -9) = -9 + \frac{1}{3}(18) = -9 + 6 = -3 \quad 8 + \frac{1}{3}(-4 - 8) = 8 + \frac{1}{3}(-12) = 8 - 4 = 4$$

REF: 081903geo

4 ANS: 1

$$-7 + \frac{1}{3}(2 - -7) = -7 + \frac{1}{3}(9) = -7 + 3 = -4 \quad 3 + \frac{1}{3}(-6 - 3) = 3 + \frac{1}{3}(-9) = 3 - 3 = 0$$

REF: 082213geo

5 ANS: 1

$$-1 + \frac{1}{3}(8 - -1) = -1 + \frac{1}{3}(9) = -1 + 3 = 2 \quad -3 + \frac{1}{3}(9 - -3) = -3 + \frac{1}{3}(12) = -3 + 4 = 1$$

REF: 011915geo

6 ANS: 4

$$-7 + \frac{1}{4}(5 - -7) = -7 + \frac{1}{4}(12) = -7 + 3 = -4 \quad -5 + \frac{1}{4}(3 - -5) = -5 + \frac{1}{4}(8) = -5 + 2 = -3$$

REF: 012005geo

7 ANS: 1

$$-5 + \frac{1}{4}(7 - -5) = -5 + \frac{1}{4}(12) = -5 + 3 = -2 \quad 4 + \frac{1}{4}(-4 - 4) = 4 + \frac{1}{4}(-8) = 4 - 2 = 2$$

REF: 062418geo

8 ANS: 4

$$-5 + \frac{3}{4}(7 - -5) = -5 + \frac{3}{4}(12) = -5 + 9 = 4 \quad 3 + \frac{3}{4}(-5 - 3) = 3 + \frac{3}{4}(-8) = 3 - 6 = -3$$

REF: 082302geo

9 ANS: 1

$$3 + \frac{2}{5}(8 - 3) = 3 + \frac{2}{5}(5) = 3 + 2 = 5 \quad 5 + \frac{2}{5}(-5 - 5) = 5 + \frac{2}{5}(-10) = 5 - 4 = 1$$

REF: 011720geo

10 ANS: 4

$$-2 + \frac{2}{5}(3 - -2) = -2 + 2 = 0 \quad 6 + \frac{2}{5}(-4 - 6) = 6 - 4 = 2$$

REF: 012502geo

11 ANS: 4

$$5 + \frac{2}{5}(-10 - 5) = 5 + \frac{2}{5}(-15) = 5 - 6 = -1 \quad 7 + \frac{2}{5}(-8 - 7) = 7 + \frac{2}{5}(-15) = 7 - 6 = 1$$

REF: 012410geo

12 ANS: 2

$$-4 + \frac{2}{5}(6 - -4) = -4 + \frac{2}{5}(10) = -4 + 4 = 0 \quad 5 + \frac{2}{5}(20 - 5) = 5 + \frac{2}{5}(15) = 5 + 6 = 11$$

REF: 061715geo

13 ANS: 2

$$-4 + \frac{2}{5}(1 - -4) = -4 + \frac{2}{5}(5) = -4 + 2 = -2 \quad -2 + \frac{2}{5}(8 - -2) = -2 + \frac{2}{5}(10) = -2 + 4 = 2$$

REF: 061814geo

14 ANS: 2

$$-4 + \frac{2}{5}(6 - -4) = -4 + \frac{2}{5}(10) = -4 + 4 = 0 \quad -1 + \frac{2}{5}(4 - -1) = -1 + \frac{2}{5}(5) = -1 + 2 = 1$$

REF: 062222geo

15 ANS: 1

$$-8 + \frac{3}{5}(7 - -8) = -8 + 9 = 1 \quad 7 + \frac{3}{5}(-13 - 7) = 7 - 12 = -5$$

REF: 081815geo

16 ANS: 1

$$-4 + \frac{3}{5}(1 - -4) = -4 + 3 = -1 \quad -2 + \frac{3}{5}(8 - -2) = -2 + 6 = 4$$

REF: 082402geo

17 ANS: 4

$$-5 + \frac{3}{5}(5 - -5) \quad -4 + \frac{3}{5}(1 - -4)$$

$$-5 + \frac{3}{5}(10) \quad -4 + \frac{3}{5}(5)$$

$$-5 + 6 \quad -4 + 3$$

$$1 \quad -1$$

REF: spr1401geo

18 ANS: 4

$$x = -6 + \frac{1}{6}(6 - -6) = -6 + 2 = -4 \quad y = -2 + \frac{1}{6}(7 - -2) = -2 + \frac{9}{6} = -\frac{1}{2}$$


REF: 081618geo

19 ANS: 1

$$-8 + \frac{3}{8}(16 - -8) = -8 + \frac{3}{8}(24) = -8 + 9 = 1 \quad -2 + \frac{3}{8}(6 - -2) = -2 + \frac{3}{8}(8) = -2 + 3 = 1$$

REF: 081717geo

20 ANS:



$$-6 + \frac{2}{5}(4 - -6) \quad -5 + \frac{2}{5}(0 - -5) \quad (-2, -3)$$


$$-6 + \frac{2}{5}(10) \quad -5 + \frac{2}{5}(5)$$

$$-6 + 4 \quad -5 + 2$$

$$-2 \quad -3$$

REF: 061527geo

21 ANS:



$$-5 + \frac{2}{5}(5 - -5) \quad 1 + \frac{2}{5}(6 - 1) \quad (-1, 3)$$


$$-5 + \frac{2}{5}(10) \quad 1 + \frac{2}{5}(5)$$

$$-5 + 4 \quad 1 + 2$$

$$-1 \quad 3$$

REF: 062327geo

22 ANS:




$$x = \frac{2}{3}(4 - -2) = 4 \quad -2 + 4 = 2 \quad J(2, 5)$$

$$y = \frac{2}{3}(7 - 1) = 4 \quad 1 + 4 = 5$$

REF: 011627geo

23 ANS:



$$x = -2 + \frac{3}{5}(8 + 2) = -2 + 6 = 4$$

$$y = 5 + \frac{3}{5}(-1 - 5) = \frac{25}{5} - \frac{18}{5} = \frac{7}{5}$$

REF: 012328geo

24 ANS:

$$\frac{2}{5} \cdot (16 - 1) = 6 \quad \frac{2}{5} \cdot (14 - 4) = 4 \quad (1 + 6, 4 + 4) = (7, 8)$$

REF: 081531geo

25 ANS:

$$4 + \frac{4}{9}(22 - 4) \quad 2 + \frac{4}{9}(2 - 2) \quad (12, 2)$$

$$4 + \frac{4}{9}(18) \quad 2 + \frac{4}{9}(0)$$

$$\begin{array}{ll} 4 + 8 & 2 + 0 \\ 12 & 2 \end{array}$$

REF: 061626geo