


G.SRT.A.2: Dilations 1


- 1 In the diagram below, $\triangle GHJ$ is dilated by a scale factor of $\frac{1}{2}$ centered at point B to map onto $\triangle CDF$.



If $m\angle DFC = 40^\circ$, what is $m\angle HJG$?

- 1) 20°
- 2) 40°
- 3) 60°
- 4) 80°

- 2 Triangle $A'B'C'$ is the image of $\triangle ABC$ after a dilation centered at the origin. The coordinates of the vertices of $\triangle ABC$ are $A(-2,1)$, $B(2,4)$, and $C(2,-3)$.




If the coordinates of A' are $(-4,2)$, the coordinates of B' are

- 1) $(8,4)$
- 2) $(4,8)$
- 3) $(4,-6)$
- 4) $(1,2)$

- 3 If $\triangle TAP$ is dilated by a scale factor of 0.5, which statement about the image, $\triangle T'A'P'$, is true?

- 1) $m\angle T'A'P' = \frac{1}{2}(m\angle TAP)$
- 2) $m\angle T'A'P' = 2(m\angle TAP)$
- 3) $TA = 2(T'A')$
- 4) $TA = \frac{1}{2}(T'A')$

- 4 If $\triangle ABC$ is dilated by a scale factor of 3, which statement is true of the image $\triangle A'B'C'$?
- 1) $3A'B' = AB$
 - 2) $B'C' = 3BC$
 - 3) $m\angle A' = 3(m\angle A)$
 - 4) $3(m\angle C') = m\angle C$
- 5 The image of $\triangle ABC$ after a dilation of scale factor k centered at point A is $\triangle ADE$, as shown in the diagram below.



Which statement is always true?

- 1) $\overline{2AB} = \overline{AD}$
 - 2) $\overline{AD} \perp \overline{DE}$
 - 3) $\overline{AC} = \overline{CE}$
 - 4) $\overline{BC} \parallel \overline{DE}$
- 6 Triangle KLM is dilated by a scale factor of 3 to map onto triangle DRS . Which statement is *not* always true?
- 1) $\angle K \cong \angle D$
 - 2) $KM = \frac{1}{3}DS$
 - 3) The area of $\triangle DRS$ is 3 times the area of $\triangle KLM$.
 - 4) The perimeter of $\triangle DRS$ is 3 times the perimeter of $\triangle KLM$.
- 7 A triangle is dilated by a scale factor of 3 with the center of dilation at the origin. Which statement is true?
- 1) The area of the image is nine times the area of the original triangle.
 - 2) The perimeter of the image is nine times the perimeter of the original triangle.
 - 3) The slope of any side of the image is three times the slope of the corresponding side of the original triangle.
 - 4) The measure of each angle in the image is three times the measure of the corresponding angle of the original triangle.
- 8 Rectangle $A'B'C'D'$ is the image of rectangle $ABCD$ after a dilation centered at point A by a scale factor of $\frac{2}{3}$. Which statement is correct?
- 1) Rectangle $A'B'C'D'$ has a perimeter that is $\frac{2}{3}$ the perimeter of rectangle $ABCD$.
 - 2) Rectangle $A'B'C'D'$ has a perimeter that is $\frac{3}{2}$ the perimeter of rectangle $ABCD$.
 - 3) Rectangle $A'B'C'D'$ has an area that is $\frac{2}{3}$ the area of rectangle $ABCD$.
 - 4) Rectangle $A'B'C'D'$ has an area that is $\frac{3}{2}$ the area of rectangle $ABCD$.
- 9 Triangle RJM has an area of 6 and a perimeter of 12. If the triangle is dilated by a scale factor of 3 centered at the origin, what are the area and perimeter of its image, triangle $R'J'M'$?
- 1) area of 9 and perimeter of 15
 - 2) area of 18 and perimeter of 36
 - 3) area of 54 and perimeter of 36
 - 4) area of 54 and perimeter of 108


- 10 Given square $RSTV$, where $RS = 9$ cm. If square $RSTV$ is dilated by a scale factor of 3 about a given center, what is the perimeter, in centimeters, of the image of $RSTV$ after the dilation?

1) 12
2) 27
3) 36
4) 108

- 11 A rectangle has a width of 3 and a length of 4. The rectangle is dilated by a scale factor of 1.8. What is the area of its image, to the *nearest tenth*?

1) 3.7
2) 6.7
3) 21.6
4) 38.9


- 12 In the diagram below, $\triangle ABE$ is the image of $\triangle ACD$ after a dilation centered at the origin. The coordinates of the vertices are $A(0,0)$, $B(3,0)$, $C(4.5,0)$, $D(0,6)$, and $E(0,4)$.



The ratio of the lengths of \overline{BE} to \overline{CD} is

1) $\frac{2}{3}$
2) $\frac{3}{2}$
3) $\frac{3}{4}$
4) $\frac{4}{3}$


- 13 On the set of axes below, $\triangle RST$ is the image of $\triangle ABC$ after a dilation centered at point P .



The scale factor of the dilation that maps $\triangle ABC$ onto $\triangle RST$ is

1) $\frac{1}{3}$
2) 2
3) 3
4) $\frac{2}{3}$


- 14 On the set of axes below, $\triangle AB'C'$ is the image of $\triangle ABC$.



What is the scale factor and center of dilation that maps $\triangle ABC$ onto $\triangle AB'C'$?

- 1) $\frac{1}{2}$ and the origin
- 2) 2 and the origin
- 3) $\frac{1}{2}$ and vertex A
- 4) 2 and vertex A


- 15 On the set of axes below, $\triangle DEF$ is the image of $\triangle ABC$ after a dilation of scale factor $\frac{1}{3}$.



The center of dilation is at


- 1) $(0, 0)$
 - 2) $(2, -3)$
 - 3) $(0, -2)$
 - 4) $(-4, 0)$
- 16 Triangle $A'B'C'$ is the image of triangle ABC after a dilation with a scale factor of $\frac{1}{2}$ and centered at point A . Is triangle ABC congruent to triangle $A'B'C'$? Explain your answer.

- 17 Triangle QRS is graphed on the set of axes below.




On the same set of axes, graph and label $\triangle Q'R'S'$, the image of $\triangle QRS$ after a dilation with a scale factor of $\frac{3}{2}$ centered at the origin. Use slopes to explain why $Q'R' \parallel QR$.

- 18 Triangle ABC and triangle ADE are graphed on the set of axes below.



Describe a transformation that maps triangle ABC onto triangle ADE . Explain why this transformation makes triangle ADE similar to triangle ABC .

- 19 Triangle ABC and point $D(1,2)$ are graphed on the set of axes below.



Graph and label $\triangle A'B'C'$, the image of $\triangle ABC$, after a dilation of scale factor 2 centered at point D .

G.SRT.A.2: Dilations 1**Answer Section**

1 ANS: 2 REF: 012409geo

2 ANS: 2

$$\frac{(-4,2)}{(-2,1)} = 2$$

REF: 062201geo

3 ANS: 3
 (1) and (2) are false as dilations preserve angle measure. (4) would be true if the scale factor was 2.

REF: 082323geo

4 ANS: 2 REF: 061516geo

5 ANS: 4 REF: 081506geo

6 ANS: 3 REF: 062414geo

7 ANS: 1
 $3^2 = 9$

REF: 081520geo

8 ANS: 1 REF: 011811geo

9 ANS: 3
 $6 \cdot 3^2 = 54$ $12 \cdot 3 = 36$

REF: 081823geo

10 ANS: 4
 $9 \cdot 3 = 27$, $27 \cdot 4 = 108$

REF: 061805geo

11 ANS: 4
 $(3)(4)(1.8)^2 \approx 38.9$

REF: 082420geo

12 ANS: 1

$$\frac{4}{6} = \frac{3}{4.5} = \frac{2}{3}$$

REF: 081523geo

13 ANS: 1

$$\frac{1}{3}, \frac{3}{9}, \frac{\sqrt{10}}{\sqrt{90}}$$

REF: 082206geo

14 ANS: 4 REF: 012501geo

15 ANS: 2

$$x_0 = \frac{kx_1 - x_2}{k - 1} = \frac{\frac{1}{3}(-4) - 0}{\frac{1}{3} - 1} = \frac{-\frac{4}{3}}{-\frac{2}{3}} = 2 \quad y_0 = \frac{ky_1 - y_2}{k - 1} = \frac{\frac{1}{3}(0) - -2}{\frac{1}{3} - 1} = \frac{2}{-\frac{2}{3}} = -3$$


REF: 062313geo

16 ANS:

No, because dilations do not preserve distance.

REF: 061925geo

17 ANS:



A dilation preserves slope, so the slopes of \overline{QR} and $\overline{Q'R'}$ are equal. Because the slopes are equal, $\overline{Q'R'} \parallel \overline{QR}$.

REF: 011732geo

18 ANS:

A dilation of 3 centered at A . A dilation preserves angle measure, so the triangles are similar.

REF: 011832geo

19 ANS:

$A(-2, 1) \rightarrow (-3, -1) \rightarrow (-6, -2) \rightarrow (-5, 0)$, $B(0, 5) \rightarrow (-1, 3) \rightarrow (-2, 6) \rightarrow (-1, 8)$,
 $C(4, -1) \rightarrow (3, -3) \rightarrow (6, -6) \rightarrow (7, -4)$

REF: 061826geo