

F.TF.C.8: Finding the Terminal Side of an Angle 1

- 1 If $\sin \theta > 0$ and $\sec \theta < 0$, in which quadrant does the terminal side of angle θ lie?
 - 1) I
 - 2) II
 - 3) III
 - 4) IV
- 2 If $\sin \theta < 0$ and $\cot \theta > 0$, in which quadrant does the terminal side of angle θ lie?
 - 1) I
 - 2) II
 - 3) III
 - 4) IV
- 3 If the tangent of an angle is negative and its secant is positive, in which quadrant does the angle terminate?
 - 1) I
 - 2) II
 - 3) III
 - 4) IV
- 4 If $\sin \theta$ is negative and $\cos \theta$ is negative, in which quadrant does the terminal side of θ lie?
 - 1) I
 - 2) II
 - 3) III
 - 4) IV
- 5 If $\sec x < 0$ and $\cot x < 0$, in which quadrant does the terminal side of angle x lie?
 - 1) I
 - 2) II
 - 3) III
 - 4) IV
- 6 If $\sec x < 0$ and $\tan x < 0$, then the terminal side of angle x is located in Quadrant
 - 1) I
 - 2) II
 - 3) III
 - 4) IV
- 7 If $\sin A < 0$ and $\tan A > 0$, in which quadrant does the terminal side of $\angle A$ lie?
 - 1) I
 - 2) II
 - 3) III
 - 4) IV
- 8 If $\sin \theta$ is less than 0 and $\sec \theta$ is greater than 0, in which quadrant does the terminal side of θ lie?
 - 1) I
 - 2) II
 - 3) III
 - 4) IV

- 9 If $\cos \theta > 0$ and $\csc \theta < 0$, in which quadrant does the terminal side of θ lie?
- I
 - II
 - III
 - IV
- 10 If $\sin A > 0$ and $(\sin A)(\cos A) < 0$, in which quadrant does $\angle A$ terminate?
- I
 - II
 - III
 - IV
- 11 If $\tan \theta = 2.7$ and $\csc \theta < 0$, in which quadrant does θ lie?
- I
 - II
 - III
 - IV
- 12 If $\cos x = -0.7$ and $\csc x > 0$, the terminal side of angle x is located in Quadrant
- I
 - II
 - III
 - IV
- 13 If $\cos x = -\frac{4}{5}$ and $\tan x > 0$, then $\angle x$ terminates in Quadrant
- I
 - II
 - III
 - IV
- 14 If $\tan x = -3$ and $\sin x > 0$, then angle x terminates in Quadrant
- I
 - II
 - III
 - IV
- 15 If $\tan x = -\frac{3}{2}$ and $\cos x > 0$, then angle x terminates in Quadrant
- I
 - II
 - III
 - IV
- 16 If $\sin x = -\frac{1}{3}$ and $\sin x \cos x > 0$, in which quadrant does angle x lie?
- I
 - II
 - III
 - IV
- 17 If $\sin A = -\frac{5}{13}$ and $\cos A > 0$, angle A terminates in Quadrant
- I
 - II
 - III
 - IV

18 If $\cos x = -\frac{\sqrt{2}}{2}$, in which quadrants could $\angle x$

terminate?

- 1) I and IV
- 2) I and III
- 3) II and IV
- 4) II and III

19 If $\tan x = -\sqrt{3}$, in which quadrants could angle x terminate?

- 1) I and III
- 2) II and III
- 3) II and IV
- 4) III and IV

20 If $\sin \theta = \frac{1 - \sqrt{17}}{4}$, then angle θ lies in which quadrants?

- 1) I and II, only
- 2) II and IV, only
- 3) III and IV, only
- 4) I, II, III, and IV

21 If $\tan \theta = \frac{1 + \sqrt{3}}{4}$, then angle θ may terminate in

Quadrants

- 1) I or III, only
- 2) II or IV, only
- 3) III or IV, only
- 4) I, II, III, or IV

22 If $\sin \theta = \cos \theta$, in which quadrants may angle θ terminate?

- 1) I, II
- 2) II, III
- 3) I, III
- 4) I, IV

23 If $(\sec x - 2)(2 \sec x - 1) = 0$, then x terminates in

- 1) Quadrant I, only
- 2) Quadrants I and II, only
- 3) Quadrants I and IV, only
- 4) Quadrants I, II, III, and IV

24 Which functions are positive for angles terminating in Quadrant II?

- 1) sine and cosine
- 2) sine and secant
- 3) sine and tangent
- 4) sine and cosecant

25 Which trigonometric function is positive in Quadrant IV?

- 1) $\sin x$
- 2) $\sec x$
- 3) $\csc x$
- 4) $\cot x$

26 An angle, P , drawn in standard position, terminates in Quadrant II if

- 1) $\cos P < 0$ and $\csc P < 0$
- 2) $\sin P > 0$ and $\cos P > 0$
- 3) $\csc P > 0$ and $\cot P < 0$
- 4) $\tan P < 0$ and $\sec P > 0$

F.TF.C.8: Finding the Terminal Side of an Angle 1

Answer Section

1 ANS: 2

If $\sin \theta > 0$, then the terminal side of θ lies in either Quadrant I or II. If $\sec \theta < 0$, then $\cos \theta < 0$ and the terminal side of θ lies in either Quadrant II or III.

REF: 060302b

2 ANS: 3 REF: 061412a2

3 ANS: 4

If the secant of an angle is positive, the cosine of the angle is positive and the terminal side of the angle lies in either Quadrant I or IV. If the tangent of an angle is negative, then the signs of the cosine and sine of that angle must be opposite. Since the cosine of the angle is positive, the sine of the angle must be negative and the terminal side of the angle lies in either Quadrant III or IV.

REF: 080410b

4 ANS: 3

If $\sin \theta$ is negative, the terminal side of θ lies in either Quadrant III or IV. If $\cos \theta$ is negative, the terminal side of θ lies in either Quadrant II or III.

REF: 060502b

5 ANS: 2 REF: 010432siii

6 ANS: 2 REF: 080035siii

7 ANS: 3 REF: 080112siii

8 ANS: 4 REF: 060226siii

9 ANS: 4 REF: 080321siii

10 ANS: 2 REF: 019718siii

11 ANS: 3

If the cosecant of an angle is negative, the sine of the angle is negative and the terminal side of the angle lies in either Quadrant III or IV. If the tangent of an angle is positive, then the signs of the cosine and sine of that angle must be the same. Since the sine of the angle is negative, the cosine of the angle must also be negative and the terminal side of the angle lies in either Quadrant II or III.

REF: 060609b

12 ANS: 2 REF: 011008b

13 ANS: 3 REF: 068132siii

14 ANS: 2 REF: 018526siii

15 ANS: 4 REF: 068823siii

16 ANS: 3 REF: 069028siii

17 ANS: 4 REF: 010217siii

18 ANS: 4 REF: 069823siii

19 ANS: 3 REF: 089921siii

20 ANS: 3 REF: 068029siii

21 ANS: 1 REF: 088717siii

22 ANS: 3 REF: 068725siii

23 ANS: 3

$$(\sec x - 2)(2 \sec x - 1) = 0$$

$$\sec x - 2 = 0 \quad 2 \sec x - 1 = 0$$

$$\sec x = 2 \quad \sec x = \frac{1}{2}$$

$$\cos x = \frac{1}{2} \quad \cos x = 2$$

$$x = \cos^{-1}\left(\frac{1}{2}\right) \quad \cos x = 2 \text{ has no solution}$$

$$x = 60^\circ, 300^\circ$$

REF: 010317b

24 ANS: 4

Sine and its reciprocal, cosecant, are positive for angles terminating in Quadrant II.

REF: 080909b

25 ANS: 2

REF: 080220siii

26 ANS: 3

If $\csc P > 0$, $\sin P > 0$. If $\cot P < 0$ and $\sin P > 0$, $\cos P < 0$

REF: 061320a2