E

B

> D

Which method can be used to prove  $\triangle ABC \cong \triangle DEF?$ 

1 In the diagram of  $\triangle ABC$  and  $\triangle DEF$  below,

 $\overline{AB} \cong \overline{DE}$ ,  $\angle A \cong \angle D$ , and  $\angle B \cong \angle E$ .

А

SSS 1)

C

2) SAS

www.jmap.org

**G.SRT.B.5:** Triangle Proofs 1

- 3) ASA
- 4) HL
- 2 As shown in the diagram below,  $\overline{AC}$  bisects  $\angle BAD$ and  $\angle B \cong \angle D$ .

D



Which method could be used to prove  $\triangle ABC \cong \triangle ADC?$ 

- 1) SSS
- 2) AAA
- 3) SAS
- 4) AAS

3 In the diagram below of  $\triangle DAE$  and  $\triangle BCE$ ,  $\overline{AB}$ and  $\overline{CD}$  intersect at *E*, such that  $\overline{AE} \cong \overline{CE}$  and  $\angle BCE \cong \angle DAE.$ 



Triangle *DAE* can be proved congruent to triangle BCE by

- 1) ASA
- 2) SAS
- 3) SSS
- HL4)

1

Regents Exam Questions G.SRT.B.5: Triangle Proofs 1

Name:

2

Regents Exam Questions G.SRT.B.5: Triangle Proofs 1 www.jmap.org

4 In the accompanying diagram of  $\triangle ABC$ ,  $\overline{AB} \cong \overline{AC}$ ,  $\overline{BD} = \frac{1}{3}\overline{BA}$ , and  $\overline{CE} = \frac{1}{3}\overline{CA}$ .



Triangle *EBC* can be proved congruent to triangle *DCB* by

- 1) SAS  $\cong$  SAS
- 2)  $ASA \cong ASA$
- 3) SSS  $\cong$  SSS
- 4)  $HL \cong HL$
- 5 In the accompanying diagram,  $\overline{HK}$  bisects  $\overline{IL}$  and  $\angle H \cong \angle K$ .



What is the most direct method of proof that could be used to prove  $\triangle HIJ \cong \triangle KLJ$ ?

- 1)  $HL \cong HL$
- 2) SAS  $\cong$  SAS
- 3)  $AAS \cong AAS$
- 4)  $ASA \cong ASA$

6 In the accompanying diagram,  $\overline{CA} \perp \overline{AB}$ ,  $\overline{ED} \perp \overline{DF}$ ,  $\overline{ED} \parallel \overline{AB}$ ,  $\overline{CE} \cong \overline{BF}$ ,  $\overline{AB} \cong \overline{ED}$ , and  $m \angle CAB = m \angle FDE = 90$ .

Name:



Which statement would *not* be used to prove  $\triangle ABC \cong \triangle DEF$ ?

- 1) SSS  $\cong$  SSS
- 2) SAS  $\cong$  SAS
- 3)  $AAS \cong AAS$
- 4)  $HL \cong HL$
- 7 In the accompanying diagram of parallelogram  $ABCD, \overline{DE} \cong \overline{BF}.$



Triangle *EGC* can be proved congruent to triangle *FGA* by

- 1)  $HL \cong HL$
- 2)  $AAA \cong AAA$
- 3)  $AAS \cong AAS$
- 4) SSA  $\cong$  SSA

- 2)  $\overline{AT} \cong \overline{LU}$
- 3)  $\angle A \cong \angle U$
- 4)  $\overline{BA} \parallel \overline{FL}$
- 11 In the diagram below of  $\triangle AGE$  and  $\triangle OLD$ ,  $\angle GAE \cong \angle LOD$ , and  $\overline{AE} \cong \overline{OD}$ .

G

Which statement is needed to prove



To prove that  $\triangle AGE$  and  $\triangle OLD$  are congruent by SAS, what other information is needed?

- 1)  $GE \cong LD$
- 2)  $\overline{AG} \cong \overline{OL}$
- 3)  $\angle AGE \cong \angle OLD$
- 4)  $\angle AEG \cong \angle ODL$



Regents Exam Questions G.SRT.B.5: Triangle Proofs 1

D F C

Which triangle congruence method would prove that  $\triangle EMB \sim \triangle FMD$ ?

1) ASA, only

bisects  $\overline{DB}$  at M.

www.jmap.org

- 2) AAS, only
- 3) both ASA and AAS
- 4) neither ASA nor AAS
- 9 In the diagram of quadrilateral ABCD,  $\overline{AB} \parallel \overline{CD}$ ,  $\angle ABC \cong \angle CDA$ , and diagonal  $\overline{AC}$  is drawn.



Which method can be used to prove  $\triangle ABC$  is congruent to  $\triangle CDA$ ?

- 1) AAS
- 2) SSA
- 3) SAS
- 4) SSS

10 In the accompanying diagram of triangles *BAT* and *FLU*,  $\angle B \cong \angle F$  and  $\overline{BA} \cong \overline{FL}$ .



Name:

Regents Exam Questions G.SRT.B.5: Triangle Proofs 1 www.jmap.org

Name:

12 Given:  $\triangle ABE$  and  $\triangle CBD$  shown in the diagram below with  $\overline{DB} \cong \overline{BE}$ 



Which statement is needed to prove  $\triangle ABE \cong \triangle CBD$  using only SAS  $\cong$  SAS?

- 1)  $\angle CDB \cong \angle AEB$
- $2) \quad \angle AFD \cong \angle EFC$
- 3)  $\overline{AD} \cong \overline{CE}$
- 4)  $\overline{AE} \cong \overline{CD}$
- 13 Given:  $\overline{AE}$  bisects  $\overline{BD}$  at C $\overline{AB}$  and  $\overline{DE}$  are drawn  $\angle ABC \cong \angle EDC$



Which statement is needed to prove  $\triangle ABC \cong \triangle EDC$  using ASA?

- 1)  $\angle ABC$  and  $\angle EDC$  are right angles.
- 2)  $\overline{BD}$  bisects  $\overline{AE}$  at C.
- 3)  $\angle BCA \cong \angle DCE$
- 4)  $\angle DEC \cong \angle BAC$

14 In the diagram below,  $\overline{AKS}$ ,  $\overline{NKC}$ ,  $\overline{AN}$ , and  $\overline{SC}$  are drawn such that  $\overline{AN} \cong \overline{SC}$ .



Which additional statement is sufficient to prove  $\triangle KAN \cong \triangle KSC$  by AAS?

- 1)  $\overline{AS}$  and  $\overline{NC}$  bisect each other.
- 2) *K* is the midpoint of  $\overline{NC}$ .
- 3)  $\overline{AS} \perp \overline{CN}$
- 4)  $\overline{AN} \parallel \overline{SC}$
- 15 In the diagram below,  $\overline{AC}$  and  $\overline{BD}$  intersect at E.



Which information is always sufficient to prove  $\triangle ABE \cong \triangle CDE$ ?

- 1)  $\overline{AB} \parallel \overline{CD}$
- 2)  $\overline{AB} \cong \overline{CD}$  and  $\overline{BE} \cong \overline{DE}$
- 3) *E* is the midpoint of  $\overline{AC}$ .
- 4) BD and AC bisect each other.

Name:

Regents Exam Questions G.SRT.B.5: Triangle Proofs 1 www.jmap.org

16 In the diagram of triangles *ABD* and *CBE* below, sides  $\overline{AD}$  and  $\overline{CE}$  intersect at *F*, and  $\angle ADB \cong \angle CEB$ .



Which statement can *not* be proven?

- 1)  $\triangle ADB \cong \triangle CEB$
- 2)  $\angle EAF \cong \angle DCF$
- 3)  $\triangle ADB \sim \triangle CEB$
- 4)  $\triangle EAF \sim \triangle DCF$
- 17 In parallelogram *ABCD* shown below, diagonals  $\overline{AC}$  and  $\overline{BD}$  intersect at *E*.



Which statement must be true?

- 1)  $\overline{AC} \cong \overline{DB}$
- 2)  $\angle ABD \cong \angle CBD$
- 3)  $\triangle AED \cong \triangle CEB$
- 4)  $\triangle DCE \cong \triangle BCE$

18 Kelly is completing a proof based on the figure below.



She was given that  $\angle A \cong \angle EDF$ , and has already proven  $\overline{AB} \cong \overline{DE}$ . Which pair of corresponding parts and triangle congruency method would *not* prove  $\triangle ABC \cong \triangle DEF$ ?

- 1)  $\overline{AC} \cong \overline{DF}$  and SAS
- 2)  $\overline{BC} \cong \overline{EF}$  and SAS
- 3)  $\angle C \cong \angle F$  and AAS
- 4)  $\angle CBA \cong \angle FED$  and ASA

Regents Exam Questions G.SRT.B.5: Triangle Proofs 1 www.jmap.org

19 In the diagram below, four pairs of triangles are shown. Congruent corresponding parts are labeled in each pair.



Using only the information given in the diagrams, which pair of triangles can *not* be proven congruent?

- 1) A
- 2) *B*
- 3) C
- 4) D
- 20 Two right triangles must be congruent if
  - 1) an acute angle in each triangle is congruent
  - 2) the lengths of the hypotenuses are equal
  - 3) the corresponding legs are congruent
  - 4) the areas are equal
- 21 Which condition does *not* prove that two triangles are congruent?
  - 1) SSS  $\cong$  SSS
  - 2) SSA  $\cong$  SSA
  - 3) SAS  $\cong$  SAS
  - 4)  $ASA \cong ASA$

- 22 The diagonal AC is drawn in parallelogram ABCD. Which method can *not* be used to prove that  $\triangle ABC \cong \triangle CDA?$ 
  - 1) SSS
  - 2) SAS
  - 3) SSA
  - 4) ASA
- 23 Given  $\triangle PQR$  and  $\triangle LMN$  with  $\overline{PQ} \cong \overline{LM}$ , which additional statement is sufficient to always prove  $\triangle PQR \cong \triangle LMN$ ?
  - 1)  $QR \cong MN$  and  $\angle R \cong \angle N$
  - 2)  $QR \cong \overline{MN}$  and  $\angle Q \cong \angle M$
  - 3)  $\overline{QR} \cong \overline{MN}$  and  $\angle P \cong \angle L$
  - 4)  $\overline{QR} \cong \overline{MN}$  and  $\angle P \cong \angle M$
- 24 Which statements could be used to prove that  $\triangle ABC$  and  $\triangle A'B'C'$  are congruent?
  - 1)  $\overline{AB} \cong \overline{A'B'}, \ \overline{BC} \cong \overline{B'C'}, \ \text{and} \ \angle A \cong \angle A'$
  - 2)  $\overline{AB} \cong \overline{A'B'}$ ,  $\angle A \cong \angle A'$ , and  $\angle C \cong \angle C'$
  - 3)  $\angle A \cong \angle A', \angle B \cong \angle B', \text{ and } \angle C \cong \angle C'$
  - 4)  $\angle A \cong \angle A', \ \overline{AC} \cong \overline{A'C'}, \ \text{and} \ \overline{BC} \cong \overline{B'C'}$
- 25 In  $\triangle BAT$  and  $\triangle CRE$ ,  $\angle A \cong \angle R$  and  $\overline{BA} \cong \overline{CR}$ . Write *one* additional statement that could be used to prove that the two triangles are congruent. State the method that would be used to prove that the triangles are congruent.
- 26 In  $\triangle ABC$ , AB = 5, AC = 12, and  $m \angle A = 90^{\circ}$ . In  $\triangle DEF$ ,  $m \angle D = 90^{\circ}$ , DF = 12, and EF = 13. Brett claims  $\triangle ABC \cong \triangle DEF$  and  $\triangle ABC \sim \triangle DEF$ . Is Brett correct? Explain why.

Name:

## G.SRT.B.5: Triangle Proofs 1 Answer Section







REF: 060204b

## 5 ANS: 3

Because  $\overline{HK}$  bisects  $\overline{IL}$ ,  $\overline{JI} \cong \overline{JL}$ .  $\angle HJI$  and  $\angle KJL$  are congruent vertical angles. Since  $\angle H \cong \angle K$  is



given, AAS  $\cong$  AAS.

REF: 060420b

6 ANS: 1

Since  $\overline{ED} \parallel \overline{AB}$  and  $\overline{CEBF}$  is a transversal,  $\angle ABC$  and  $\angle DEF$  are alternate interior angles and congruent.



SSS  $\cong$  SSS can not be used because no statement is made that  $\overline{AC}$  and  $\overline{DF}$  are congruent.

- REF: 060320b
- 7 ANS: 3

 $\angle AGF$  and  $\angle CGE$  are congruent vertical angles. Because ABCD is a parallelogram,  $\overline{AB} \cong \overline{CD}$  and since  $\overline{DE} \cong \overline{BF}$ ,  $\overline{AF} \cong \overline{CE}$ . Because ABCD is a parallelogram,  $\overline{AB} \| \overline{CD}$  and since  $\overline{AGC}$  is a transversal,  $\angle CAB$ 



and  $\angle ACD$  are alternate interior angles and congruent. A F B . This problem can also be solved using elimination. Since they are not right triangles, HL does not apply, AAA only proves similarity and SSA does not prove congruence.

REF: 080310b





REF: 012423geo

17 ANS: 3



. Opposite sides of a parallelogram are congruent and the diagonals of a parallelogram

bisect each other.

- REF: 061222ge
- 18 ANS: 2 REF: 061709geo
- 19 ANS: 1 REF: 011412ge
- 20 ANS: 3

1) only proves AA; 2) need congruent legs for HL; 3) SAS; 4) only proves product of altitude and base is equal

REF: 061607geo

- 21 ANS: 2 REF: 080401b
- 22 ANS: 3 REF: 080913ge
- 23 ANS: 2 SAS

REF: 012505geo

24 ANS: 2

(2) is AAS, which proves congruency. (1) and (4) are SSA and (3) is AAA.

REF: 010306b

25 ANS:

 $\angle B \cong \angle C$  and ASA, or  $\angle T \cong \angle E$  and AAS, or  $\overline{AT} \cong \overline{RE}$  and SAS

REF: 011022b

26 ANS:

Yes.  $\triangle ABC$  and  $\triangle DEF$  are both 5-12-13 triangles and therefore congruent by SSS. All congruent triangles are similar.

REF: 012329geo