



Geometry Regents at Random Worksheets

- 1 On the set of axes below, $\triangle AB'C'$ is the image of $\triangle ABC$.



What is the scale factor and center of dilation that maps $\triangle ABC$ onto $\triangle AB'C'$?


- 1) $\frac{1}{2}$ and the origin
 - 2) 2 and the origin
 - 3) $\frac{1}{2}$ and vertex A
 - 4) 2 and vertex A
- 2 In the diagram below of parallelogram $ABCD$, \overline{AFGB} , \overline{CF} bisects $\angle DCB$, \overline{DG} bisects $\angle ADC$, and \overline{CF} and \overline{DG} intersect at E .



If $m\angle B = 75^\circ$, then the measure of $\angle EFA$ is

- 1) 142.5°
- 2) 127.5°
- 3) 52.5°
- 4) 37.5°


- 3 On the set of axes below, $\triangle ABC$ has vertices at $A(-2,0)$, $B(2,-4)$, $C(4,2)$, and $\triangle DEF$ has vertices at $D(4,0)$, $E(-4,8)$, $F(-8,-4)$.



Which sequence of transformations will map $\triangle ABC$ onto $\triangle DEF$?


- 1) a dilation of $\triangle ABC$ by a scale factor of 2 centered at point A
 - 2) a dilation of $\triangle ABC$ by a scale factor of $\frac{1}{2}$ centered at point A
 - 3) a dilation of $\triangle ABC$ by a scale factor of 2 centered at the origin, followed by a rotation of 180° about the origin
 - 4) a dilation of $\triangle ABC$ by a scale factor of $\frac{1}{2}$ centered at the origin, followed by a rotation of 180° about the origin
- 4 A child-sized swimming pool can be modeled by a cylinder. The pool has a diameter of $6\frac{1}{2}$ feet and a height of 12 inches. The pool is filled with water to $\frac{2}{3}$ of its height. Determine and state the volume of the water in the pool, to the nearest cubic foot. One cubic foot equals 7.48 gallons of water. Determine and state, to the nearest gallon, the number of gallons of water in the pool.

- 5 The diagram below shows triangle $\triangle ABC$ with point X on side \overline{AB} and point Y on side \overline{CB} .



Which information is sufficient to prove that $\triangle BXY \sim \triangle BAC$?

- 1) $\angle B$ is a right angle.
 - 2) \overline{XY} is parallel to \overline{AC} .
 - 3) $\triangle ABC$ is isosceles.
 - 4) $\overline{AX} \cong \overline{CY}$
- 6 A rhombus is graphed on the set of axes below.



Which transformation would carry the rhombus onto itself?


- 1) 180° rotation counterclockwise about the origin
- 2) reflection over the line $y = \frac{1}{2}x + 1$
- 3) reflection over the line $y = 0$
- 4) reflection over the line $x = 0$

- 7 If a rectangle is continuously rotated around one of its sides, what is the three-dimensional figure formed?

- 1) rectangular prism
- 2) cylinder
- 3) sphere
- 4) cone


- 8 A support wire reaches from the top of a pole to a clamp on the ground. The pole is perpendicular to the level ground and the clamp is 10 feet from the base of the pole. The support wire makes a 68° angle with the ground. Find the length of the support wire to the nearest foot.

- 9 The coordinates of the vertices of $\triangle ABC$ are $A(1,2)$, $B(-5,3)$, and $C(-6,-3)$. Prove that $\triangle ABC$ is isosceles. State the coordinates of point D such that quadrilateral $ABCD$ is a square. Prove that your quadrilateral $ABCD$ is a square. [The use of the set of axes below is optional.]




- 10 The equation of a circle is $x^2 + 8x + y^2 - 12y = 144$.
 What are the coordinates of the center and the length of the radius of the circle?
- 1) center $(4, -6)$ and radius 12
 - 2) center $(-4, 6)$ and radius 12
 - 3) center $(4, -6)$ and radius 14
 - 4) center $(-4, 6)$ and radius 14

- 11 Given: $\overline{HM} \cong \overline{AT}$,
 $\overline{HT} \cong \overline{AM}$, $\overline{HE} \perp \overline{MEA}$, and $\overline{HA} \perp \overline{AT}$



Prove: $TA \cdot HA = HE \cdot TH$


- 12 In right triangle MTH shown below, $m\angle H = 90^\circ$, $HT = 8$, and $HM = 5$.



Determine and state, to the nearest tenth, the volume of the three-dimensional solid formed by rotating $\triangle MTH$ continuously around \overline{MH} .


- 13 If one exterior angle of a triangle is acute, then the triangle must be
- 1) right
 - 2) acute
 - 3) obtuse
 - 4) equiangular

- 14 A manufacturer is designing a new container for their chocolate-covered almonds. Their original container was a cylinder with a height of 18 cm and a diameter of 14 cm. The new container can be modeled by a rectangular prism with a square base and will contain the same amount of chocolate-covered almonds.



If the new container's height is 16 cm, determine and state, to the nearest tenth of a centimeter, the side length of the new container if both containers contain the same amount of almonds. A store owner who sells the chocolate-covered almonds displays them on a shelf whose dimensions are 80 cm long and 60 cm wide. The shelf can only hold one layer of new containers when each new container sits on its square base. Determine and state the maximum number of new containers the store owner can fit on the shelf.


- 15 In the diagram below of right triangle KMI , altitude \overline{IG} is drawn to hypotenuse \overline{KM} .



If $KG = 9$ and $IG = 12$, the length of \overline{IM} is


- 1) 15
- 2) 16
- 3) 20
- 4) 25

- 16 David has just finished building his treehouse and still needs to buy a ladder to be attached to the ledge of the treehouse and anchored at a point on the ground, as modeled below. David is standing 1.3 meters from the stilt supporting the treehouse. This is the point on the ground where he has decided to anchor the ladder. The angle of elevation from his eye level to the bottom of the treehouse is 56 degrees. David's eye level is 1.5 meters above the ground.




Determine and state the minimum length of a ladder, to the *nearest tenth of a meter*, that David will need to buy for his treehouse.

- 17 An airplane took off at a constant angle of elevation. After the plane traveled for 25 miles, it reached an altitude of 5 miles, as modeled below.



To the *nearest tenth of a degree*, what was the angle of elevation?

- 19 In quadrilateral $ABCD$, E and F are points on \overline{BC} and \overline{AD} , respectively, and \overline{BGD} and \overline{EGF} are drawn such that $\angle ABG \cong \angle CDG$, $AB \cong CD$, and $CE \cong AF$.




Prove: $\overline{FG} \cong \overline{EG}$

- 18 The coordinates of the endpoints of \overline{QS} are $Q(-9,8)$ and $S(9,-4)$. Point R is on \overline{QS} such that $QR:RS$ is in the ratio of 1:2. What are the coordinates of point R ?
- 1) $(0,2)$
 - 2) $(3,0)$
 - 3) $(-3,4)$
 - 4) $(-6,6)$


- 20 Triangle JGR is similar to triangle MST . Which statement is *not* always true?
- 1) $\angle J \cong \angle M$
 - 2) $\angle G \cong \angle T$
 - 3) $\angle R \cong \angle T$
 - 4) $\angle G \cong \angle S$

- 21 In the diagram below of right triangle ABC , altitude \overline{BD} is drawn.



Which ratio is always equivalent to $\cos A$?


- 1) $\frac{AB}{BC}$
 - 2) $\frac{BD}{BC}$
 - 3) $\frac{BD}{AB}$
 - 4) $\frac{BC}{AC}$
- 22 In the diagram below, chords \overline{PQ} and \overline{RS} of circle O intersect at T .



Which relationship must always be true?

- 1) $RT = TQ$
- 2) $RT = TS$
- 3) $RT + TS = PT + TQ$
- 4) $RT \times TS = PT \times TQ$


- 23 On the set of axes below, $\triangle LET$ and $\triangle L''E''T''$ are graphed in the coordinate plane where $\triangle LET \cong \triangle L''E''T''$.



Which sequence of rigid motions maps $\triangle LET$ onto $\triangle L''E''T''$?


- 1) a reflection over the y -axis followed by a reflection over the x -axis
 - 2) a rotation of 180° about the origin
 - 3) a rotation of 90° counterclockwise about the origin followed by a reflection over the y -axis
 - 4) a reflection over the x -axis followed by a rotation of 90° clockwise about the origin
- 24 After a dilation centered at the origin, the image of \overline{CD} is $\overline{C'D'}$. If the coordinates of the endpoints of these segments are $C(6, -4)$, $D(2, -8)$, $C'(9, -6)$, and $D'(3, -12)$, the scale factor of the dilation is
- 1) $\frac{3}{2}$
 - 2) $\frac{2}{3}$
 - 3) 3
 - 4) $\frac{1}{3}$

- 25 In the diagram below, a right circular cone has a diameter of 10 and a slant height of 13.



Determine and state the volume of the cone, in terms of π .

- 26 Kayla was cutting right triangles from wood to use for an art project. Two of the right triangles she cut are shown below.



If $\triangle ABC \sim \triangle DEF$, with right angles B and E , $BC = 15$ cm, and $AC = 17$ cm, what is the measure of $\angle F$, to the nearest degree?


- 1) 28°
 - 2) 41°
 - 3) 62°
 - 4) 88°
- 27 Lou has a solid clay brick in the shape of a rectangular prism with a length of 8 inches, a width of 3.5 inches, and a height of 2.25 inches. If the clay weighs 1.055 oz/in^3 , how much does Lou's brick weigh, to the nearest ounce?
- 1) 66
 - 2) 64
 - 3) 63
 - 4) 60

- 28 Izzy is making homemade clay pendants in the shape of a solid hemisphere, as modeled below. Each pendant has a radius of 2.8 cm.




How much clay, to the nearest cubic centimeter, does Izzy need to make 100 pendants?

- 29 Scalene triangle JKL is drawn below.




If median \overline{LM} is drawn to side \overline{KJ} , which statement is always true?

- 1) $LM = KM$
 - 2) $KM = \frac{1}{2} KJ$
 - 3) $\overline{LM} \perp \overline{KJ}$
 - 4) $\angle KLM \cong \angle JLM$
- 30 In the diagram below, circle O has a radius of 10.



If $m\widehat{AB} = 72^\circ$, find the area of shaded sector AOB , in terms of π .

- 31 In the diagram below of $\triangle ACD$, \overline{DB} is a median to \overline{AC} , and $\overline{AB} \cong \overline{DB}$.




If $m\angle DAB = 32^\circ$, what is $m\angle BDC$?


- 1) 32°
 - 2) 52°
 - 3) 58°
 - 4) 64°
- 32 A line is dilated by a scale factor of $\frac{1}{3}$ centered at a point on the line. Which statement is correct about the image of the line?
- 1) Its slope is changed by a scale factor of $\frac{1}{3}$.
 - 2) Its y-intercept is changed by a scale factor of $\frac{1}{3}$.
 - 3) Its slope and y-intercept are changed by a scale factor of $\frac{1}{3}$.
 - 4) The image of the line and the pre-image are the same line.

- 33 An equation of line p is $y = \frac{1}{3}x + 4$. An equation of line q is $y = \frac{2}{3}x + 8$. Which statement about lines p and q is true?
- 1) A dilation of $\frac{1}{2}$ centered at the origin will map line q onto line p .
 - 2) A dilation of 2 centered at the origin will map line p onto line q .
 - 3) Line q is not the image of line p after a dilation because the lines are not parallel.
 - 4) Line q is not the image of line p after a dilation because the lines do not pass through the origin.

- 34 A triangle has vertices $A(-2,4)$, $B(6,2)$, and $C(1,-1)$. Prove that $\triangle ABC$ is an isosceles right triangle. [The use of the set of axes below is optional.]



- 35 Write an equation of the line that is parallel to the line whose equation is $3y + 7 = 2x$ and passes through the point $(2,6)$.
- 36 In right triangle PRT , $m\angle P = 90^\circ$, altitude \overline{PQ} is drawn to hypotenuse \overline{RT} , $RT = 17$, and $PR = 15$.



Determine and state, to the nearest tenth, the length of \overline{RQ} .

- 37 A concrete footing is a cylinder that is placed in the ground to support a building structure. The cylinder is 4 feet tall and 12 inches in diameter. A contractor is installing 10 footings.



If a bag of concrete mix makes $\frac{2}{3}$ of a cubic foot of concrete, determine and state the minimum number of bags of concrete mix needed to make all 10 footings.

- 38 The Pyramid of Memphis, in Tennessee, stands 107 yards tall and has a square base whose side is 197 yards long.




What is the volume of the Pyramid of Memphis, to the nearest cubic yard?

- 1) 751,818
- 2) 1,384,188
- 3) 2,076,212
- 4) 4,152,563

- 39 A 12-foot ladder leans against a building and reaches a window 10 feet above ground. What is the measure of the angle, to the nearest degree, that the ladder forms with the ground?

- 1) 34
- 2) 40
- 3) 50
- 4) 56


- 40 In the diagram below of right triangle ABC , altitude CD intersects hypotenuse AB at D .



Which equation is always true?

- 1) $\frac{AD}{AC} = \frac{CD}{BC}$
- 2) $\frac{AD}{CD} = \frac{BD}{CD}$
- 3) $\frac{AC}{CD} = \frac{BC}{CD}$
- 4) $\frac{AD}{AC} = \frac{AC}{BD}$


- 41 On the set of axes below, pentagon $ABCDE$ is congruent to $A''B''C''D''E''$.




Which describes a sequence of rigid motions that maps $ABCDE$ onto $A''B''C''D''E''$?

- 1) a rotation of 90° counterclockwise about the origin followed by a reflection over the x -axis
 - 2) a rotation of 90° counterclockwise about the origin followed by a translation down 7 units
 - 3) a reflection over the y -axis followed by a reflection over the x -axis
 - 4) a reflection over the x -axis followed by a rotation of 90° counterclockwise about the origin
- 42 Which regular polygon has a minimum rotation of 36° about its center that carries the polygon onto itself?
- 1) pentagon
 - 2) octagon
 - 3) nonagon
 - 4) decagon
- 43 In $\triangle RST$, $m\angle S = 135$, $r = 27$, and $t = 19$. What is the area of $\triangle RST$ to the nearest tenth of a square unit?
- 1) 90.7
 - 2) 181.4
 - 3) 256.5
 - 4) 362.7

- 44 Quadrilateral $NATS$ has coordinates $N(-4, -3)$, $A(1, 2)$, $T(8, 1)$, and $S(3, -4)$. Prove quadrilateral $NATS$ is a rhombus. [The use of the set of axes below is optional.]




- 45 In the diagram of $\triangle ABC$ below, $m\angle C = 90^\circ$, $CB = 13$, and $AB = 16$.



What is the measure of $\angle A$, to the nearest degree?


- 1) 36°
- 2) 39°
- 3) 51°
- 4) 54°

- 46 On the set of axes below, $\triangle ABC$ is graphed with coordinates $A(-2,-1)$, $B(3,-1)$, and $C(-2,-4)$. Triangle QRS , the image of $\triangle ABC$, is graphed with coordinates $Q(-5,2)$, $R(-5,7)$, and $S(-8,2)$.



Describe a sequence of transformations that would map $\triangle ABC$ onto $\triangle QRS$.

- 47 In circle B below, diameter \overline{RT} , radius \overline{BE} , and chord \overline{RE} are drawn.




If $m\angle TRE = 15^\circ$ and $BE = 9$, then the area of sector EBR is

- 1) 3.375π
- 2) 6.75π
- 3) 33.75π
- 4) 37.125π

- 48 Jaden is comparing two cones. The radius of the base of cone A is twice as large as the radius of the base of cone B . The height of cone B is twice the height of cone A . The volume of cone A is
- 1) twice the volume of cone B
 - 2) four times the volume of cone B
 - 3) equal to the volume of cone B
 - 4) equal to half the volume of cone B


- 49 In parallelogram $PQRS$, \overline{QP} is extended to point T and \overline{ST} is drawn.



If $\overline{ST} \cong \overline{SP}$ and $m\angle R = 130^\circ$, what is $m\angle PST$?


- 1) 130°
- 2) 80°
- 3) 65°
- 4) 50°

- 50 As modeled below, a projector mounted on a ceiling is 3.74 m from a wall, where a whiteboard is displayed. The vertical distance from the ceiling to the top of the whiteboard is 0.41 m, and the height of the whiteboard is 1.17 m.



Determine and state the projection angle, θ , to the nearest tenth of a degree.


- 51 The square pyramid below models a toy block made of maple wood.




Each side of the base measures 4.5 cm and the height of the pyramid is 10 cm. If the density of maple is 0.676 g/cm^3 , what is the mass of the block, to the nearest tenth of a gram?

- 1) 45.6
 - 2) 67.5
 - 3) 136.9
 - 4) 202.5
- 52 In rhombus $VENU$, diagonals \overline{VN} and \overline{EU} intersect at S . If $VN = 12$ and $EU = 16$, what is the perimeter of the rhombus?
- 1) 80
 - 2) 40
 - 3) 20
 - 4) 10
- 53 What is the volume, in cubic centimeters, of a right square pyramid with base edges that are 64 cm long and a slant height of 40 cm?
- 1) $8192.0\overline{3}$
 - 2) $13,653.\overline{3}$
 - 3) $32,768.0\overline{3}$
 - 4) $54,613.\overline{3}$

- 54 Given circle O with radius \overline{OA} , use a compass and straightedge to construct an equilateral triangle inscribed in circle O . [Leave all construction marks.]




- 55 Triangle PQR is shown on the set of axes below.



Which quadrant will contain point R'' , the image of point R , after a 90° clockwise rotation centered at $(0,0)$ followed by a reflection over the x -axis?

- 1) I
- 2) II
- 3) III
- 4) IV

- 56 Nick wanted to determine the length of one blade of the windmill pictured below. He stood at a point on the ground 440 feet from the windmill's base. Using surveyor's tools, Nick measured the angle between the ground and the highest point reached by the top blade and found it was 38.8° . He also measured the angle between the ground and the lowest point of the top blade, and found it was 30° .




Determine and state a blade's length, x , to the nearest foot.

- 57 A tent is in the shape of a right pyramid with a square floor. The square floor has side lengths of 8 feet. If the height of the tent at its center is 6 feet, what is the volume of the tent, in cubic feet?
- 1) 48
 - 2) 128
 - 3) 192
 - 4) 384


- 58 If the line represented by $y = -\frac{1}{4}x - 2$ is dilated by a scale factor of 4 centered at the origin, which statement about the image is true?
- 1) The slope is $-\frac{1}{4}$ and the y -intercept is -8 .
 - 2) The slope is $-\frac{1}{4}$ and the y -intercept is -2 .
 - 3) The slope is -1 and the y -intercept is -8 .
 - 4) The slope is -1 and the y -intercept is -2 .

- 59 Parallelogram $ABCD$ is adjacent to rhombus $DEFG$, as shown below, and \overline{FC} intersects \overline{AGD} at H .



If $m\angle B = 118^\circ$ and $m\angle AHC = 138^\circ$, determine and state $m\angle GFH$.


- 60 Circle P with center at $(3,2)$ and passing through $A(0,6)$ is graphed on the set of axes below.



An equation of circle P is


- 1) $(x + 3)^2 + (y + 2)^2 = 5$
- 2) $(x + 3)^2 + (y + 2)^2 = 25$
- 3) $(x - 3)^2 + (y - 2)^2 = 5$
- 4) $(x - 3)^2 + (y - 2)^2 = 25$

- 61 As shown in the diagram below, the radius of a cone is 2.5 cm and its slant height is 6.5 cm.



How many cubic centimeters are in the volume of the cone?


- 1) 12.5π
 - 2) 13.5π
 - 3) 30.0π
 - 4) 37.5π
- 62 In the diagram below of circle O , tangent \overline{AB} is drawn from external point B , and secant \overline{BCOE} and diameter \overline{AOD} are drawn.



If $m\angle OBA = 36^\circ$ and $OC = 10$, what is the area of shaded sector DOE ?

- 1) $\frac{3\pi}{10}$
- 2) 3π
- 3) 10π
- 4) 15π

- 63 In the diagram below of $\triangle AED$ and \overline{ABCD} , $\overline{AE} \cong \overline{DE}$.




Which statement is always true?

- 1) $\overline{EB} \cong \overline{EC}$
 - 2) $\overline{AC} \cong \overline{DB}$
 - 3) $\angle EBA \cong \angle ECD$
 - 4) $\angle EAC \cong \angle EDB$
- 64 If scalene triangle XYZ is similar to triangle QRS and $m\angle X = 90^\circ$, which equation is always true?
- 1) $\sin Y = \sin S$
 - 2) $\cos R = \cos Z$
 - 3) $\cos Y = \sin Q$
 - 4) $\sin R = \cos Z$
- 65 Given \overline{MT} below, use a compass and straightedge to construct a 45° angle whose vertex is at point M . [Leave all construction marks.]




- 66 In the diagram below of right triangle BAL , altitude \overline{AD} is drawn to hypotenuse \overline{BL} . The length of \overline{AD} is 6.



If the length of \overline{DL} is four times the length of \overline{BD} , determine and state the length of \overline{BD} .

- 67 In $\triangle ABC$, $m\angle A = 120$, $b = 10$, and $c = 18$. What is the area of $\triangle ABC$ to the nearest square inch?
- 1) 52
 - 2) 78
 - 3) 90
 - 4) 156


- 68 In the diagram of quadrilateral $NAVY$ below, $m\angle YNA = 30^\circ$, $m\angle YAN = 38^\circ$, $m\angle AVY = 94^\circ$, and $m\angle VAY = 46^\circ$.



Which segment has the shortest length?

- 1) \overline{AY}
- 2) \overline{NY}
- 3) \overline{VA}
- 4) \overline{VY}

- 69 In non-right triangle ABC shown below, $AC = 5$ in, $BC = 8$ in, and $m\angle C = 57^\circ$.




What is the area of $\triangle ABC$, to the nearest tenth of a square inch?


- 1) 10.9
 - 2) 16.8
 - 3) 21.8
 - 4) 33.5
- 70 Point M divides \overline{AB} so that $AM:MB = 1:2$. If A has coordinates $(-1, -3)$ and B has coordinates $(8, 9)$, the coordinates of M are
- 1) $(2, 1)$
 - 2) $\left(\frac{5}{3}, 0\right)$
 - 3) $(5, 5)$
 - 4) $\left(\frac{23}{3}, 8\right)$

- 71 A 15-foot ladder leans against a wall and makes an angle of 65° with the ground. What is the horizontal distance from the wall to the base of the ladder, to the nearest tenth of a foot?
- 1) 6.3
 - 2) 7.0
 - 3) 12.9
 - 4) 13.6

- 72 Determine and state the area of triangle PQR , whose vertices have coordinates $P(-2, -5)$, $Q(3, 5)$, and $R(6, 1)$. [The use of the set of axes below is optional.]




- 73 In right triangle RST below, altitude \overline{SV} is drawn to hypotenuse \overline{RT} .



If $RV = 4.1$ and $TV = 10.2$, what is the length of \overline{ST} , to the nearest tenth?

- 1) 6.5
- 2) 7.7
- 3) 11.0
- 4) 12.1


- 74 Triangles ABC and DEF are graphed on the set of axes below.



Which sequence of rigid motions maps $\triangle ABC$ onto $\triangle DEF$?


- 1) A reflection over $y = -x + 2$.
- 2) A point reflection through $(0, 2)$.
- 3) A translation 2 units left followed by a reflection over the x -axis.
- 4) A translation 4 units down followed by a reflection over the y -axis.

- 75 On the set of axes below, $\triangle ABC \cong \triangle DEF$.



Describe a sequence of rigid motions that maps $\triangle ABC$ onto $\triangle DEF$.


- 76 The Leaning Tower of Pisa in Italy is known for its slant, which occurred after its construction began. The angle of the slant is 86.03° from the ground. The low side of the tower reaches a height of 183.27 feet from the ground.



Determine and state the slant height, x , of the low side of the tower, to the *nearest hundredth of a foot*.


- 77 In quadrilateral $QRST$, diagonals \overline{QS} and \overline{RT} intersect at M . Which statement would always prove quadrilateral $QRST$ is a parallelogram?
- 1) $\angle TQR$ and $\angle QRS$ are supplementary.
 - 2) $\overline{QM} \cong \overline{SM}$ and $\overline{QT} \cong \overline{RS}$
 - 3) $\overline{QR} \cong \overline{TS}$ and $\overline{QT} \cong \overline{RS}$
 - 4) $\overline{QR} \cong \overline{TS}$ and $\overline{QT} \parallel \overline{RS}$
- 78 Quadrilateral $MATH$ is congruent to quadrilateral $WXYZ$. Which statement is always true?
- 1) $MA = XY$
 - 2) $m\angle H = m\angle W$
 - 3) Quadrilateral $WXYZ$ can be mapped onto quadrilateral $MATH$ using a sequence of rigid motions.
 - 4) Quadrilateral $MATH$ and quadrilateral $WXYZ$ are the same shape, but not necessarily the same size.

- 79 On the set of axes below, triangle ABC is graphed. Triangles $A'B'C'$ and $A''B''C''$, the images of triangle ABC , are graphed after a sequence of rigid motions.




Identify which sequence of rigid motions maps $\triangle ABC$ onto $\triangle A'B'C'$ and then maps $\triangle A'B'C'$ onto $\triangle A''B''C''$.

- 1) a rotation followed by another rotation
 - 2) a translation followed by a reflection
 - 3) a reflection followed by a translation
 - 4) a reflection followed by a rotation
- 80 In the diagram below, $\triangle ABE \cong \triangle CBD$.



Prove: $\triangle AFD \cong \triangle CFE$

- 81 On the set of axes below, \overline{AB} is dilated by a scale factor of $\frac{5}{2}$ centered at point P .




Which statement is always true?

- 1) $\overline{PA} \cong \overline{AA'}$
 - 2) $\overline{AB} \parallel \overline{A'B'}$
 - 3) $AB = A'B'$
 - 4) $\frac{5}{2}(A'B') = AB$
- 82 What is an equation of a circle whose center is at $(2, -4)$ and is tangent to the line $x = -2$?
- 1) $(x - 2)^2 + (y + 4)^2 = 4$
 - 2) $(x - 2)^2 + (y + 4)^2 = 16$
 - 3) $(x + 2)^2 + (y - 4)^2 = 4$
 - 4) $(x + 2)^2 + (y - 4)^2 = 16$
- 83 What are the coordinates of the center and the length of the radius of the circle whose equation is $x^2 + y^2 = 8x - 6y + 39$?
- 1) center $(-4, 3)$ and radius 64
 - 2) center $(4, -3)$ and radius 64
 - 3) center $(-4, 3)$ and radius 8
 - 4) center $(4, -3)$ and radius 8

- 84 For the acute angles in a right triangle, $\sin(4x)^\circ = \cos(3x + 13)^\circ$. What is the number of degrees in the measure of the *smaller* angle?
- 1) 11°
 - 2) 13°
 - 3) 44°
 - 4) 52°

- 85 Triangle $A'B'C'$ is the image of triangle ABC after a dilation with a scale factor of $\frac{1}{2}$ and centered at point A . Is triangle ABC congruent to triangle $A'B'C'$? Explain your answer.


- 86 In triangle ABC below, D is a point on \overline{AB} and E is a point on \overline{AC} , such that $\overline{DE} \parallel \overline{BC}$.



Which statement is always true?

- 1) $\angle ADE$ and $\angle ABC$ are right angles.
 - 2) $\triangle ADE \sim \triangle ABC$
 - 3) $DE = \frac{1}{2}BC$
 - 4) $\overline{AD} \cong \overline{DB}$
- 87 Triangles JOE and SAM are drawn such that $\angle E \cong \angle M$ and $\overline{EJ} \cong \overline{MS}$. Which mapping would *not* always lead to $\triangle JOE \cong \triangle SAM$?
- 1) $\angle J$ maps onto $\angle S$
 - 2) $\angle O$ maps onto $\angle A$
 - 3) \overline{EO} maps onto \overline{MA}
 - 4) \overline{JO} maps onto \overline{SA}


- 88 On the set of axes below, $\triangle ABC \cong \triangle STU$.



Describe a sequence of rigid motions that maps $\triangle ABC$ onto $\triangle STU$.

- 89 In right triangle ABC , $m\angle C = 90^\circ$ and $AC \neq BC$. Which trigonometric ratio is equivalent to $\sin B$?
- 1) $\cos A$
 - 2) $\cos B$
 - 3) $\tan A$
 - 4) $\tan B$

- 90 A packing box for baseballs is the shape of a rectangular prism with dimensions of $2 \text{ ft} \times 1 \text{ ft} \times 18 \text{ in}$. Each baseball has a diameter of 2.94 inches.




Determine and state the maximum number of baseballs that can be packed in the box if they are stacked in layers and each layer contains an equal number of baseballs. The weight of a baseball is approximately 0.025 pound per cubic inch. Determine and state, to the *nearest pound*, the total weight of all the baseballs in the fully packed box.

- 91 A cone has a volume of 108π and a base diameter of 12. What is the height of the cone?

- 1) 27
- 2) 9
- 3) 3
- 4) 4

- 92 In the diagram below, $\triangle CDE$ is the image of $\triangle CAB$ after a dilation of $\frac{DE}{AB}$ centered at C .



Which statement is always true?


- 1) $\sin A = \frac{CE}{CD}$
- 2) $\cos A = \frac{CD}{CE}$
- 3) $\sin A = \frac{DE}{CD}$
- 4) $\cos A = \frac{DE}{CE}$

- 93 Theresa has a rectangular pool 30 ft long, 15 ft wide, and 4 ft deep. Theresa fills her pool using city water at a rate of \$3.95 per 100 gallons of water. Nancy has a circular pool with a diameter of 24 ft and a depth of 4 ft. Nancy fills her pool with a water delivery service at a rate of \$200 per 6000 gallons. If Theresa and Nancy both fill their pools 6 inches from the top of the pool, determine and state who paid more to fill her pool.
[1ft³ water = 7.48 gallons]


- 94 What is the volume of a hemisphere that has a diameter of 12.6 cm, to the *nearest tenth of a cubic centimeter*?

- 1) 523.7
- 2) 1047.4
- 3) 4189.6
- 4) 8379.2

- 95 Use a compass and straightedge to construct a line parallel to \overleftrightarrow{AB} through point C , shown below. [Leave all construction marks.]




- 96 On the set of axes below, $\triangle ABC$, altitude \overline{CG} , and median \overline{CM} are drawn.



Which expression represents the area of $\triangle ABC$?

- 1) $\frac{(BC)(AC)}{2}$
- 2) $\frac{(GC)(BC)}{2}$
- 3) $\frac{(CM)(AB)}{2}$
- 4) $\frac{(GC)(AB)}{2}$


- 97 Triangles ABC and RST are graphed on the set of axes below.



Which sequence of rigid motions will prove $\triangle ABC \cong \triangle RST$?


- 1) a line reflection over $y = x$
- 2) a rotation of 180° centered at $(1,0)$
- 3) a line reflection over the x -axis followed by a translation of 6 units right
- 4) a line reflection over the x -axis followed by a line reflection over $y = 1$

- 98 In the diagram below of circle O , chords \overline{AD} and \overline{BC} intersect at E , and chords \overline{AB} and \overline{CD} are drawn.



Which statement must always be true?

- 1) $\overline{AB} \cong \overline{CD}$
 - 2) $\overline{AD} \cong \overline{BC}$
 - 3) $\angle B \cong \angle C$
 - 4) $\angle A \cong \angle C$
- 99 In the diagram below, lines k and ℓ intersect lines m and n at points A , B , C , and D .



Which statement is sufficient to prove $ABCD$ is a parallelogram?

- 1) $\angle 1 \cong \angle 3$
- 2) $\angle 4 \cong \angle 7$
- 3) $\angle 2 \cong \angle 5$ and $\angle 5 \cong \angle 7$
- 4) $\angle 1 \cong \angle 3$ and $\angle 3 \cong \angle 4$


- 100 Segment JM has endpoints $J(-5, 1)$ and $M(7, -9)$. An equation of the perpendicular bisector of \overline{JM} is

- 1) $y - 4 = \frac{5}{6}(x + 1)$
- 2) $y + 4 = \frac{5}{6}(x - 1)$
- 3) $y - 4 = \frac{6}{5}(x + 1)$
- 4) $y + 4 = \frac{6}{5}(x - 1)$

- 101 Which equation represents a line parallel to the line whose equation is $-2x + 3y = -4$ and passes through the point $(1, 3)$?

- 1) $y - 3 = -\frac{3}{2}(x - 1)$
- 2) $y - 3 = \frac{2}{3}(x - 1)$
- 3) $y + 3 = -\frac{3}{2}(x + 1)$
- 4) $y + 3 = \frac{2}{3}(x + 1)$


- 102 In the diagram below, $\overline{FAD} \parallel \overline{EHC}$, and \overline{ABH} and \overline{BC} are drawn.




If $m\angle FAB = 48^\circ$ and $m\angle ECB = 18^\circ$, what is $m\angle ABC$?

- 1) 18°
- 2) 48°
- 3) 66°
- 4) 114°

- 103 A walking path at a local park is modeled on the grid below, where the length of each grid square is 10 feet. The town needs to submit paperwork to pave the walking path. Determine and state, to the *nearest square foot*, the area of the walking path.




- 104 In the diagram of equilateral triangle $\triangle ABC$ shown below, E and F are the midpoints of \overline{AC} and \overline{BC} , respectively.



If $EF = 2x + 8$ and $AB = 7x - 2$, what is the perimeter of trapezoid $ABFE$?

- 1) 36
 - 2) 60
 - 3) 100
 - 4) 120
- 105 The endpoints of directed line segment \overline{PQ} have coordinates of $P(-7, -5)$ and $Q(5, 3)$. What are the coordinates of point A , on \overline{PQ} , that divide \overline{PQ} into a ratio of 1:3?
- 1) $A(-1, -1)$
 - 2) $A(2, 1)$
 - 3) $A(3, 2)$
 - 4) $A(-4, -3)$


- 106 In $\triangle ABC$ below, angle C is a right angle.



Which statement must be true?

- 1) $\sin A = \cos B$
 - 2) $\sin A = \tan B$
 - 3) $\sin B = \tan A$
 - 4) $\sin B = \cos B$
- 107 A large water basin is in the shape of a right cylinder. The inside of the basin has a diameter of $8\frac{1}{4}$ feet and a height of 3 feet. Determine and state, to the *nearest cubic foot*, the number of cubic feet of water that it will take to fill the basin to a level of $\frac{1}{2}$ foot from the top.


- 108 In the diagram of quadrilateral $ABCD$ with diagonal \overline{AC} shown below, segments \overline{GH} and \overline{EF} are drawn, $\overline{AE} \cong \overline{CG}$, $\overline{BE} \cong \overline{DG}$, $\overline{AH} \cong \overline{CF}$, and $\overline{AD} \cong \overline{CB}$.



Prove: $\overline{EF} \cong \overline{GH}$


- 109 What is an equation of the image of the line $y = \frac{3}{2}x - 4$ after a dilation of a scale factor of $\frac{3}{4}$ centered at the origin?
- 1) $y = \frac{9}{8}x - 4$
 - 2) $y = \frac{9}{8}x - 3$
 - 3) $y = \frac{3}{2}x - 4$
 - 4) $y = \frac{3}{2}x - 3$

- 110 In $\triangle XYZ$, shown below, medians \overline{XE} , \overline{YF} , and \overline{ZD} intersect at C .



If $CE = 5$, $YF = 21$, and $XZ = 15$, determine and state the perimeter of triangle CFX .


- 111 Quadrilateral $EBCF$ and \overline{AD} are drawn below, such that $ABCD$ is a parallelogram, $\overline{EB} \cong \overline{FB}$, and $\overline{EF} \perp \overline{FH}$.



If $m\angle E = 62^\circ$ and $m\angle C = 51^\circ$, what is $m\angle FHB$?

- 1) 79°
- 2) 76°
- 3) 73°
- 4) 62°


- 112 In the diagram below of $\triangle ABC$, D is a point on \overline{BA} , E is a point on \overline{BC} , and \overline{DE} is drawn.



If $\overline{BD} = 5$, $\overline{DA} = 12$, and $\overline{BE} = 7$, what is the length of \overline{BC} so that $\overline{AC} \parallel \overline{DE}$?

- 1) 23.8
- 2) 16.8
- 3) 15.6
- 4) 8.6


- 113 As modeled in the diagram below, an access ramp starts on flat ground and ends at the beginning of the top step. Each step is 6 inches tall and 8 inches deep.



If the angle of elevation of the ramp is 4.76° , determine and state the length of the ramp, to the *nearest tenth of a foot*. Determine and state, to the *nearest tenth of a foot*, the horizontal distance, d , from the bottom of the stairs to the bottom of the ramp.

- 114 The coordinates of the endpoints of \overline{SC} are $S(-7,3)$ and $C(2,-6)$. If point M is on \overline{SC} , what are the coordinates of M such that $SM:MC$ is 1:2?
- 1) $(-4,0)$
 - 2) $(0,-4)$
 - 3) $(-1,-3)$
 - 4) $\left(-\frac{5}{2}, -\frac{3}{2}\right)$

- 115 The figure below shows a rhombus with noncongruent diagonals.




Which transformation would *not* carry this rhombus onto itself?

- 1) a reflection over the shorter diagonal
- 2) a reflection over the longer diagonal
- 3) a clockwise rotation of 90° about the intersection of the diagonals
- 4) a counterclockwise rotation of 180° about the intersection of the diagonals

- 116 Which statement about parallelograms is always true?
- 1) The diagonals are congruent.
 - 2) The diagonals bisect each other.
 - 3) The diagonals are perpendicular.
 - 4) The diagonals bisect their respective angles.

- 117 Which transformation does *not* always preserve distance?
- 1) $(x,y) \rightarrow (x+2,y)$
 - 2) $(x,y) \rightarrow (-y,-x)$
 - 3) $(x,y) \rightarrow (2x,y-1)$
 - 4) $(x,y) \rightarrow (3-x,2-y)$


- 118 The diagram below models a countertop designed for a kitchen. The countertop is made of solid oak and is 3 inches thick.




If oak weighs approximately 44 pounds per cubic foot, the approximate weight, in pounds, of the countertop is

- 1) 630
- 2) 730
- 3) 750
- 4) 870


119 Given the information marked on the diagrams below, which pair of triangles can *not* always be proven congruent?




1) $\triangle ABC$ and $\triangle DBC$



2) $\triangle EFG$ and $\triangle HIG$



3) $\triangle KLJ$ and $\triangle MJL$



4) $\triangle NOP$ and $\triangle RSP$

120 The coordinates of the vertices of parallelogram $CDEH$ are $C(-5,5)$, $D(2,5)$, $E(-1,-1)$, and $H(-8,-1)$. What are the coordinates of P , the point of intersection of diagonals \overline{CE} and \overline{DH} ?

- 1) $(-2,3)$
- 2) $(-2,2)$
- 3) $(-3,2)$
- 4) $(-3,-2)$


121 A plane intersects a cylinder perpendicular to its bases.



This cross section can be described as a

- 1) rectangle
- 2) parabola
- 3) triangle
- 4) circle

122 In quadrilateral $ABCD$ below, $\overline{AB} \parallel \overline{CD}$, and E , H , and F are the midpoints of \overline{AD} , \overline{AC} , and \overline{BC} , respectively.



If $AB = 24$, $CD = 18$, and $AH = 10$, then FH is

- 1) 9
- 2) 10
- 3) 12
- 4) 21

123 In parallelogram $ABCD$, diagonals \overline{AC} and \overline{BD} intersect at E . Which statement proves $ABCD$ is a rectangle?

- 1) $\overline{AC} \cong \overline{BD}$
- 2) $\overline{AB} \perp \overline{BD}$
- 3) $\overline{AC} \perp \overline{BD}$
- 4) \overline{AC} bisects $\angle BCD$

124 The table below shows the population and land area, in square miles, of four counties in New York State at the turn of the century.

County	2000 Census Population	2000 Land Area (mi ²)
Broome	200,536	706.82
Dutchess	280,150	801.59
Niagara	219,846	522.95
Saratoga	200,635	811.84

Which county had the greatest population density?

- 1) Broome
- 2) Dutchess
- 3) Niagara
- 4) Saratoga

125 In right triangle RST , altitude \overline{TV} is drawn to hypotenuse \overline{RS} . If $RV = 12$ and $RT = 18$, what is the length of \overline{SV} ?

- 1) $6\sqrt{5}$
- 2) 15
- 3) $6\sqrt{6}$
- 4) 27

129 Using a compass and straightedge, dilate triangle ABC by a scale factor of 2 centered at C . [Leave all construction marks.]


126 Determine and state an equation of the line perpendicular to the line $5x - 4y = 10$ and passing through the point $(5, 12)$.

127 A regular hexagon is rotated about its center. Which degree measure will carry the regular hexagon onto itself?

- 1) 45°
- 2) 90°
- 3) 120°
- 4) 135°

128 What are the coordinates of the center and the length of the radius of the circle whose equation is $x^2 + y^2 - 12y - 20.25 = 0$?


- 1) center $(0, 6)$ and radius 7.5
- 2) center $(0, -6)$ and radius 7.5
- 3) center $(0, 12)$ and radius 4.5
- 4) center $(0, -12)$ and radius 4.5



130 From a point on the ground one-half mile from the base of a historic monument, the angle of elevation to its top is 11.87° . To the nearest foot, what is the height of the monument?


- 1) 543
- 2) 555
- 3) 1086
- 4) 1110

- 131 In $\triangle ABC$ shown below, $\angle ACB$ is a right angle, E is a point on \overline{AC} , and \overline{ED} is drawn perpendicular to hypotenuse \overline{AB} .



If $AB = 9$, $BC = 6$, and $DE = 4$, what is the length of \overline{AE} ?


- 1) 5
 - 2) 6
 - 3) 7
 - 4) 8
- 132 Given right triangle ABC with a right angle at C , $m\angle B = 61^\circ$. Given right triangle RST with a right angle at T , $m\angle R = 29^\circ$.



Which proportion in relation to $\triangle ABC$ and $\triangle RST$ is *not* correct?


- 1) $\frac{AB}{RS} = \frac{RT}{AC}$
- 2) $\frac{BC}{ST} = \frac{AB}{RS}$
- 3) $\frac{BC}{ST} = \frac{AC}{RT}$
- 4) $\frac{AB}{AC} = \frac{RS}{RT}$

- 133 Riley plotted $A(-1,6)$, $B(3,8)$, $C(6,-1)$, and $D(1,0)$ to form a quadrilateral. Prove that Riley's quadrilateral $ABCD$ is a trapezoid. [The use of the set of axes below is optional.] Riley defines an isosceles trapezoid as a trapezoid with congruent diagonals. Use Riley's definition to prove that $ABCD$ is *not* an isosceles trapezoid.




- 134 A standard-size golf ball has a diameter of 1.680 inches. The material used to make the golf ball weighs 0.6523 ounce per cubic inch. What is the weight, to the *nearest hundredth of an ounce*, of one golf ball?
- 1) 1.10
 - 2) 1.62
 - 3) 2.48
 - 4) 3.81
- 135 The area of a sector of a circle with a radius measuring 15 cm is 75π cm². What is the measure of the central angle that forms the sector?
- 1) 72°
 - 2) 120°
 - 3) 144°
 - 4) 180°

- 136 In the diagram below of circle K , secant \overline{PLKE} and tangent \overline{PZ} are drawn from external point P .




If $m\widehat{LZ} = 56^\circ$, determine and state the degree measure of angle P .

- 137 A rock-climbing wall at a local park has a right triangular section that slants toward the climber, as shown in the picture below. The height of the wall is 5 meters and the slanted section begins 1.2 meters up the wall at an angle of 14 degrees.




Determine and state, to the *nearest hundredth*, the number of meters in the length of the section of the wall that is slanted (hypotenuse).

- 138 In the diagram below, $\triangle ABC \sim \triangle DEF$.



If $AB = 4$, $BC = x - 1$, $DE = x + 3$, and $EF = 15$, determine and state the length of \overline{DE} .

- 139 A vendor is using an 8-ft by 8-ft tent for a craft fair. The legs of the tent are 9 ft tall and the top forms a square pyramid with a height of 3 ft.



What is the volume, in cubic feet, of space the tent occupies?

- 1) 256
- 2) 640
- 3) 672
- 4) 768


- 140 In right triangles ABC and RST , hypotenuse $AB = 4$ and hypotenuse $RS = 16$. If $\triangle ABC \sim \triangle RST$, then 1:16 is the ratio of the corresponding

- 1) legs
- 2) areas
- 3) volumes
- 4) perimeters

- 141 Chelsea is sitting 8 feet from the foot of a tree. From where she is sitting, the angle of elevation of her line of sight to the top of the tree is 36° . If her line of sight starts 1.5 feet above ground, how tall is the tree, to the *nearest foot*?

- 1) 8
- 2) 7
- 3) 6
- 4) 4


- 142 In the diagram below of right triangle EFG , altitude \overline{FH} intersects hypotenuse \overline{EG} at H .



If $FH = 9$ and $EF = 15$, what is EG ?

- 1) 6.75
- 2) 12
- 3) 18.75
- 4) 25


- 143 In triangle MAH below, \overline{MT} is the perpendicular bisector of \overline{AH} .



Which statement is *not* always true?

- 1) $\triangle MAH$ is isosceles.
- 2) $\triangle MAT$ is isosceles.
- 3) \overline{MT} bisects $\angle AMH$.
- 4) $\angle A$ and $\angle TMH$ are complementary.


- 144 The diagram below shows a tree growing vertically on a hillside. The angle formed by the tree trunk and the hillside is 100° . The distance from the base of the tree to the bottom of the hill is 140 feet.



What is the vertical drop, x , to the base of the hill, to the *nearest foot*?

- 1) 24
- 2) 25
- 3) 70
- 4) 138

- 145 In rhombus $TIGE$, diagonals \overline{TG} and \overline{IE} intersect at R . The perimeter of $TIGE$ is 68, and $TG = 16$.




What is the length of diagonal \overline{IE} ?

- 1) 15
- 2) 30
- 3) 34
- 4) 52

- 146 What is an equation of a circle whose center is $(1,4)$ and diameter is 10?


- 1) $x^2 - 2x + y^2 - 8y = 8$
- 2) $x^2 + 2x + y^2 + 8y = 8$
- 3) $x^2 - 2x + y^2 - 8y = 83$
- 4) $x^2 + 2x + y^2 + 8y = 83$

- 147 As modeled in the diagram below, a building has a height of 50 meters. The angle of depression from the top of the building to the top of the tree, T , is 13.3° . The angle of depression from the top of the building to the bottom of the tree, B , is 22.2° .




Determine and state, to the *nearest meter*, the height of the tree.

- 148 Triangle ABC is shown below. Using a compass and straightedge, construct the dilation of $\triangle ABC$ centered at B with a scale factor of 2. [Leave all construction marks.]



Is the image of $\triangle ABC$ similar to the original triangle? Explain why.


- 149 In the diagram below of circle O , chords \overline{JT} and \overline{ER} intersect at M .



If $EM = 8$ and $RM = 15$, the lengths of \overline{JM} and \overline{TM} could be


- 1) 12 and 9.5
 - 2) 14 and 8.5
 - 3) 16 and 7.5
 - 4) 18 and 6.5
- 150 Which figure(s) below can have a triangle as a two-dimensional cross section?
- I. cone
 - II. cylinder
 - III. cube
 - IV. square pyramid
- 1) I, only
 - 2) IV, only
 - 3) I, II, and IV, only
 - 4) I, III, and IV, only

- 151 Trapezoid $ABCD$, where $\overline{AB} \parallel \overline{CD}$, is shown below. Diagonals \overline{AC} and \overline{DB} intersect \overline{MN} at E , and $\overline{AD} \cong \overline{AE}$.




If $m\angle DAE = 35^\circ$, $m\angle DCE = 25^\circ$, and $m\angle NEC = 30^\circ$, determine and state $m\angle ABD$.

- 152 Hexagon $ABCDEF$ with coordinates at $A(0,6)$, $B(3,3)$, $C(3,1)$, $D(0,-2)$, $E(-3,1)$, and $F(-3,3)$ is graphed on the set of axes below.




Determine and state the perimeter of $ABCDEF$ in simplest radical form.

- 153 In trapezoid $ABCD$ below, $\overline{AB} \parallel \overline{CD}$.



If $AE = 5.2$, $AC = 11.7$, and $CD = 10.5$, what is the length of \overline{AB} , to the nearest tenth?


- 1) 4.7
 - 2) 6.5
 - 3) 8.4
 - 4) 13.1
- 154 A countertop for a kitchen is modeled with the dimensions shown below. An 18-inch by 21-inch rectangle will be removed for the installation of the sink.



What is the area of the top of the installed countertop, to the nearest square foot?

- 1) 26
 - 2) 23
 - 3) 22
 - 4) 19
- 155 Triangle ABC has a right angle at C . If $AC = 7.7$ and $m\angle B = 24^\circ$, what is AB , to the nearest tenth?
- 1) 18.9
 - 2) 17.3
 - 3) 8.4
 - 4) 3.1


156 In the diagram below, \overline{AC} and \overline{BD} intersect at E .



Which information is always sufficient to prove $\triangle ABE \cong \triangle CDE$?

- 1) $\overline{AB} \parallel \overline{CD}$
- 2) $\overline{AB} \cong \overline{CD}$ and $\overline{BE} \cong \overline{DE}$
- 3) E is the midpoint of \overline{AC} .
- 4) \overline{BD} and \overline{AC} bisect each other.


157 Triangle $A'B'C'$ is the image of $\triangle ABC$ after a dilation centered at the origin. The coordinates of the vertices of $\triangle ABC$ are $A(-2,1)$, $B(2,4)$, and $C(2,-3)$.



If the coordinates of A' are $(-4,2)$, the coordinates of B' are

- 1) $(8,4)$
- 2) $(4,8)$
- 3) $(4,-6)$
- 4) $(1,2)$

158 In the diagram below of right triangle ABC , $AC = 8$, and $AB = 17$.




Which equation would determine the value of angle A ?

- 1) $\sin A = \frac{8}{17}$
- 2) $\tan A = \frac{8}{15}$
- 3) $\cos A = \frac{15}{17}$
- 4) $\tan A = \frac{15}{8}$

159 Line segment PAQ has endpoints whose coordinates are $P(-2,6)$ and $Q(3,-4)$. What are the coordinates of point A , such that $PA:AQ = 2:3$?


- 1) $(1,0)$
- 2) $(2,-2)$
- 3) $(-1,4)$
- 4) $(0,2)$

160 In the diagram below, right triangle PQR is transformed by a sequence of rigid motions that maps it onto right triangle NML .



Write a set of three congruency statements that would show ASA congruency for these triangles.

161 On the set of axes below, $\triangle DOG \cong \triangle CAT$.




Describe a sequence of transformations that maps $\triangle DOG$ onto $\triangle CAT$.

162 Diego needs to install a support beam to hold up his new birdhouse, as modeled below. The base of the birdhouse is $24\frac{1}{2}$ inches long. The support beam will form an angle of 38° with the vertical post. Determine and state the approximate length of the support beam, x , to the nearest inch.




163 Using the construction below, state the degree measure of $\angle CAD$. Explain why.



- 164 A quadrilateral must be a parallelogram if
- 1) one pair of sides is parallel and one pair of angles is congruent
 - 2) one pair of sides is congruent and one pair of angles is congruent
 - 3) one pair of sides is both parallel and congruent
 - 4) the diagonals are congruent


165 In the diagram below of circle O , points $K, A, T, I,$ and E are on the circle, $\triangle KAE$ and $\triangle ITE$ are drawn, $\widehat{KE} \cong \widehat{EI}$, and $\angle EKA \cong \angle EIT$.



Which statement about $\triangle KAE$ and $\triangle ITE$ is always true?

- 1) They are neither congruent nor similar.
- 2) They are similar but not congruent.
- 3) They are right triangles.
- 4) They are congruent.

- 166 The vertices of $\triangle ABC$ have coordinates $A(-2,-1)$, $B(10,-1)$, and $C(4,4)$. Determine and state the area of $\triangle ABC$. [The use of the set of axes below is optional.]




- 167 What is an equation of a line that is perpendicular to the line whose equation is $2y + 3x = 1$?

- 1) $y = \frac{2}{3}x + \frac{5}{2}$
- 2) $y = \frac{3}{2}x + 2$
- 3) $y = -\frac{2}{3}x + 1$
- 4) $y = -\frac{3}{2}x + \frac{1}{2}$

- 168 If the altitudes of a triangle meet at one of the triangle's vertices, then the triangle is

- 1) a right triangle
- 2) an acute triangle
- 3) an obtuse triangle
- 4) an equilateral triangle

- 169 In parallelogram $ABCD$ shown below, $m\angle DAC = 98^\circ$ and $m\angle ACD = 36^\circ$.




What is the measure of angle B ? Explain why.

- 170 Which three-dimensional figure will result when a rectangle 6 inches long and 5 inches wide is continuously rotated about the longer side?

- 1) a rectangular prism with a length of 6 inches, width of 6 inches, and height of 5 inches
- 2) a rectangular prism with a length of 6 inches, width of 5 inches, and height of 5 inches
- 3) a cylinder with a radius of 5 inches and a height of 6 inches
- 4) a cylinder with a radius of 6 inches and a height of 5 inches


- 171 In the diagram below, $ABCD$ is a rectangle, and diagonal BD is drawn. Line ℓ , a vertical line of symmetry, and line m , a horizontal line of symmetry, intersect at point E .



Which sequence of transformations will map $\triangle ABD$ onto $\triangle CDB$?

- 1) a reflection over line ℓ followed by a 180° rotation about point E
- 2) a reflection over line ℓ followed by a reflection over line m
- 3) a 180° rotation about point B
- 4) a reflection over \overline{DB}

- 172 On the set of axes below, congruent parallelograms $ABCD$ and $RSTU$ are graphed.



Which sequence of transformations maps $ABCD$ onto $RSTU$?

- 1) a reflection over the x -axis followed by a translation ten units to the left and one unit up
- 2) a translation four units down followed by a reflection over the y -axis
- 3) a reflection over the y -axis followed by a translation of two units down
- 4) a translation ten units to the left followed by a reflection over the x -axis


- 173 Diameter \overline{ROQ} of circle O is extended through Q to point P , and tangent \overline{PA} is drawn. If $m\widehat{RA} = 100^\circ$, what is $m\angle P$?

- 1) 10°
- 2) 20°
- 3) 40°
- 4) 50°

- 174 A quadrilateral has diagonals that are perpendicular but *not* congruent. This quadrilateral could be

- 1) a square
- 2) a rhombus
- 3) a rectangle
- 4) an isosceles trapezoid


- 175 In the diagram below, a plane intersects a square pyramid parallel to its base.



Which two-dimensional shape describes this cross section?

- 1) circle
- 2) square
- 3) triangle
- 4) pentagon


- 176 On the set of axes below, rectangle $WIND$ has vertices with coordinates $W(-4, 2)$, $I(4, 0)$, and $D(-5, -2)$.



What is the area of rectangle $WIND$?


- 1) 17
- 2) 31
- 3) 32
- 4) 34

- 177 In the diagram below of triangle ABC , \overline{AC} is extended through point C to point D , and \overline{BE} is drawn to \overline{AC} .



Which equation is always true?

- 1) $m\angle 1 = m\angle 3 + m\angle 2$
 - 2) $m\angle 5 = m\angle 3 - m\angle 2$
 - 3) $m\angle 6 = m\angle 3 - m\angle 2$
 - 4) $m\angle 7 = m\angle 3 + m\angle 2$
- 178 Determine and state the coordinates of the center and the length of the radius of the circle whose equation is $x^2 + y^2 + 6x = 6y + 63$.
- 179 Circle O with a radius of 9 is drawn below. The measure of central angle AOC is 120° .




What is the area of the shaded sector of circle O ?

- 1) 6π
- 2) 12π
- 3) 27π
- 4) 54π

- 180 The expression $\sin 57^\circ$ is equal to

- 1) $\tan 33^\circ$
- 2) $\cos 33^\circ$
- 3) $\tan 57^\circ$
- 4) $\cos 57^\circ$

- 181 Parallelogram $ABCD$ with diagonal \overline{DB} is drawn below. Line segment \overline{EF} is drawn such that it bisects \overline{DB} at M .



Which triangle congruence method would prove that $\triangle EMB \sim \triangle FMD$?

- 1) ASA, only
- 2) AAS, only
- 3) both ASA and AAS
- 4) neither ASA nor AAS


- 182 A regular pentagon is rotated about its center. What is the minimum number of degrees needed to carry the pentagon onto itself?

- 1) 72°
- 2) 108°
- 3) 144°
- 4) 360°

- 183 In circle O two secants, \overline{ABP} and \overline{CDP} , are drawn to external point P . If $m\widehat{AC} = 72^\circ$, and $m\widehat{BD} = 34^\circ$, what is the measure of $\angle P$?


- 1) 19°
- 2) 38°
- 3) 53°
- 4) 106°

184 As shown in the diagram below, secants \overrightarrow{PWR} and \overrightarrow{PTS} are drawn to circle O from external point P .



If $m\angle RPS = 35^\circ$ and $m\widehat{RS} = 121^\circ$, determine and state $m\widehat{WT}$.


185 A circle centered at the origin passes through $A(-3,4)$.



What is the equation of the line tangent to the circle at A ?


- 1) $y - 4 = \frac{4}{3}(x + 3)$
- 2) $y - 4 = \frac{3}{4}(x + 3)$
- 3) $y + 4 = \frac{4}{3}(x - 3)$
- 4) $y + 4 = \frac{3}{4}(x - 3)$

186 Which transformation carries the parallelogram below onto itself?



- 1) a reflection over $y = x$
- 2) a reflection over $y = -x$
- 3) a rotation of 90° counterclockwise about the origin
- 4) a rotation of 180° counterclockwise about the origin

187 In right triangle ABC below, $m\angle C = 90^\circ$, $m\angle B = 30^\circ$, and $CB = 6\sqrt{3}$.



The length of \overline{AB} is


- 1) $3\sqrt{3}$
- 2) 9
- 3) 12
- 4) $12\sqrt{3}$

- 188 A cargo trailer, pictured below, can be modeled by a rectangular prism and a triangular prism. Inside the trailer, the rectangular prism measures 6 feet wide and 10 feet long. The walls that form the triangular prism each measure 4 feet wide inside the trailer. The diagram below is of the floor, showing the inside measurements of the trailer.

Cargo Trailer




Cargo Trailer Floor



If the inside height of the trailer is 6.5 feet, what is the total volume of the inside of the trailer, to the nearest cubic foot?


- 189 In the diagram below of circle O , secant \overline{ABC} and tangent \overline{AD} are drawn.



If $CA = 12.5$ and $CB = 4.5$, determine and state the length of DA .

- 190 The equation of a circle is $x^2 + 6y = 4x - y^2 + 12$. What are the coordinates of the center and the length of the radius?
- 1) center $(2, -3)$ and radius 5
 - 2) center $(-2, 3)$ and radius 5
 - 3) center $(2, -3)$ and radius 25
 - 4) center $(-2, 3)$ and radius 25


- 191 In the diagram below, parallelogram $EFGH$ is mapped onto parallelogram $IJKH$ after a reflection over line ℓ .



Use the properties of rigid motions to explain why parallelogram $EFGH$ is congruent to parallelogram $IJKH$.

- 192 Point P divides the directed line segment from point $A(-4, -1)$ to point $B(6, 4)$ in the ratio 2:3. The coordinates of point P are
- 1) $(-1, 1)$
 - 2) $(0, 1)$
 - 3) $(1, 0)$
 - 4) $(2, 2)$
- 193 Square $MATH$ has a side length of 7 inches. Which three-dimensional object will be formed by continuously rotating square $MATH$ around side AT ?
- 1) a right cone with a base diameter of 7 inches
 - 2) a right cylinder with a diameter of 7 inches
 - 3) a right cone with a base radius of 7 inches
 - 4) a right cylinder with a radius of 7 inches

- 194 In the diagram below of circle O , the measure of inscribed angle ABC is 36° and the length of OA is 4 inches.



Determine and state, to the nearest tenth of a square inch, the area of the shaded sector.

- 195 Right triangle TMR is a scalene triangle with the right angle at M . Which equation is true?

- 1) $\sin M = \cos T$
- 2) $\sin R = \cos R$
- 3) $\sin T = \cos R$
- 4) $\sin T = \cos M$


- 196 Given points A , B , and C , use a compass and straightedge to construct point D so that $ABCD$ is a parallelogram. [Leave all construction marks.]



- 197 What is the best approximation for the area of a triangle with consecutive sides of 4 and 5 and an included angle of 59° ?

- 1) 5.0
- 2) 8.6
- 3) 10.0
- 4) 17.1


- 198 In the diagram below, $\overline{EF} \parallel \overline{HG}$, $EF = 5$, $HG = 12$, $FI = 1.4x + 3$, and $HI = 6.1x - 6.5$.




What is the length of \overline{HI} ?

- 1) 1
- 2) 5
- 3) 10
- 4) 24

- 199 The coordinates of the vertices of quadrilateral $HYPE$ are $H(-3,6)$, $Y(2,9)$, $P(8,-1)$, and $E(3,-4)$. Prove $HYPE$ is a rectangle. [The use of the set of axes below is optional.]



- 200 Francisco needs the three pieces of glass shown below to complete a stained glass window. The shapes, two triangles and a trapezoid, are measured in inches.




Glass can be purchased in rectangular sheets that are 12 inches wide. What is the minimum length of a sheet of glass, in inches, that Francisco must purchase in order to have enough to complete the window?

- 1) 20
2) 25
3) 29
4) 34
- 201 In the diagram below, \overline{BC} connects points B and C on the congruent sides of isosceles triangle ADE , such that $\triangle ABC$ is isosceles with vertex angle A .
-
- If $AB = 10$, $BD = 5$, and $DE = 12$, what is the length of BC ?
- 1) 6
2) 7
3) 8
4) 9
- 202 A rectangular tabletop will be made of maple wood that weighs 43 pounds per cubic foot. The tabletop will have a length of eight feet, a width of three feet, and a thickness of one inch. Determine and state the weight of the tabletop, in pounds.
- 203 What are the coordinates of point C on the directed segment from $A(-8,4)$ to $B(10,-2)$ that partitions the segment such that $AC:CB$ is $2:1$?
- 1) $(1,1)$
2) $(-2,2)$
3) $(2,-2)$
4) $(4,0)$
- 204 The line $-3x + 4y = 8$ is transformed by a dilation centered at the origin. Which linear equation could represent its image?
- 1) $y = \frac{4}{3}x + 8$
2) $y = \frac{3}{4}x + 8$
3) $y = -\frac{3}{4}x - 8$
4) $y = -\frac{4}{3}x - 8$
- 205 A square with a side length of 3 is continuously rotated about one of its sides. The resulting three-dimensional object is a
- 1) cube with a volume of 9.
2) cube with a volume of 27.
3) cylinder with a volume of 27π .
4) cylinder with a volume of 54π .

206 Given $\triangle PQR$ and $\triangle LMN$ with $\overline{PQ} \cong \overline{LM}$, which additional statement is sufficient to always prove $\triangle PQR \cong \triangle LMN$?


- 1) $\overline{QR} \cong \overline{MN}$ and $\angle R \cong \angle N$
- 2) $\overline{QR} \cong \overline{MN}$ and $\angle Q \cong \angle M$
- 3) $\overline{QR} \cong \overline{MN}$ and $\angle P \cong \angle L$
- 4) $\overline{QR} \cong \overline{MN}$ and $\angle P \cong \angle M$

207 Given: Quadrilateral $ABCD$, \overline{AC} and \overline{EF} intersect at H , $\overline{EF} \parallel \overline{AD}$, $\overline{EF} \parallel \overline{BC}$, and $\overline{AD} \cong \overline{BC}$.




Prove: $(EH)(CH) = (FH)(AH)$

208 Given: Parallelogram $PQRS$, $\overline{QT} \perp \overline{PS}$, $\overline{SU} \perp \overline{QR}$



Prove: $\overline{PT} \cong \overline{RU}$


209 On the set of axes below, $\triangle ABC \cong \triangle A'B'C'$.



Triangle ABC maps onto $\triangle A'B'C'$ after a

- 1) reflection over the line $y = -x$
- 2) reflection over the line $y = -x + 2$
- 3) rotation of 180° centered at $(1, 1)$
- 4) rotation of 180° centered at the origin


210 As shown in the diagram below, right triangle ABC has side lengths of 8 and 15.



If the triangle is continuously rotated about \overline{AC} , the resulting figure will be


- 1) a right cone with a radius of 15 and a height of 8
- 2) a right cone with a radius of 8 and a height of 15
- 3) a right cylinder with a radius of 15 and a height of 8
- 4) a right cylinder with a radius of 8 and a height of 15

- 211 In non-right triangle ABC shown below, $AC = 5$ in, $BC = 8$ in, and $m\angle C = 57^\circ$.



What is the area of $\triangle ABC$, to the nearest tenth of a square inch?


- 1) 10.9
 - 2) 16.8
 - 3) 21.8
 - 4) 33.5
- 212 A square is graphed on the set of axes below, with vertices at $(-1,2)$, $(-1,-2)$, $(3,-2)$, and $(3,2)$.



Which transformation would *not* carry the square onto itself?

- 1) reflection over the y -axis
- 2) reflection over the x -axis
- 3) rotation of 180 degrees around point $(1,0)$
- 4) reflection over the line $y = x - 1$


- 213 The coordinates of the vertices of $\triangle ABC$ are $A(-2,4)$, $B(-7,-1)$, and $C(-3,-3)$. Prove that $\triangle ABC$ is isosceles. State the coordinates of $\triangle A'B'C'$, the image of $\triangle ABC$, after a translation 5 units to the right and 5 units down. Prove that quadrilateral $AA'C'C$ is a rhombus. [The use of the set of axes below is optional.]



- 214 Line k is represented by the equation $4y + 3 = 7x$. Which equation represents a line that is perpendicular to line k and passes through the point $(-5,2)$?

- 1) $y + 2 = \frac{4}{7}(x - 5)$
- 2) $y - 2 = \frac{4}{7}(x + 5)$
- 3) $y + 2 = -\frac{4}{7}(x - 5)$
- 4) $y - 2 = -\frac{4}{7}(x + 5)$


215 In the diagram below, $\triangle ABC$ is reflected over line ℓ to create $\triangle DEF$.



If $m\angle A = 40^\circ$ and $m\angle B = 95^\circ$, what is $m\angle F$?

- 1) 40°
- 2) 45°
- 3) 85°
- 4) 95°


216 In right triangle ABC shown below, point D is on AB and point E is on CB such that $AC \parallel DE$.




If $AB = 15$, $BC = 12$, and $EC = 7$, what is the length of BD ?

- 1) 8.75
- 2) 6.25
- 3) 5
- 4) 4

217 On the set of axes below, $\triangle DEF$ has vertices at the coordinates $D(1, -1)$, $E(3, 4)$, and $F(4, 2)$, and point G has coordinates $(3, 1)$. Owen claims the median from point E must pass through point G . Is Owen correct? Explain why.




218 In the diagram below, $\triangle ABC$ with sides 13, 15, and 16, is mapped onto $\triangle DEF$ after a clockwise rotation of 90° about point P .



If $DE = 2x - 1$, what is the value of x ?


- 1) 7
- 2) 7.5
- 3) 8
- 4) 8.5

- 219 In the diagram below of $\triangle RST$, L is a point on \overline{RS} , and M is a point on \overline{RT} , such that $LM \parallel ST$.



If $RL = 2$, $LS = 6$, $LM = 4$, and $ST = x + 2$, what is the length of ST ?


- 1) 10
 - 2) 12
 - 3) 14
 - 4) 16
- 220 Rhombus $ABCD$ can be mapped onto rhombus $KLMN$ by a rotation about point P , as shown below.



What is the measure of $\angle KNM$ if the measure of $\angle CAD = 35^\circ$?


- 1) 35°
- 2) 55°
- 3) 70°
- 4) 110°

- 221 On the set of axes below, rhombus $ABCD$ has vertices whose coordinates are $A(1,2)$, $B(4,6)$, $C(7,2)$, and $D(4,-2)$.



What is the area of rhombus $ABCD$?

- 1) 20
 - 2) 24
 - 3) 25
 - 4) 48
- 222 In the diagram below of $\triangle ABC$, \overline{TV} intersects \overline{AB} and \overline{AC} at points T and V respectively, and $m\angle ATV = m\angle ABC$.




If $AT = 4$, $BC = 18$, $TB = 5$, and $AV = 6$, what is the perimeter of quadrilateral $TBCV$?

- 1) 38.5
- 2) 39.5
- 3) 40.5
- 4) 44.9

223 Which information is *not* sufficient to prove that a parallelogram is a square?

- 1) The diagonals are both congruent and perpendicular.
- 2) The diagonals are congruent and one pair of adjacent sides are congruent.
- 3) The diagonals are perpendicular and one pair of adjacent sides are congruent.
- 4) The diagonals are perpendicular and one pair of adjacent sides are perpendicular.


224 Triangle XYZ is shown below. Using a compass and straightedge, construct the circumcenter of $\triangle XYZ$.



225 After a dilation with center $(0,0)$, the image of \overline{DB} is $\overline{D'B'}$. If $DB = 4.5$ and $D'B' = 18$, the scale factor of this dilation is

- 1) $\frac{1}{5}$
- 2) 5
- 3) $\frac{1}{4}$
- 4) 4


226 In parallelogram $ABCD$ shown below, \overline{EB} bisects $\angle ABC$.



If $m\angle A = 40^\circ$, then $m\angle BED$ is

- 1) 40°
- 2) 70°
- 3) 110°
- 4) 140°

227 On the set of axes below, $\triangle RST$ is the image of $\triangle ABC$ after a dilation centered at point P .




The scale factor of the dilation that maps $\triangle ABC$ onto $\triangle RST$ is


- 1) $\frac{1}{3}$
- 2) 2
- 3) 3
- 4) $\frac{2}{3}$

Geometry Regents at Random Worksheets

228 Triangle XYZ is shown below. Using a compass and straightedge, on the line below, construct and label $\triangle ABC$, such that $\triangle ABC \cong \triangle XYZ$. [Leave all construction marks.] Based on your construction, state the theorem that justifies why $\triangle ABC$ is congruent to $\triangle XYZ$.



229 In the diagram below, which single transformation was used to map triangle A onto triangle B ?



- 1) line reflection
- 2) rotation
- 3) dilation
- 4) translation


230 Quadrilateral $ABCD$ has diagonals \overline{AC} and \overline{BD} . Which information is *not* sufficient to prove $ABCD$ is a parallelogram?

- 1) \overline{AC} and \overline{BD} bisect each other.
- 2) $\overline{AB} \cong \overline{CD}$ and $\overline{BC} \cong \overline{AD}$
- 3) $\overline{AB} \cong \overline{CD}$ and $\overline{AB} \parallel \overline{CD}$
- 4) $\overline{AB} \cong \overline{CD}$ and $\overline{BC} \parallel \overline{AD}$


231 What are the coordinates of the point on the directed line segment from $K(-5, -4)$ to $L(5, 1)$ that partitions the segment into a ratio of 3 to 2?

- 1) $(-3, -3)$
- 2) $(-1, -2)$
- 3) $\left(0, -\frac{3}{2}\right)$
- 4) $(1, -1)$


- 232 Which transformation of \overline{OA} would result in an image parallel to \overline{OA} ?



- 1) a translation of two units down
 - 2) a reflection over the x -axis
 - 3) a reflection over the y -axis
 - 4) a clockwise rotation of 90° about the origin
- 233 The water tower in the picture below is modeled by the two-dimensional figure beside it. The water tower is composed of a hemisphere, a cylinder, and a cone. Let C be the center of the hemisphere and let D be the center of the base of the cone.



Source: <http://en.wikipedia.org>




If $AC = 8.5$ feet, $BF = 25$ feet, and $m\angle EFD = 47^\circ$, determine and state, to the *nearest cubic foot*, the volume of the water tower. The water tower was constructed to hold a maximum of 400,000 pounds of water. If water weighs 62.4 pounds per cubic foot, can the water tower be filled to 85% of its volume and *not* exceed the weight limit? Justify your answer.

- 234 A regular hexagon is rotated in a counterclockwise direction about its center. Determine and state the minimum number of degrees in the rotation such that the hexagon will coincide with itself.


- 235 Trees that are cut down and stripped of their branches for timber are approximately cylindrical. A timber company specializes in a certain type of tree that has a typical diameter of 50 cm and a typical height of about 10 meters. The density of the wood is 380 kilograms per cubic meter, and the wood can be sold by mass at a rate of \$4.75 per kilogram. Determine and state the minimum number of whole trees that must be sold to raise at least \$50,000.

- 236 In the diagram below, the line of sight from the park ranger station, P , to the lifeguard chair, L , on the beach of a lake is perpendicular to the path joining the campground, C , and the first aid station, F . The campground is 0.25 mile from the lifeguard chair. The straight paths from both the campground and first aid station to the park ranger station are perpendicular.




If the path from the park ranger station to the campground is 0.55 mile, determine and state, to the *nearest hundredth of a mile*, the distance between the park ranger station and the lifeguard chair. Gerald believes the distance from the first aid station to the campground is at least 1.5 miles. Is Gerald correct? Justify your answer.

- 237 Quadrilateral $ABCD$ with diagonals \overline{AC} and \overline{BD} is shown in the diagram below.




Which information is *not* enough to prove $ABCD$ is a parallelogram?

- 1) $\overline{AB} \cong \overline{CD}$ and $\overline{AB} \parallel \overline{DC}$
 - 2) $\overline{AB} \cong \overline{CD}$ and $\overline{BC} \cong \overline{DA}$
 - 3) $\overline{AB} \cong \overline{CD}$ and $\overline{BC} \parallel \overline{AD}$
 - 4) $\overline{AB} \parallel \overline{DC}$ and $\overline{BC} \parallel \overline{AD}$
- 238 Given right triangles $\triangle ABC$ and $\triangle DEF$ where $\angle C$ and $\angle F$ are right angles, $\overline{AC} \cong \overline{DF}$ and $\overline{CB} \cong \overline{FE}$. Describe a precise sequence of rigid motions which would show $\triangle ABC \cong \triangle DEF$.




- 239 Which statement is sufficient evidence that $\triangle DEF$ is congruent to $\triangle ABC$?




- 1) $\overline{AB} = \overline{DE}$ and $\overline{BC} = \overline{EF}$
- 2) $\angle D \cong \angle A$, $\angle B \cong \angle E$, $\angle C \cong \angle F$
- 3) There is a sequence of rigid motions that maps \overline{AB} onto \overline{DE} , \overline{BC} onto \overline{EF} , and \overline{AC} onto \overline{DF} .
- 4) There is a sequence of rigid motions that maps point A onto point D , \overline{AB} onto \overline{DE} , and $\angle B$ onto $\angle E$.

- 240 Line segment \overline{EA} is the perpendicular bisector of \overline{ZT} , and \overline{ZE} and \overline{TE} are drawn.




Which conclusion can *not* be proven?

- 1) \overline{EA} bisects angle ZET .
 - 2) Triangle EZT is equilateral.
 - 3) \overline{EA} is a median of triangle EZT .
 - 4) Angle Z is congruent to angle T .
- 241 Given: $\triangle XYZ$, $\overline{XY} \cong \overline{ZY}$, and \overline{YW} bisects $\angle XYZ$. Prove that $\angle YWZ$ is a right angle.




- 242 If $\triangle A'B'C'$ is the image of $\triangle ABC$, under which transformation will the triangles *not* be congruent?
- 1) reflection over the x -axis
 - 2) translation to the left 5 and down 4
 - 3) dilation centered at the origin with scale factor 2
 - 4) rotation of 270° counterclockwise about the origin

- 243 The diagram below shows a ramp connecting the ground to a loading platform 4.5 feet above the ground. The ramp measures 11.75 feet from the ground to the top of the loading platform.




Determine and state, to the *nearest degree*, the angle of elevation formed by the ramp and the ground.

- 244 In the coordinate plane, the vertices of $\triangle RST$ are $R(6, -1)$, $S(1, -4)$, and $T(-5, 6)$. Prove that $\triangle RST$ is a right triangle. State the coordinates of point P such that quadrilateral $RSTP$ is a rectangle. Prove that your quadrilateral $RSTP$ is a rectangle. [The use of the set of axes below is optional.]




- 245 In $\triangle RST$ shown below, altitude \overline{SU} is drawn to \overline{RT} at U .



If $SU = h$, $UT = 12$, and $RT = 42$, which value of h will make $\triangle RST$ a right triangle with $\angle RST$ as a right angle?


- 1) $6\sqrt{3}$
 - 2) $6\sqrt{10}$
 - 3) $6\sqrt{14}$
 - 4) $6\sqrt{35}$
- 246 Triangle ABC and triangle DEF are graphed on the set of axes below.



Which sequence of transformations maps triangle ABC onto triangle DEF ?


- 1) a reflection over the x -axis followed by a reflection over the y -axis
- 2) a 180° rotation about the origin followed by a reflection over the line $y = x$
- 3) a 90° clockwise rotation about the origin followed by a reflection over the y -axis
- 4) a translation 8 units to the right and 1 unit up followed by a 90° counterclockwise rotation about the origin

- 247 In triangle CHR , O is on \overline{HR} , and D is on \overline{CR} so that $\angle H \cong \angle RDO$.



If $RD = 4$, $RO = 6$, and $OH = 4$, what is the length of \overline{CD} ?


- 1) $2\frac{2}{3}$
 - 2) $6\frac{2}{3}$
 - 3) 11
 - 4) 15
- 248 Given: Parallelogram $ANDR$ with \overline{AW} and \overline{DE} bisecting \overline{ND} and \overline{RA} at points W and E , respectively



Prove that $\triangle ANW \cong \triangle DRE$. Prove that quadrilateral $AWDE$ is a parallelogram.


- 249 The diagonals of rhombus $TEAM$ intersect at $P(2,1)$. If the equation of the line that contains diagonal \overline{TA} is $y = -x + 3$, what is the equation of a line that contains diagonal \overline{EM} ?
- 1) $y = x - 1$
 - 2) $y = x - 3$
 - 3) $y = -x - 1$
 - 4) $y = -x - 3$

- 250 To find the distance across a pond from point B to point C , a surveyor drew the diagram below. The measurements he made are indicated on his diagram.



Use the surveyor's information to determine and state the distance from point B to point C , to the nearest yard.

- 251 In the diagram below of circle O , \overline{OB} and \overline{OC} are radii, and chords \overline{AB} , \overline{BC} , and \overline{AC} are drawn.




Which statement must always be true?

- 1) $\angle BAC \cong \angle BOC$
 - 2) $m\angle BAC = \frac{1}{2}m\angle BOC$
 - 3) $\triangle BAC$ and $\triangle BOC$ are isosceles.
 - 4) The area of $\triangle BAC$ is twice the area of $\triangle BOC$.
- 252 A designer needs to create perfectly circular necklaces. The necklaces each need to have a radius of 10 cm. What is the largest number of necklaces that can be made from 1000 cm of wire?
- 1) 15
 - 2) 16
 - 3) 31
 - 4) 32

- 253 A contractor needs to purchase 500 bricks. The dimensions of each brick are 5.1 cm by 10.2 cm by 20.3 cm, and the density of each brick is 1920 kg/m^3 . The maximum capacity of the contractor's trailer is 900 kg. Can the trailer hold the weight of 500 bricks? Justify your answer.


- 254 The square pyramid drawn below has a volume of 175.



If the height of the pyramid is 21, what is the perimeter of the base?

- 1) 5
 - 2) 10
 - 3) 20
 - 4) 25
- 255 An equation of a line perpendicular to the line represented by the equation $y = -\frac{1}{2}x - 5$ and passing through $(6, -4)$ is
- 1) $y = -\frac{1}{2}x + 4$
 - 2) $y = -\frac{1}{2}x - 1$
 - 3) $y = 2x + 14$
 - 4) $y = 2x - 16$


- 256 The graph below shows \overline{AB} , which is a chord of circle O . The coordinates of the endpoints of \overline{AB} are $A(3, 3)$ and $B(3, -7)$. The distance from the midpoint of \overline{AB} to the center of circle O is 2 units.



What could be a correct equation for circle O ?

- 1) $(x - 1)^2 + (y + 2)^2 = 29$
 - 2) $(x + 5)^2 + (y - 2)^2 = 29$
 - 3) $(x - 1)^2 + (y - 2)^2 = 25$
 - 4) $(x - 5)^2 + (y + 2)^2 = 25$
- 257 Line segment \overline{NY} has endpoints $N(-11, 5)$ and $Y(5, -7)$. What is the equation of the perpendicular bisector of \overline{NY} ?
- 1) $y + 1 = \frac{4}{3}(x + 3)$
 - 2) $y + 1 = -\frac{3}{4}(x + 3)$
 - 3) $y - 6 = \frac{4}{3}(x - 8)$
 - 4) $y - 6 = -\frac{3}{4}(x - 8)$
- 258 If $x^2 + 4x + y^2 - 6y - 12 = 0$ is the equation of a circle, the length of the radius is
- 1) 25
 - 2) 16
 - 3) 5
 - 4) 4

- 259 The diagram below shows parallelogram $LMNO$ with diagonal \overline{LN} , $m\angle M = 118^\circ$, and $m\angle LNO = 22^\circ$.




Explain why $m\angle NLO$ is 40 degrees.

- 260 In $\triangle ABC$, the complement of $\angle B$ is $\angle A$. Which statement is always true?

- 1) $\tan \angle A = \tan \angle B$
- 2) $\sin \angle A = \sin \angle B$
- 3) $\cos \angle A = \tan \angle B$
- 4) $\sin \angle A = \cos \angle B$

- 261 Using a compass and straightedge, construct and label $\triangle A'B'C'$, the image of $\triangle ABC$ after a dilation with a scale factor of 2 and centered at B . [Leave all construction marks.] Describe the relationship between the lengths of \overline{AC} and $\overline{A'C'}$.



- 262 A barrel of fuel oil is a right circular cylinder where the inside measurements of the barrel are a diameter of 22.5 inches and a height of 33.5 inches. There are 231 cubic inches in a liquid gallon. Determine and state, to the nearest tenth, the gallons of fuel that are in a barrel of fuel oil.

- 263 After a reflection over a line, $\triangle A'B'C'$ is the image of $\triangle ABC$. Explain why triangle ABC is congruent to triangle $\triangle A'B'C'$.

- 264 If the rectangle below is continuously rotated about side w , which solid figure is formed?



- 1) pyramid
- 2) rectangular prism
- 3) cone
- 4) cylinder


- 265 The center of circle Q has coordinates $(3, -2)$. If circle Q passes through $R(7, 1)$, what is the length of its diameter?

- 1) 50
- 2) 25
- 3) 10
- 4) 5

- 266 A hemispherical water tank has an inside diameter of 10 feet. If water has a density of 62.4 pounds per cubic foot, what is the weight of the water in a full tank, to the nearest pound?


- 1) 16,336
- 2) 32,673
- 3) 130,690
- 4) 261,381

- 267 As shown below, a canoe is approaching a lighthouse on the coastline of a lake. The front of the canoe is 1.5 feet above the water and an observer in the lighthouse is 112 feet above the water.



At 5:00, the observer in the lighthouse measured the angle of depression to the front of the canoe to be 6° . Five minutes later, the observer measured and saw the angle of depression to the front of the canoe had increased by 49° . Determine and state, to the *nearest foot per minute*, the average speed at which the canoe traveled toward the lighthouse.


- 268 In the diagram of $\triangle ADC$ below, $\overline{EB} \parallel \overline{DC}$, $AE = 9$, $ED = 5$, and $AB = 9.2$.



What is the length of \overline{AC} , to the *nearest tenth*?

- 1) 5.1
 - 2) 5.2
 - 3) 14.3
 - 4) 14.4
- 269 Which expression is always equivalent to $\sin x$ when $0^\circ < x < 90^\circ$?
- 1) $\cos(90^\circ - x)$
 - 2) $\cos(45^\circ - x)$
 - 3) $\cos(2x)$
 - 4) $\cos x$


- 270 In the diagram below, \overleftrightarrow{FE} bisects \overline{AC} at B , and \overleftrightarrow{GE} bisects \overline{BD} at C .



Which statement is always true?

- 1) $\overline{AB} \cong \overline{DC}$
 - 2) $\overline{FB} \cong \overline{EB}$
 - 3) \overleftrightarrow{BD} bisects \overleftrightarrow{GE} at C .
 - 4) \overleftrightarrow{AC} bisects \overleftrightarrow{FE} at B .
- 271 A fish tank in the shape of a rectangular prism has dimensions of 14 inches, 16 inches, and 10 inches. The tank contains 1680 cubic inches of water. What percent of the fish tank is empty?
- 1) 10
 - 2) 25
 - 3) 50
 - 4) 75


- 272 The image of $\triangle ABC$ after a rotation of 90° clockwise about the origin is $\triangle DEF$, as shown below.



Which statement is true?


- 1) $\overline{BC} \cong \overline{DE}$
 - 2) $\overline{AB} \cong \overline{DF}$
 - 3) $\angle C \cong \angle E$
 - 4) $\angle A \cong \angle D$
- 273 A triangle is dilated by a scale factor of 3 with the center of dilation at the origin. Which statement is true?
- 1) The area of the image is nine times the area of the original triangle.
 - 2) The perimeter of the image is nine times the perimeter of the original triangle.
 - 3) The slope of any side of the image is three times the slope of the corresponding side of the original triangle.
 - 4) The measure of each angle in the image is three times the measure of the corresponding angle of the original triangle.

- 274 In parallelogram $ABCD$ shown below, diagonals AC and BD intersect at E .




Prove: $\angle ACD \cong \angle CAB$

- 275 A glass fish tank is designed to be placed on a stand in the corner of a room with perpendicular walls. The tank can be modeled using part of a cylinder, as shown below. The inner length of the fish tank along the wall is 22 inches, and the height of the tank is 27 inches.



How much water, to the nearest gallon, does the fish tank hold? [1 gal = 231 in³]


- 1) 44
 - 2) 59
 - 3) 89
 - 4) 178
- 276 In $\triangle CED$ as shown below, points A and B are located on sides CE and ED , respectively. Line segment AB is drawn such that $AE = 3.75$, $AC = 5$, $EB = 4.5$, and $BD = 6$.




Explain why \overline{AB} is parallel to \overline{CD} .

277 A circle has a center at $(1, -2)$ and radius of 4.
Does the point $(3.4, 1.2)$ lie on the circle? Justify your answer.

278 In the diagram below, radius \overline{OA} is drawn in circle O . Using a compass and a straightedge, construct a line tangent to circle O at point A . [Leave all construction marks.]




279 In the diagram below, $\triangle ABC \sim \triangle DEC$.



If $AC = 12$, $DC = 7$, $DE = 5$, and the perimeter of $\triangle ABC$ is 30, what is the perimeter of $\triangle DEC$?

- 1) 12.5
- 2) 14.0
- 3) 14.8
- 4) 17.5


280 In the diagram below, \overline{CD} is the image of \overline{AB} after a dilation of scale factor k with center E .




Which ratio is equal to the scale factor k of the dilation?

- 1) $\frac{EC}{EA}$
- 2) $\frac{BA}{EA}$
- 3) $\frac{EA}{BA}$
- 4) $\frac{EA}{EC}$

281 Using a compass and straightedge, construct an altitude of triangle ABC below. [Leave all construction marks.]




- 282 In the diagram below, $\triangle A'B'C'$ is the image of $\triangle ABC$ after a transformation.



Describe the transformation that was performed.
Explain why $\triangle A'B'C' \sim \triangle ABC$.

- 283 In the diagram shown below, \overline{AC} is tangent to circle O at A and to circle P at C , \overline{OP} intersects \overline{AC} at B , $OA = 4$, $AB = 5$, and $PC = 10$.



What is the length of \overline{BC} ?

- 1) 6.4
- 2) 8
- 3) 12.5
- 4) 16

- 284 Molly wishes to make a lawn ornament in the form of a solid sphere. The clay being used to make the sphere weighs .075 pound per cubic inch. If the sphere's radius is 4 inches, what is the weight of the sphere, to the *nearest pound*?

- 1) 34
- 2) 20
- 3) 15
- 4) 4

- 285 A quadrilateral has vertices with coordinates $(-3, 1)$, $(0, 3)$, $(5, 2)$, and $(-1, -2)$. Which type of quadrilateral is this?

- 1) rhombus
- 2) rectangle
- 3) square
- 4) trapezoid

- 286 A gallon of paint will cover approximately 450 square feet. An artist wants to paint all the outside surfaces of a cube measuring 12 feet on each edge. What is the *least* number of gallons of paint he must buy to paint the cube?

- 1) 1
- 2) 2
- 3) 3
- 4) 4


- 287 The area of triangle ABC is $\underline{42}$. If $AB = 8$ and $m\angle B = 61$, the length of \overline{BC} is approximately

- 1) 5.1
- 2) 9.2
- 3) 12.0
- 4) 21.7

- 288 Line $y = 3x - 1$ is transformed by a dilation with a scale factor of 2 and centered at $(3, 8)$. The line's image is


- 1) $y = 3x - 8$
- 2) $y = 3x - 4$
- 3) $y = 3x - 2$
- 4) $y = 3x - 1$

- 289 As shown in the diagram below, the angle of elevation from a point on the ground to the top of the tree is 34° .




If the point is 20 feet from the base of the tree, what is the height of the tree, to the nearest tenth of a foot?

- 1) 29.7
 - 2) 16.6
 - 3) 13.5
 - 4) 11.2
- 290 In rhombus $MATH$, the coordinates of the endpoints of the diagonal \overline{MT} are $M(0,-1)$ and $T(4,6)$. Write an equation of the line that contains diagonal \overline{AH} . [Use of the set of axes below is optional.] Using the given information, explain how you know that your line contains diagonal \overline{AH} .




- 291 In $\triangle ABC$ below, \overline{DE} is a midsegment, and $\overline{BD} \cong \overline{DE}$.



Which statement is always true?


- 1) $\triangle ABC$ is isosceles
 - 2) $\triangle ABC$ is scalene
 - 3) $\overline{BD} \cong \overline{BE}$
 - 4) $\overline{DA} \cong \overline{EC}$
- 292 Quadrilateral $ABCD$ is graphed on the set of axes below.



When $ABCD$ is rotated 90° in a counterclockwise direction about the origin, its image is quadrilateral $A'B'C'D'$. Is distance preserved under this rotation, and which coordinates are correct for the given vertex?

- 1) no and $C'(1,2)$
- 2) no and $D'(2,4)$
- 3) yes and $A'(6,2)$
- 4) yes and $B'(-3,4)$

- 293 In the diagram below of circle O , diameter \overline{AB} and radii \overline{OC} and \overline{OD} are drawn. The length of \overline{AB} is 12 and the measure of $\angle COD$ is 20 degrees.




If $\widehat{AC} \cong \widehat{BD}$, find the area of sector BOD in terms of π .

- 294 In $\triangle ABC$, where $\angle C$ is a right angle,

$\cos A = \frac{\sqrt{21}}{5}$. What is $\sin B$?


- 1) $\frac{\sqrt{21}}{5}$
- 2) $\frac{\sqrt{21}}{2}$
- 3) $\frac{2}{5}$
- 4) $\frac{5}{\sqrt{21}}$

- 295 In the diagram below of circle O with diameter \overline{BC} and radius \overline{OA} , chord \overline{DC} is parallel to chord \overline{BA} .



If $m\angle BCD = 30^\circ$, determine and state $m\angle AOB$.


- 296 In $\triangle SCU$ shown below, points T and O are on \overline{SU} and \overline{CU} , respectively. Segment \overline{OT} is drawn so that $\angle C \cong \angle OTU$.



If $TU = 4$, $OU = 5$, and $OC = 7$, what is the length of \overline{ST} ?

- 1) 5.6
- 2) 8.75
- 3) 11
- 4) 15

- 297 In parallelogram $QRST$ shown below, diagonal \overline{TR} is drawn, U and V are points on \overline{TS} and \overline{QR} , respectively, and \overline{UV} intersects \overline{TR} at W .




If $m\angle S = 60^\circ$, $m\angle SRT = 83^\circ$, and $m\angle TWU = 35^\circ$, what is $m\angle WVQ$?


- 1) 37°
- 2) 60°
- 3) 72°
- 4) 83°

- 298 In right triangle ABC with the right angle at C , $\sin A = 2x + 0.1$ and $\cos B = 4x - 0.7$. Determine and state the value of x . Explain your answer.

299 Use a compass and straightedge to construct an inscribed square in circle T shown below. [Leave all construction marks.]




300 Lines AE and BD are tangent to circles O and P at $A, E, B,$ and $D,$ as shown in the diagram below. If $AC:CE = 5:3,$ and $BD = 56,$ determine and state the length of $\overline{CD}.$



301 Two right triangles must be congruent if

- 1) an acute angle in each triangle is congruent
- 2) the lengths of the hypotenuses are equal
- 3) the corresponding legs are congruent
- 4) the areas are equal


302 In the diagram below, $\triangle ABC \sim \triangle DEF.$



If $AB = 6$ and $AC = 8,$ which statement will justify similarity by SAS?

- 1) $DE = 9, DF = 12,$ and $\angle A \cong \angle D$
- 2) $DE = 8, DF = 10,$ and $\angle A \cong \angle D$
- 3) $DE = 36, DF = 64,$ and $\angle C \cong \angle F$
- 4) $DE = 15, DF = 20,$ and $\angle C \cong \angle F$

303 As shown in the diagram below, circle A has a radius of 3 and circle B has a radius of 5.




Use transformations to explain why circles A and B are similar.


304 Given: D is the image of A after a reflection over $\overleftrightarrow{CH}.$

\overleftrightarrow{CH} is the perpendicular bisector of \overline{BCE}
 $\triangle ABC$ and $\triangle DEC$ are drawn

Prove: $\triangle ABC \cong \triangle DEC$




- 305 As graphed on the set of axes below, $\triangle A'B'C'$ is the image of $\triangle ABC$ after a sequence of transformations.



Is $\triangle A'B'C'$ congruent to $\triangle ABC$? Use the properties of rigid motion to explain your answer.


- 306 In the diagram below, $\triangle ERM \sim \triangle JTM$.



Which statement is always true?


- 1) $\cos J = \frac{RM}{RE}$
 - 2) $\cos R = \frac{JM}{JT}$
 - 3) $\tan T = \frac{RM}{EM}$
 - 4) $\tan E = \frac{TM}{JM}$
- 307 The Great Pyramid of Giza was constructed as a regular pyramid with a square base. It was built with an approximate volume of 2,592,276 cubic meters and a height of 146.5 meters. What was the length of one side of its base, to the *nearest meter*?
- 1) 73
 - 2) 77
 - 3) 133
 - 4) 230

- 308 In the diagram below, triangles XYZ and UVZ are drawn such that $\angle X \cong \angle U$ and $\angle XZY \cong \angle ZUV$.



Describe a sequence of similarity transformations that shows $\triangle XYZ$ is similar to $\triangle UVZ$.





- 309 In circle O shown below, diameter \overline{AC} is perpendicular to \overline{CD} at point C , and chords \overline{AB} , \overline{BC} , \overline{AE} , and \overline{CE} are drawn.



Which statement is *not* always true?

- 1) $\angle ACB \cong \angle BCD$
 - 2) $\angle ABC \cong \angle ACD$
 - 3) $\angle BAC \cong \angle DCB$
 - 4) $\angle CBA \cong \angle AEC$
- 310 The line $y = 2x - 4$ is dilated by a scale factor of $\frac{3}{2}$ and centered at the origin. Which equation represents the image of the line after the dilation?
- 1) $y = 2x - 4$
 - 2) $y = 2x - 6$
 - 3) $y = 3x - 4$
 - 4) $y = 3x - 6$


311 A student has a rectangular postcard that he folds in half lengthwise. Next, he rotates it continuously about the folded edge. Which three-dimensional object below is generated by this rotation?



312 Line m , whose equation is $y = -2x + 8$, is dilated by a scale factor of $\frac{1}{2}$ centered at the origin. Which equation represents the image of line m ?


- 1) $y = -x + 4$
- 2) $y = -2x + 4$
- 3) $y = -x + 8$
- 4) $y = -2x + 8$

313 In the diagram of parallelogram $ABCD$ below, $\overline{BE} \perp \overline{CE}$, $\overline{DF} \perp \overline{BF}$, $\overline{CE} \cong \overline{CF}$.




Prove $ABCD$ is a rhombus.

314 Cathy wants to determine the height of the flagpole shown in the diagram below. She uses a survey instrument to measure the angle of elevation to the top of the flagpole, and determines it to be 34.9° . She walks 8 meters closer and determines the new measure of the angle of elevation to be 52.8° . At each measurement, the survey instrument is 1.7 meters above the ground.



Determine and state, to the nearest tenth of a meter, the height of the flagpole.


315 In the diagram below, $\triangle ABC$ has vertices $A(4,5)$, $B(2,1)$, and $C(7,3)$.



What is the slope of the altitude drawn from A to \overline{BC} ?


- 1) $\frac{2}{5}$
- 2) $\frac{3}{2}$
- 3) $-\frac{1}{2}$
- 4) $-\frac{5}{2}$

316 Given: Quadrilateral $ABCD$ with diagonals \overline{AC} and \overline{BD} that bisect each other, and $\angle 1 \cong \angle 2$




Prove: $\triangle ACD$ is an isosceles triangle and $\triangle AEB$ is a right triangle

317 On the set of axes below, rectangle $ABCD$ can be proven congruent to rectangle $KLMN$ using which transformation?



- 1) rotation
- 2) translation
- 3) reflection over the x -axis
- 4) reflection over the y -axis


318 In the diagram of parallelogram $FRED$ shown below, \overline{ED} is extended to A , and \overline{AF} is drawn such that $\overline{AF} \cong \overline{DF}$.



If $m\angle R = 124^\circ$, what is $m\angle AFD$?


- 1) 124°
- 2) 112°
- 3) 68°
- 4) 56°

- 319 In the diagram of $\triangle ABC$, points D and E are on \overline{AB} and \overline{CB} , respectively, such that $\overline{AC} \parallel \overline{DE}$.




If $AD = 24$, $DB = 12$, and $DE = 4$, what is the length of \overline{AC} ?

- 1) 8
 - 2) 12
 - 3) 16
 - 4) 72
- 320 As shown in the diagram below, a ship is heading directly toward a lighthouse whose beacon is 125 feet above sea level. At the first sighting, point A , the angle of elevation from the ship to the light was 7° . A short time later, at point D , the angle of elevation was 16° .



To the *nearest foot*, determine and state how far the ship traveled from point A to point D .

- 321 Two stacks of 23 quarters each are shown below. One stack forms a cylinder but the other stack does not form a cylinder.




Use Cavalieri's principle to explain why the volumes of these two stacks of quarters are equal.

- 322 The density of the American white oak tree is 752 kilograms per cubic meter. If the trunk of an American white oak tree has a circumference of 4.5 meters and the height of the trunk is 8 meters, what is the approximate number of kilograms of the trunk?

- 1) 13
- 2) 9694
- 3) 13,536
- 4) 30,456

- 323 In circle O , diameter \overline{AB} , chord \overline{BC} , and radius \overline{OC} are drawn, and the measure of arc BC is 108° .



Some students wrote these formulas to find the area of sector COB :

Amy $\frac{3}{10} \cdot \pi \cdot (BC)^2$

Beth $\frac{108}{360} \cdot \pi \cdot (OC)^2$


Carl $\frac{3}{10} \cdot \pi \cdot (\frac{1}{2} AB)^2$

Dex $\frac{108}{360} \cdot \pi \cdot \frac{1}{2} (AB)^2$

Which students wrote correct formulas?

- 1) Amy and Dex
- 2) Beth and Carl
- 3) Carl and Amy
- 4) Dex and Beth

324 Given the theorem, "The sum of the measures of the interior angles of a triangle is 180° ," complete the proof for this theorem.



Given: $\triangle ABC$

Prove: $m\angle 1 + m\angle 2 + m\angle 3 = 180^\circ$

Fill in the missing reasons below.

Statements	Reasons
(1) $\triangle ABC$	(1) Given
(2) Through point C , draw \overline{DCE} parallel to \overline{AB} .	(2) _____ _____ _____
(3) $m\angle 1 = m\angle ACD$, $m\angle 3 = m\angle BCE$	(3) _____ _____ _____
(4) $m\angle ACD + m\angle 2 + m\angle BCE = 180^\circ$	(4) _____ _____ _____
(5) $m\angle 1 + m\angle 2 + m\angle 3 = 180^\circ$	(5) _____ _____ _____


325 An equilateral triangle has sides of length 20. To the nearest tenth, what is the height of the equilateral triangle?

- 1) 10.0
- 2) 11.5
- 3) 17.3
- 4) 23.1


326 The equation of line h is $2x + y = 1$. Line m is the image of line h after a dilation of scale factor 4 with respect to the origin. What is the equation of the line m ?

- 1) $y = -2x + 1$
- 2) $y = -2x + 4$
- 3) $y = 2x + 4$
- 4) $y = 2x + 1$

327 The coordinates of the endpoints of \overline{AB} are $A(-6, -5)$ and $B(4, 0)$. Point P is on \overline{AB} . Determine and state the coordinates of point P , such that $AP:PB$ is 2:3. [The use of the set of axes below is optional.]




328 Which sequence of transformations will map $\triangle ABC$ onto $\triangle A'B'C'$?



- 1) reflection and translation
- 2) rotation and reflection
- 3) translation and dilation
- 4) dilation and rotation


329 In the diagram below, congruent figures 1, 2, and 3 are drawn.



Which sequence of transformations maps figure 1 onto figure 2 and then figure 2 onto figure 3?


- 1) a reflection followed by a translation
- 2) a rotation followed by a translation
- 3) a translation followed by a reflection
- 4) a translation followed by a rotation

- 330 In the diagram below, \overline{DC} , \overline{AC} , \overline{DOB} , \overline{CB} , and \overline{AB} are chords of circle O , \overleftrightarrow{FDE} is tangent at point D , and radius \overline{AO} is drawn. Sam decides to apply this theorem to the diagram: "An angle inscribed in a semi-circle is a right angle."




Which angle is Sam referring to?

- 1) $\angle AOB$
 - 2) $\angle BAC$
 - 3) $\angle DCB$
 - 4) $\angle FDB$
- 331 A hemispherical tank is filled with water and has a diameter of 10 feet. If water weighs 62.4 pounds per cubic foot, what is the total weight of the water in a full tank, to the nearest pound?
- 1) 16,336
 - 2) 32,673
 - 3) 130,690
 - 4) 261,381
- 332 Construct an equilateral triangle inscribed in circle T shown below. [Leave all construction marks.]




- 333 In the diagram below, $m\angle BDC = 100^\circ$, $m\angle A = 50^\circ$, and $m\angle DBC = 30^\circ$.




Which statement is true?

- 1) $\triangle ABD$ is obtuse.
 - 2) $\triangle ABC$ is isosceles.
 - 3) $m\angle ABD = 80^\circ$
 - 4) $\triangle ABD$ is scalene.
- 334 In the diagram below, $\triangle ABC \sim \triangle ADE$.




Which measurements are justified by this similarity?

- 1) $AD = 3$, $AB = 6$, $AE = 4$, and $AC = 12$
 - 2) $AD = 5$, $AB = 8$, $AE = 7$, and $AC = 10$
 - 3) $AD = 3$, $AB = 9$, $AE = 5$, and $AC = 10$
 - 4) $AD = 2$, $AB = 6$, $AE = 5$, and $AC = 15$
- 335 In the diagram below of circle O , the area of the shaded sector AOC is $12\pi \text{ in}^2$ and the length of \overline{OA} is 6 inches. Determine and state $m\angle AOC$.




- 336 In the diagram below, $\triangle DEF$ is the image of $\triangle ABC$ after a clockwise rotation of 180° and a dilation where $AB = 3$, $BC = 5.5$, $AC = 4.5$, $DE = 6$, $FD = 9$, and $EF = 11$.



Which relationship must always be true?


- 1) $\frac{m\angle A}{m\angle D} = \frac{1}{2}$
 - 2) $\frac{m\angle C}{m\angle F} = \frac{2}{1}$
 - 3) $\frac{m\angle A}{m\angle C} = \frac{m\angle F}{m\angle D}$
 - 4) $\frac{m\angle B}{m\angle E} = \frac{m\angle C}{m\angle F}$
- 337 In the diagram below, \overline{CD} is the altitude drawn to the hypotenuse \overline{AB} of right triangle ABC .



Which lengths would *not* produce an altitude that measures $6\sqrt{2}$?

- 338 What are the coordinates of the center and the length of the radius of the circle represented by the equation $x^2 + y^2 - 4x + 8y + 11 = 0$?
- 1) center $(2, -4)$ and radius 3
 - 2) center $(-2, 4)$ and radius 3
 - 3) center $(2, -4)$ and radius 9
 - 4) center $(-2, 4)$ and radius 9

- 339 Given \overline{MN} shown below, with $M(-6, 1)$ and $N(3, -5)$, what is an equation of the line that passes through point $P(6, 1)$ and is parallel to \overline{MN} ?



- 1) $y = -\frac{2}{3}x + 5$
- 2) $y = -\frac{2}{3}x - 3$
- 3) $y = \frac{3}{2}x + 7$
- 4) $y = \frac{3}{2}x - 8$


- 340 The endpoints of one side of a regular pentagon are $(-1, 4)$ and $(2, 3)$. What is the perimeter of the pentagon?

- 1) $\sqrt{10}$
- 2) $5\sqrt{10}$
- 3) $5\sqrt{2}$
- 4) $25\sqrt{2}$

341 Point P is on the directed line segment from point $X(-6,-2)$ to point $Y(6,7)$ and divides the segment in the ratio $1:5$. What are the coordinates of point P ?

- 1) $\left(4, 5\frac{1}{2}\right)$
- 2) $\left(-\frac{1}{2}, -4\right)$
- 3) $\left(-4\frac{1}{2}, 0\right)$
- 4) $\left(-4, -\frac{1}{2}\right)$

342 Prove the sum of the exterior angles of a triangle is 360° .



343 The coordinates of vertices A and B of $\triangle ABC$ are $A(3,4)$ and $B(3,12)$. If the area of $\triangle ABC$ is 24 square units, what could be the coordinates of point C ?


- 1) $(3,6)$
- 2) $(8,-3)$
- 3) $(-3,8)$
- 4) $(6,3)$

344 Which equation represents a line that is perpendicular to the line represented by $2x - y = 7$?

- 1) $y = -\frac{1}{2}x + 6$
- 2) $y = \frac{1}{2}x + 6$
- 3) $y = -2x + 6$
- 4) $y = 2x + 6$

345 Explain why $\cos(x) = \sin(90 - x)$ for x such that $0 < x < 90$.

346 A snow cone consists of a paper cone completely filled with shaved ice and topped with a hemisphere of shaved ice, as shown in the diagram below. The inside diameter of both the cone and the hemisphere is 8.3 centimeters. The height of the cone is 10.2 centimeters.



The desired density of the shaved ice is 0.697 g/cm^3 , and the cost, per kilogram, of ice is \$3.83. Determine and state the cost of the ice needed to make 50 snow cones.


347 A company is creating an object from a wooden cube with an edge length of 8.5 cm. A right circular cone with a diameter of 8 cm and an altitude of 8 cm will be cut out of the cube. Which expression represents the volume of the remaining wood?

- 1) $(8.5)^3 - \pi(8)^2(8)$
- 2) $(8.5)^3 - \pi(4)^2(8)$
- 3) $(8.5)^3 - \frac{1}{3}\pi(8)^2(8)$
- 4) $(8.5)^3 - \frac{1}{3}\pi(4)^2(8)$

348 A man who is 5 feet 9 inches tall casts a shadow of 8 feet 6 inches. Assuming that the man is standing perpendicular to the ground, what is the angle of elevation from the end of the shadow to the top of the man's head, to the nearest tenth of a degree?

- 1) 34.1
- 2) 34.5
- 3) 42.6
- 4) 55.9


- 349 As modeled below, a movie is projected onto a large outdoor screen. The bottom of the 60-foot-tall screen is 12 feet off the ground. The projector sits on the ground at a horizontal distance of 75 feet from the screen.



Determine and state, to the *nearest tenth of a degree*, the measure of θ , the projection angle.

- 350 What is the area of a sector of a circle with a radius of 8 inches and formed by a central angle that measures 60° ?
- 1) $\frac{8\pi}{3}$
 - 2) $\frac{16\pi}{3}$
 - 3) $\frac{32\pi}{3}$
 - 4) $\frac{64\pi}{3}$
- 351 A parallelogram must be a rectangle when its
- 1) diagonals are perpendicular
 - 2) diagonals are congruent
 - 3) opposite sides are parallel
 - 4) opposite sides are congruent
- 352 A three-inch line segment is dilated by a scale factor of 6 and centered at its midpoint. What is the length of its image?
- 1) 9 inches
 - 2) 2 inches
 - 3) 15 inches
 - 4) 18 inches


- 353 The image of $\triangle ABC$ after a dilation of scale factor k centered at point A is $\triangle ADE$, as shown in the diagram below.



Which statement is always true?

- 1) $\overline{2AB} = \overline{AD}$
 - 2) $\overline{AD} \perp \overline{DE}$
 - 3) $\overline{AC} = \overline{CE}$
 - 4) $\overline{BC} \parallel \overline{DE}$
- 354 If $\triangle ABC$ is dilated by a scale factor of 3, which statement is true of the image $\triangle A'B'C'$?
- 1) $3A'B' = AB$
 - 2) $B'C' = 3BC$
 - 3) $m\angle A' = 3(m\angle A)$
 - 4) $3(m\angle C') = m\angle C$
- 355 Line ℓ is mapped onto line m by a dilation centered at the origin with a scale factor of 2. The equation of line ℓ is $3x - y = 4$. Determine and state an equation for line m .
- 356 A shipping container is in the shape of a right rectangular prism with a length of 12 feet, a width of 8.5 feet, and a height of 4 feet. The container is completely filled with contents that weigh, on average, 0.25 pound per cubic foot. What is the weight, in pounds, of the contents in the container?
- 1) 1,632
 - 2) 408
 - 3) 102
 - 4) 92


- 357 A water glass can be modeled by a truncated right cone (a cone which is cut parallel to its base) as shown below.



The diameter of the top of the glass is 3 inches, the diameter at the bottom of the glass is 2 inches, and the height of the glass is 5 inches. The base with a diameter of 2 inches must be parallel to the base with a diameter of 3 inches in order to find the height of the cone. Explain why. Determine and state, in inches, the height of the larger cone. Determine and state, to the nearest tenth of a cubic inch, the volume of the water glass.

- 358 A 20-foot support post leans against a wall, making a 70° angle with the ground. To the nearest tenth of a foot, how far up the wall will the support post reach?
- 1) 6.8
 - 2) 6.9
 - 3) 18.7
 - 4) 18.8
- 359 In parallelogram $BFLO$, $OL = 3.8$, $LF = 7.4$, and $m\angle O = 126$. If diagonal \overline{BL} is drawn, what is the area of $\triangle BLF$?
- 1) 11.4
 - 2) 14.1
 - 3) 22.7
 - 4) 28.1

- 360 As shown in the diagram below, \overline{AB} and \overline{CD} intersect at E , and $\overline{AC} \parallel \overline{BD}$.




Given $\triangle AEC \sim \triangle BED$, which equation is true?


- 1) $\frac{CE}{DE} = \frac{EB}{EA}$
 - 2) $\frac{AE}{BE} = \frac{AC}{BD}$
 - 3) $\frac{EC}{AE} = \frac{BE}{ED}$
 - 4) $\frac{ED}{EC} = \frac{AC}{BD}$
- 361 The equation of a circle is $x^2 + y^2 + 6y = 7$. What are the coordinates of the center and the length of the radius of the circle?
- 1) center (0,3) and radius 4
 - 2) center (0,-3) and radius 4
 - 3) center (0,3) and radius 16
 - 4) center (0,-3) and radius 16
- 362 If an equilateral triangle is continuously rotated around one of its medians, which 3-dimensional object is generated?
- 1) cone
 - 2) pyramid
 - 3) prism
 - 4) sphere

363 A ladder leans against a building. The top of the ladder touches the building 10 feet above the ground. The foot of the ladder is 4 feet from the building. Find, to the *nearest degree*, the angle that the ladder makes with the level ground.

364 Triangle MNP is the image of triangle JKL after a 120° counterclockwise rotation about point Q . If the measure of angle L is 47° and the measure of angle N is 57° , determine the measure of angle M . Explain how you arrived at your answer.



365 In the diagram of right triangle ABC , \overline{CD} intersects hypotenuse \overline{AB} at D .



If $AD = 4$ and $DB = 6$, which length of \overline{AC} makes $\overline{CD} \perp \overline{AB}$?

- 1) $2\sqrt{6}$
- 2) $2\sqrt{10}$
- 3) $2\sqrt{15}$
- 4) $4\sqrt{2}$

366 The endpoints of \overline{DEF} are $D(1,4)$ and $F(16,14)$. Determine and state the coordinates of point E , if $DE:EF = 2:3$.


367 The cross section of a regular pyramid contains the altitude of the pyramid. The shape of this cross section is a

- 1) circle
- 2) square
- 3) triangle
- 4) rectangle

368 Seawater contains approximately 1.2 ounces of salt per liter on average. How many gallons of seawater, to the *nearest tenth of a gallon*, would contain 1 pound of salt?

- 1) 3.3
- 2) 3.5
- 3) 4.7
- 4) 13.3

369 In the diagram below, $ABCD$ is a parallelogram, \overline{AB} is extended through B to E , and \overline{CE} is drawn.



If $\overline{CE} \cong \overline{BE}$ and $m\angle D = 112^\circ$, what is $m\angle E$?

- 1) 44°
- 2) 56°
- 3) 68°
- 4) 112°


370 In isosceles $\triangle MNP$, line segment \overline{NO} bisects vertex $\angle MNP$, as shown below. If $MP = 16$, find the length of \overline{MO} and explain your answer.



371 A wooden cube has an edge length of 6 centimeters and a mass of 137.8 grams. Determine the density of the cube, to the *nearest thousandth*. State which type of wood the cube is made of, using the density table below.

Type of Wood	Density (g/cm ³)
Pine	0.373
Hemlock	0.431
Elm	0.554
Birch	0.601
Ash	0.638
Maple	0.676
Oak	0.711

372 Given: $\triangle ABE$ and $\triangle CBD$ shown in the diagram below with $\overline{DB} \cong \overline{BE}$



Which statement is needed to prove $\triangle ABE \cong \triangle CBD$ using only SAS \cong SAS?


- 1) $\angle CDB \cong \angle AEB$
- 2) $\angle AFD \cong \angle EFC$
- 3) $\overline{AD} \cong \overline{CE}$
- 4) $\overline{AE} \cong \overline{CD}$

373 A flagpole casts a shadow 16.60 meters long. Tim stands at a distance of 12.45 meters from the base of the flagpole, such that the end of Tim's shadow meets the end of the flagpole's shadow. If Tim is 1.65 meters tall, determine and state the height of the flagpole to the *nearest tenth of a meter*.

374 The ratio of similarity of square $ABCD$ to square $WXYZ$ is 2:5. If $AB = x + 3$ and $WX = 3x + 5$, then the perimeter of $ABCD$ is

- 1) 8
- 2) 20
- 3) 32
- 4) 80

375 A circle with a radius of 5 was divided into 24 congruent sectors. The sectors were then rearranged, as shown in the diagram below.




To the *nearest integer*, the value of x is

- 1) 31
- 2) 16
- 3) 12
- 4) 10

376 Which transformation would result in the perimeter of a triangle being different from the perimeter of its image?


- 1) $(x,y) \rightarrow (y,x)$
- 2) $(x,y) \rightarrow (x,-y)$
- 3) $(x,y) \rightarrow (4x,4y)$
- 4) $(x,y) \rightarrow (x+2,y-5)$

377 The grid below shows $\triangle ABC$ and $\triangle DEF$.



Let $\triangle A'B'C'$ be the image of $\triangle ABC$ after a rotation about point A. Determine and state the location of B' if the location of point C' is $(8, -3)$. Explain your answer. Is $\triangle DEF$ congruent to $\triangle A'B'C'$? Explain your answer.

378 Triangle $\triangle FGH$ is inscribed in circle O , the length of radius \overline{OH} is 6, and $\overline{FH} \cong \overline{OG}$.




What is the area of the sector formed by angle $\angle FOH$?

- 1) 2π
- 2) $\frac{3}{2}\pi$
- 3) 6π
- 4) 24π

379 A line that passes through the points whose coordinates are $(1, 1)$ and $(5, 7)$ is dilated by a scale factor of 3 and centered at the origin. The image of the line

- 1) is perpendicular to the original line
- 2) is parallel to the original line
- 3) passes through the origin
- 4) is the original line

380 In the diagram of $\triangle LAC$ and $\triangle DNC$ below, $\overline{LA} \cong \overline{DN}$, $\overline{CA} \cong \overline{CN}$, and $\overline{DAC} \perp \overline{LCN}$.



- a) Prove that $\triangle LAC \cong \triangle DNC$.
- b) Describe a sequence of rigid motions that will map $\triangle LAC$ onto $\triangle DNC$.

381 Kevin's work for deriving the equation of a circle is shown below.

$$x^2 + 4x = -(y^2 - 20)$$

STEP 1 $x^2 + 4x = -y^2 + 20$

STEP 2 $x^2 + 4x + 4 = -y^2 + 20 - 4$


STEP 3 $(x + 2)^2 = -y^2 + 20 - 4$

STEP 4 $(x + 2)^2 + y^2 = 16$

In which step did he make an error in his work?


- 1) Step 1
- 2) Step 2
- 3) Step 3
- 4) Step 4

- 382 As shown in the diagram below, a regular pyramid has a square base whose side measures 6 inches.



If the altitude of the pyramid measures 12 inches, its volume, in cubic inches, is


- 1) 72
 - 2) 144
 - 3) 288
 - 4) 432
- 383 Triangles ABC and DEF are drawn below.




If $AB = 9$, $BC = 15$, $DE = 6$, $EF = 10$, and $\angle B \cong \angle E$, which statement is true?

- 1) $\angle CAB \cong \angle DEF$
 - 2) $\frac{AB}{CB} = \frac{FE}{DE}$
 - 3) $\triangle ABC \sim \triangle DEF$
 - 4) $\frac{AB}{DE} = \frac{FE}{CB}$
- 384 Find the value of R that will make the equation $\sin 73^\circ = \cos R$ true when $0^\circ < R < 90^\circ$. Explain your answer.

- 385 Directed line segment PT has endpoints whose coordinates are $P(-2, 1)$ and $T(4, 7)$. Determine the coordinates of point J that divides the segment in the ratio 2 to 1. [The use of the set of axes below is optional.]



- 386 In the diagram below, \overline{BC} is the diameter of circle A .




Point D , which is unique from points B and C , is plotted on circle A . Which statement must always be true?

- 1) $\triangle BCD$ is a right triangle.
- 2) $\triangle BCD$ is an isosceles triangle.
- 3) $\triangle BAD$ and $\triangle CBD$ are similar triangles.
- 4) $\triangle BAD$ and $\triangle CAD$ are congruent triangles.

387 The line $3y = -2x + 8$ is transformed by a dilation centered at the origin. Which linear equation could be its image?

- 1) $2x + 3y = 5$
- 2) $2x - 3y = 5$
- 3) $3x + 2y = 5$
- 4) $3x - 2y = 5$

388 Triangle ABC is graphed on the set of axes below. The vertices of $\triangle ABC$ have coordinates $A(-3,4)$, $B(-5,-1)$, and $C(3,-2)$.




What is the area of $\triangle ABC$?

- 1) 16
- 2) 20
- 3) 21
- 4) 24


389 The vertices of $\triangle JKL$ have coordinates $J(5,1)$, $K(-2,-3)$, and $L(-4,1)$. Under which transformation is the image $\triangle J'K'L'$ not congruent to $\triangle JKL$?

- 1) a translation of two units to the right and two units down
- 2) a counterclockwise rotation of 180 degrees around the origin
- 3) a reflection over the x -axis
- 4) a dilation with a scale factor of 2 and centered at the origin

390 Describe a sequence of transformations that will map $\triangle ABC$ onto $\triangle DEF$ as shown below.



391 In the diagram below, lines ℓ , m , n , and p intersect line r .




Which statement is true?

- 1) $\ell \parallel n$
- 2) $\ell \parallel p$
- 3) $m \parallel p$
- 4) $m \parallel n$

392 Which regular polygon has a minimum rotation of 45° to carry the polygon onto itself?


- 1) octagon
- 2) decagon
- 3) hexagon
- 4) pentagon

- 393 Given: Circle O , chords \overline{AB} and \overline{CD} intersect at E



Theorem: If two chords intersect in a circle, the product of the lengths of the segments of one chord is equal to the product of the lengths of the segments of the other chord. Prove this theorem by proving $AE \cdot EB = CE \cdot ED$.

- 394 In the diagram of circle A shown below, chords \overline{CD} and \overline{EF} intersect at G , and chords \overline{CE} and \overline{FD} are drawn.




Which statement is *not* always true?

- 1) $\overline{CG} \cong \overline{FG}$
 - 2) $\angle CEG \cong \angle FDG$
 - 3) $\frac{CE}{EG} = \frac{FD}{DG}$
 - 4) $\triangle CEG \sim \triangle FDG$
- 395 Point P is on segment AB such that $AP:PB$ is 4:5. If A has coordinates $(4,2)$, and B has coordinates $(22,2)$, determine and state the coordinates of P .


- 396 The ratio of similarity of $\triangle BOY$ to $\triangle GRL$ is 1:2. If $BO = x + 3$ and $GR = 3x - 1$, then the length of \overline{GR} is
- 1) 5
 - 2) 7
 - 3) 10
 - 4) 20

- 397 In the diagram below, $\overline{AC} \cong \overline{DF}$ and points $A, C, D,$ and F are collinear on line ℓ .




Let $\triangle D'E'F'$ be the image of $\triangle DEF$ after a translation along ℓ , such that point D is mapped onto point A . Determine and state the location of F' . Explain your answer. Let $\triangle D''E''F''$ be the image of $\triangle D'E'F'$ after a reflection across line ℓ . Suppose that E'' is located at B . Is $\triangle DEF$ congruent to $\triangle ABC$? Explain your answer.

- 398 Which object is formed when right triangle RST shown below is rotated around leg \overline{RS} ?




- 1) a pyramid with a square base
- 2) an isosceles triangle
- 3) a right triangle
- 4) a cone

- 399 In the diagram below, $\triangle ABC$ has coordinates $A(1, 1)$, $B(4, 1)$, and $C(4, 5)$. Graph and label $\triangle A'B'C'$, the image of $\triangle ABC$ after the translation five units to the right and two units up followed by the reflection over the line $y = 0$.




- 400 In the diagram below, \overline{EF} intersects \overline{AB} and \overline{CD} at G and H , respectively, and \overline{GI} is drawn such that $\overline{GH} \cong \overline{IH}$.




If $m\angle EGB = 50^\circ$ and $m\angle DIG = 115^\circ$, explain why $\overline{AB} \parallel \overline{CD}$.

- 401 Triangle ABC has vertices with $A(x, 3)$, $B(-3, -1)$, and $C(-1, -4)$. Determine and state a value of x that would make triangle ABC a right triangle. Justify why $\triangle ABC$ is a right triangle. [The use of the set of axes below is optional.]




- 402 Which point shown in the graph below is the image of point P after a counterclockwise rotation of 90° about the origin?



- 1) A
- 2) B
- 3) C
- 4) D


- 403 As shown in the diagram below, $\overline{JKL} \parallel \overline{MNOP}$, \overline{KRN} , and $\overline{OR} \cong \overline{ON}$.



If $m\angle POR = 116^\circ$, what is $m\angle LKN$?

- 1) 58°
- 2) 116°
- 3) 122°
- 4) 128°

- 404 In circle O , chord \overline{KA} intersects diameter \overline{YN} at S .



If $m\widehat{YK} = 120^\circ$ and $m\widehat{YA} = 105^\circ$, what is $m\angle ASN$?

- 1) 22.5°
- 2) 75°
- 3) 97.5°
- 4) 120°


- 405 In parallelogram $ABCD$, diagonals \overline{AC} and \overline{BD} intersect at E . Which statement does *not* prove parallelogram $ABCD$ is a rhombus?

- 1) $\overline{AC} \cong \overline{DB}$
- 2) $\overline{AB} \cong \overline{BC}$
- 3) $\overline{AC} \perp \overline{DB}$
- 4) AC bisects $\angle DCB$

- 406 The diameter of a basketball is approximately 9.5 inches and the diameter of a tennis ball is approximately 2.5 inches. The volume of the basketball is about how many times greater than the volume of the tennis ball?

- 1) 3591
- 2) 65
- 3) 55
- 4) 4

- 407 In the diagram below, $\triangle ABC$ and $\triangle XYZ$ are graphed.




Use the properties of rigid motions to explain why $\triangle ABC \cong \triangle XYZ$.

- 408 Two sides of a triangular-shaped sandbox measure 22 feet and 13 feet. If the angle between these two sides measures 55° , what is the area of the sandbox, to the nearest square foot?

- 1) 82
- 2) 117
- 3) 143
- 4) 234


409 A regular pentagon is shown in the diagram below.



If the pentagon is rotated clockwise around its center, the minimum number of degrees it must be rotated to carry the pentagon onto itself is

- 1) 54°
- 2) 72°
- 3) 108°
- 4) 360°


410 In the diagram of $\triangle ABC$ shown below, use a compass and straightedge to construct the median to \overline{AB} . [Leave all construction marks.]



411 Segment \overline{CD} is the perpendicular bisector of \overline{AB} at E . Which pair of segments does *not* have to be congruent?

- 1) $\overline{AD}, \overline{BD}$
- 2) $\overline{AC}, \overline{BC}$
- 3) $\overline{AE}, \overline{BE}$
- 4) $\overline{DE}, \overline{CE}$


412 In scalene triangle ABC shown in the diagram below, $m\angle C = 90^\circ$.



Which equation is always true?

- 1) $\sin A = \sin B$
- 2) $\cos A = \cos B$
- 3) $\cos A = \sin C$
- 4) $\sin A = \cos B$

413 In the diagram below, \overline{DB} and \overline{AF} intersect at point C , and \overline{AD} and \overline{FBE} are drawn.







If $AC = 6$, $DC = 4$, $FC = 15$, $m\angle D = 65^\circ$, and $m\angle CBE = 115^\circ$, what is the length of \overline{CB} ?


- 1) 10
- 2) 12
- 3) 17
- 4) 22.5

414 The aspect ratio (the ratio of screen width to height) of a rectangular flat-screen television is 16:9. The length of the diagonal of the screen is the television's screen size. Determine and state, to the *nearest inch*, the screen size (diagonal) of this flat-screen television with a screen height of 20.6 inches.


415 Using the information given below, which set of triangles can *not* be proven similar?

- 1) 
- 2) 
- 3) 
- 4) 

416 A carpenter leans an extension ladder against a house to reach the bottom of a window 30 feet above the ground. As shown in the diagram below, the ladder makes a 70° angle with the ground. To the *nearest foot*, determine and state the length of the ladder.




417 Walter wants to make 100 candles in the shape of a cone for his new candle business. The mold shown below will be used to make the candles. Each mold will have a height of 8 inches and a diameter of 3 inches. To the *nearest cubic inch*, what will be the total volume of 100 candles?




Walter goes to a hobby store to buy the wax for his candles. The wax costs \$0.10 per ounce. If the weight of the wax is 0.52 ounce per cubic inch, how much will it cost Walter to buy the wax for 100 candles? If Walter spent a total of \$37.83 for the molds and charges \$1.95 for each candle, what is Walter's profit after selling 100 candles?

- 418 In parallelogram $ABCD$ below, diagonals \overline{AC} and \overline{BD} intersect at E .



Which transformation would map $\triangle ABC$ onto $\triangle CDA$?

- 1) a reflection over \overline{AC}
 - 2) a reflection over \overline{DB}
 - 3) a clockwise rotation of 90° about point E
 - 4) a clockwise rotation of 180° about point E
- 419 In the diagram below, a square is graphed in the coordinate plane.



A reflection over which line does *not* carry the square onto itself?

- 1) $x = 5$
- 2) $y = 2$
- 3) $y = x$
- 4) $x + y = 4$

- 420 What are the coordinates of the center and length of the radius of the circle whose equation is $x^2 + 6x + y^2 - 4y = 23$?


- 1) $(3, -2)$ and 36
- 2) $(3, -2)$ and 6
- 3) $(-3, 2)$ and 36
- 4) $(-3, 2)$ and 6

- 421 Line segment $A'B'$, whose endpoints are $(4, -2)$ and $(16, 14)$, is the image of \overline{AB} after a dilation of $\frac{1}{2}$

centered at the origin. What is the length of \overline{AB} ?


- 1) 5
- 2) 10
- 3) 20
- 4) 40

- 422 During an experiment, the same type of bacteria is grown in two petri dishes. Petri dish A has a diameter of 51 mm and has approximately 40,000 bacteria after 1 hour. Petri dish B has a diameter of 75 mm and has approximately 72,000 bacteria after 1 hour.




Determine and state which petri dish has the greater population density of bacteria at the end of the first hour.

- 423 The map below shows the three tallest mountain peaks in New York State: Mount Marcy, Algonquin Peak, and Mount Haystack. Mount Haystack, the shortest peak, is 4960 feet tall. Surveyors have determined the horizontal distance between Mount Haystack and Mount Marcy is 6336 feet and the horizontal distance between Mount Marcy and Algonquin Peak is 20,493 feet.




The angle of depression from the peak of Mount Marcy to the peak of Mount Haystack is 3.47 degrees. The angle of elevation from the peak of Algonquin Peak to the peak of Mount Marcy is 0.64 degrees. What are the heights, to the *nearest foot*, of Mount Marcy and Algonquin Peak? Justify your answer.

- 424 Triangles RST and XYZ are drawn below. If $RS = 6$, $ST = 14$, $XY = 9$, $YZ = 21$, and $\angle S \cong \angle Y$, is $\triangle RST$ similar to $\triangle XYZ$? Justify your answer.




- 425 In the diagram of right triangle ABC shown below, $AB = 14$ and $AC = 9$.



What is the measure of $\angle A$, to the *nearest degree*?


- 1) 33
 - 2) 40
 - 3) 50
 - 4) 57
- 426 In the diagram below of circle O , the area of the shaded sector LOM is $2\pi \text{ cm}^2$.



If the length of \overline{NL} is 6 cm, what is $m\angle N$?

- 1) 10°
 - 2) 20°
 - 3) 40°
 - 4) 80°
- 427 The coordinates of the vertices of $\triangle RST$ are $R(-2, -3)$, $S(8, 2)$, and $T(4, 5)$. Which type of triangle is $\triangle RST$?
- 1) right
 - 2) acute
 - 3) obtuse
 - 4) equiangular

- 428 Given: Quadrilateral $ABCD$ is a parallelogram with diagonals \overline{AC} and \overline{BD} intersecting at E







Prove: $\triangle AED \cong \triangle CEB$

Describe a single rigid motion that maps $\triangle AED$ onto $\triangle CEB$.


- 429 Which transformation would *not* always produce an image that would be congruent to the original figure?

- 1) translation
- 2) dilation
- 3) rotation
- 4) reflection

- 430 Which figure can have the same cross section as a sphere?

- 1) 
- 2) 
- 3) 
- 4) 


- 431 A sequence of transformations maps rectangle $ABCD$ onto rectangle $A''B''C''D''$, as shown in the diagram below.



Which sequence of transformations maps $ABCD$ onto $A'B'C'D'$ and then maps $A'B'C'D'$ onto $A''B''C''D''$?

- 1) a reflection followed by a rotation
- 2) a reflection followed by a translation
- 3) a translation followed by a rotation
- 4) a translation followed by a reflection


- 432 Triangle RST is graphed on the set of axes below.



How many square units are in the area of $\triangle RST$?


- 1) $9\sqrt{3} + 15$
- 2) $9\sqrt{5} + 15$
- 3) 45
- 4) 90

- 433 In the diagram below, $\triangle ABE$ is the image of $\triangle ACD$ after a dilation centered at the origin. The coordinates of the vertices are $A(0,0)$, $B(3,0)$, $C(4.5,0)$, $D(0,6)$, and $E(0,4)$.




The ratio of the lengths of \overline{BE} to \overline{CD} is


- 1) $\frac{2}{3}$
 - 2) $\frac{3}{2}$
 - 3) $\frac{3}{4}$
 - 4) $\frac{4}{3}$
- 434 In the diagram below, a window of a house is 15 feet above the ground. A ladder is placed against the house with its base at an angle of 75° with the ground. Determine and state the length of the ladder to the *nearest tenth of a foot*.



- 435 Triangle ABC is graphed on the set of axes below. Graph and label $\triangle A'B'C'$, the image of $\triangle ABC$ after a reflection over the line $x = 1$.




- 436 In the diagram below, secant \overline{ACD} and tangent \overline{AB} are drawn from external point A to circle O .



Prove the theorem: If a secant and a tangent are drawn to a circle from an external point, the product of the lengths of the secant segment and its external segment equals the length of the tangent segment squared. ($AC \cdot AD = AB^2$)


- 437 Tennis balls are sold in cylindrical cans with the balls stacked one on top of the other. A tennis ball has a diameter of 6.7 cm. To the *nearest cubic centimeter*, what is the minimum volume of the can that holds a stack of 4 tennis balls?
- 1) 236
 - 2) 282
 - 3) 564
 - 4) 945

- 438 Steve drew line segments \overline{ABCD} , \overline{EFG} , \overline{BF} , and \overline{CF} as shown in the diagram below. Scalene $\triangle BFC$ is formed.



Which statement will allow Steve to prove $\overline{ABCD} \parallel \overline{EFG}$?


- 1) $\angle CFG \cong \angle FCB$
 - 2) $\angle ABF \cong \angle BFC$
 - 3) $\angle EFB \cong \angle CFB$
 - 4) $\angle CBF \cong \angle GFC$
- 439 Given: $\triangle AEC$, $\triangle DEF$, and $\overline{FE} \perp \overline{CE}$



What is a correct sequence of similarity transformations that shows $\triangle AEC \sim \triangle DEF$?


- 1) a rotation of 180 degrees about point E followed by a horizontal translation
- 2) a counterclockwise rotation of 90 degrees about point E followed by a horizontal translation
- 3) a rotation of 180 degrees about point E followed by a dilation with a scale factor of 2 centered at point E
- 4) a counterclockwise rotation of 90 degrees about point E followed by a dilation with a scale factor of 2 centered at point E

- 440 Using a straightedge and compass, construct a square inscribed in circle O below. [Leave all construction marks.]



Determine the measure of the arc intercepted by two adjacent sides of the constructed square. Explain your reasoning.

- 441 Given: Parallelogram $ABCD$, \overline{EFG} , and diagonal \overline{DFB}




Prove: $\triangle DEF \sim \triangle BGF$


Geometry Regents at Random Worksheets

- 442 If two sides of a triangle have lengths of 2 and 7, the length of the third side could be
- 1) 9
 - 2) 8
 - 3) 5
 - 4) 4


- 443 The vertices of quadrilateral $MATH$ have coordinates $M(-4,2)$, $A(-1,-3)$, $T(9,3)$, and $H(6,8)$. Prove that quadrilateral $MATH$ is a parallelogram. Prove that quadrilateral $MATH$ is a rectangle. [The use of the set of axes below is optional.]



- 444 Determine the area, to the nearest integer, of $\triangle SRO$ shown below.




- 445 Parallelogram $HAND$ is drawn below with diagonals HN and AD intersecting at S .



Which statement is always true?

- 1) $AN = \frac{1}{2}AD$
 - 2) $AS = \frac{1}{2}AD$
 - 3) $\angle AHS \cong \angle ANS$
 - 4) $\angle HDS \cong \angle NDS$
- 446 Sue believes that the two cylinders shown in the diagram below have equal volumes.



Is Sue correct? Explain why.


- 447 In a right triangle, the acute angles have the relationship $\sin(2x + 4) = \cos(46)$. What is the value of x ?
- 1) 20
 - 2) 21
 - 3) 24
 - 4) 25

448 Which equation represents a line that is perpendicular to the line represented by

$$y = \frac{2}{3}x + 1?$$

- 1) $3x + 2y = 12$
- 2) $3x - 2y = 12$
- 3) $y = \frac{3}{2}x + 2$
- 4) $y = -\frac{2}{3}x + 4$

449 A fabricator is hired to make a 27-foot-long solid metal railing for the stairs at the local library. The railing is modeled by the diagram below. The railing is 2.5 inches high and 2.5 inches wide and is comprised of a rectangular prism and a half-cylinder.



How much metal, to the nearest cubic inch, will the railing contain?

- 1) 151
- 2) 795
- 3) 1808
- 4) 2025


450 Which transformation would *not* carry a square onto itself?

- 1) a reflection over one of its diagonals
- 2) a 90° rotation clockwise about its center
- 3) a 180° rotation about one of its vertices
- 4) a reflection over the perpendicular bisector of one side

451 Which figure always has exactly four lines of reflection that map the figure onto itself?

- 1) square
- 2) rectangle
- 3) regular octagon
- 4) equilateral triangle


452 In the diagram below of circle O , chords \overline{AB} and \overline{CD} intersect at E .



If $m\widehat{AC} = 72^\circ$ and $m\angle AEC = 58^\circ$, how many degrees are in $m\widehat{DB}$?


- 1) 108°
- 2) 65°
- 3) 44°
- 4) 14°

453 Using a compass and straightedge, construct a regular hexagon inscribed in circle O below. Label it $ABCDEF$. [Leave all construction marks.]







If chords \overline{FB} and \overline{FC} are drawn, which type of triangle, according to its angles, would $\triangle FBC$ be? Explain your answer.

- 454 Triangle ABC , with vertices at $A(0,0)$, $B(3,5)$, and $C(0,5)$, is graphed on the set of axes shown below.



Which figure is formed when \overline{BC} is rotated continuously about \overline{BC} ?




- 455 A candle maker uses a mold to make candles like the one shown below.




The height of the candle is 13 cm and the circumference of the candle at its widest measure is 31.416 cm. Use modeling to approximate how much wax, to the nearest cubic centimeter, is needed to make this candle. Justify your answer.

- 456 The coordinates of the endpoints of \overline{AB} are $A(2,3)$ and $B(5,-1)$. Determine the length of $\overline{A'B'}$, the image of \overline{AB} , after a dilation of $\frac{1}{2}$ centered at the origin. [The use of the set of axes below is optional.]



- 457 In the diagram below, \overline{AKS} , \overline{NKC} , \overline{AN} , and \overline{SC} are drawn such that $\overline{AN} \cong \overline{SC}$.




Which additional statement is sufficient to prove $\triangle KAN \cong \triangle KSC$ by AAS?

- 1) \overline{AS} and \overline{NC} bisect each other.
 - 2) K is the midpoint of \overline{NC} .
 - 3) $\overline{AS} \perp \overline{CN}$
 - 4) $\overline{AN} \parallel \overline{SC}$
- 458 The equation of a circle is $x^2 + y^2 - 12y + 20 = 0$. What are the coordinates of the center and the length of the radius of the circle?
- 1) center (0,6) and radius 4
 - 2) center (0,-6) and radius 4
 - 3) center (0,6) and radius 16
 - 4) center (0,-6) and radius 16


- 459 When volleyballs are purchased, they are not fully inflated. A partially inflated volleyball can be modeled by a sphere whose volume is approximately 180 in^3 . After being fully inflated, its volume is approximately 294 in^3 . To the nearest tenth of an inch, how much does the radius increase when the volleyball is fully inflated?

- 460 In the diagram below, \overline{AF} , and \overline{DB} intersect at C , and \overline{AD} and \overline{FBE} are drawn such that $m\angle D = 65^\circ$, $m\angle CBE = 115^\circ$, $DC = 7.2$, $AC = 9.6$, and $FC = 21.6$.




What is the length of \overline{CB} ?

- 1) 3.2
 - 2) 4.8
 - 3) 16.2
 - 4) 19.2
- 461 Ian needs to replace two concrete sections in his sidewalk, as modeled below. Each section is 36 inches by 36 inches and 4 inches deep. He can mix his own concrete for \$3.25 per cubic foot.




How much money will it cost Ian to replace the two concrete sections?

- 462 Triangle ABC and point $D(1,2)$ are graphed on the set of axes below.



Graph and label $\triangle A'B'C'$, the image of $\triangle ABC$, after a dilation of scale factor 2 centered at point D .

- 463 Given $\triangle MRO$ shown below, with trapezoid $PTRO$, $MR = 9$, $MP = 2$, and $PO = 4$.




What is the length of \overline{TR} ?

- 1) 4.5
 - 2) 5
 - 3) 3
 - 4) 6
- 464 Determine and state, in terms of π , the area of a sector that intercepts a 40° arc of a circle with a radius of 4.5.


- 465 The equation of a circle is $x^2 + y^2 - 6x + 2y = 6$. What are the coordinates of the center and the length of the radius of the circle?
- 1) center $(-3, 1)$ and radius 4
 - 2) center $(3, -1)$ and radius 4
 - 3) center $(-3, 1)$ and radius 16
 - 4) center $(3, -1)$ and radius 16

- 466 A right hexagonal prism is shown below. A two-dimensional cross section that is perpendicular to the base is taken from the prism.



Which figure describes the two-dimensional cross section?

- 1) triangle
 - 2) rectangle
 - 3) pentagon
 - 4) hexagon
- 467 In the diagram below, \overline{XS} and \overline{YR} intersect at Z . \overline{XY} and \overline{RS} are drawn perpendicular to \overline{YR} to form triangles XYZ and SRZ .



Which statement is always true?


- 1) $(XY)(SR) = (XZ)(RZ)$
- 2) $\triangle XYZ \cong \triangle SRZ$
- 3) $\overline{XS} \cong \overline{YR}$
- 4) $\frac{XY}{SR} = \frac{YZ}{RZ}$

- 468 Which equation represents the line that passes through the point $(-2, 2)$ and is parallel to

$$y = \frac{1}{2}x + 8?$$

- 1) $y = \frac{1}{2}x$
 - 2) $y = -2x - 3$
 - 3) $y = \frac{1}{2}x + 3$
 - 4) $y = -2x + 3$
- 469 A water cup in the shape of a cone has a height of 4 inches and a maximum diameter of 3 inches. What is the volume of the water in the cup, to the *nearest tenth of a cubic inch*, when the cup is filled to half its height?
- 1) 1.2
 - 2) 3.5
 - 3) 4.7
 - 4) 14.1

- 470 In the diagram below of triangle MNO , $\angle M$ and $\angle O$ are bisected by MS and OR , respectively. Segments MS and OR intersect at T , and $m\angle N = 40^\circ$.




If $m\angle TMR = 28^\circ$, the measure of angle OTS is

- 1) 40°
 - 2) 50°
 - 3) 60°
 - 4) 70°
- 471 Bob places an 18-foot ladder 6 feet from the base of his house and leans it up against the side of his house. Find, to the *nearest degree*, the measure of the angle the bottom of the ladder makes with the ground.


- 472 In $\triangle ABC$, $a = 12$, $b = 20.5$, and $m\angle C = 73$. Find the area of $\triangle ABC$, to the *nearest tenth*.

- 473 In quadrilateral $ABCD$, $\overline{AB} \cong \overline{CD}$, $\overline{AB} \parallel \overline{CD}$, and \overline{BF} and \overline{DE} are perpendicular to diagonal \overline{AC} at points F and E .



Prove: $\overline{AE} \cong \overline{CF}$

- 474 A gas station has a cylindrical fueling tank that holds the gasoline for its pumps, as modeled below. The tank holds a maximum of 20,000 gallons of gasoline and has a length of 34.5 feet.



A metal pole is used to measure how much gas is in the tank. To the *nearest tenth of a foot*, how long does the pole need to be in order to reach the bottom of the tank and still extend one foot outside the tank? Justify your answer. [$1 \text{ ft}^3 = 7.48$ gallons]

- 475 Determine and state the coordinates of the center and the length of the radius of a circle whose equation is $x^2 + y^2 - 6x = 56 - 8y$.


476 The 2010 U.S. Census populations and population densities are shown in the table below.

State	Population Density $\left(\frac{\text{people}}{\text{mi}^2}\right)$	Population in 2010
Florida	350.6	18,801,310
Illinois	231.1	12,830,632
New York	411.2	19,378,102
Pennsylvania	283.9	12,702,379

Based on the table above, which list has the states' areas, in square miles, in order from largest to smallest?

- | | |
|---|---|
| 1) Illinois, Florida, New York,
Pennsylvania | 3) New York, Florida, Pennsylvania,
Illinois |
| 2) New York, Florida, Illinois,
Pennsylvania | 4) Pennsylvania, New York, Florida,
Illinois |

477 Skye says that the two triangles below are congruent. Margaret says that the two triangles are similar.



Are Skye and Margaret both correct? Explain why.

479 Triangle $A'B'C'$ is the image of $\triangle ABC$ after a dilation followed by a translation. Which statement(s) would always be true with respect to this sequence of transformations?


- I. $\triangle ABC \cong \triangle A'B'C'$
- II. $\triangle ABC \sim \triangle A'B'C'$
- III. $\overline{AB} \parallel \overline{A'B'}$
- IV. $AA' = BB'$

- 1) II, only
- 2) I and II
- 3) II and III
- 4) II, III, and IV

478 In a circle with a diameter of 32, the area of a sector is $\frac{512\pi}{3}$. The measure of the angle of the sector, in radians, is


- 1) $\frac{\pi}{3}$
- 2) $\frac{4\pi}{3}$
- 3) $\frac{16\pi}{3}$
- 4) $\frac{64\pi}{3}$

480 In circle A below, chord \overline{BC} and diameter \overline{DAE} intersect at F.



If $m\widehat{CD} = 46^\circ$ and $m\widehat{DB} = 102^\circ$, what is $m\angle CFE$?

- 481 In the diagram below of circle O , $GO = 8$ and $m\angle GOJ = 60^\circ$.




What is the area, in terms of π , of the shaded region?

- 1) $\frac{4\pi}{3}$
 - 2) $\frac{20\pi}{3}$
 - 3) $\frac{32\pi}{3}$
 - 4) $\frac{160\pi}{3}$
- 482 Directed line segment \overline{DE} has endpoints $D(-4, -2)$ and $E(1, 8)$. Point F divides \overline{DE} such that $DF:FE$ is 2:3. What are the coordinates of F ?
- 1) $(-3, 0)$
 - 2) $(-2, 2)$
 - 3) $(-1, 4)$
 - 4) $(2, 4)$
- 483 What is an equation of a line which passes through $(6, 9)$ and is perpendicular to the line whose equation is $4x - 6y = 15$?

- 1) $y - 9 = -\frac{3}{2}(x - 6)$
- 2) $y - 9 = \frac{2}{3}(x - 6)$
- 3) $y + 9 = -\frac{3}{2}(x + 6)$
- 4) $y + 9 = \frac{2}{3}(x + 6)$


- 484 The diagram below shows circle O with radii \overline{OA} and \overline{OB} . The measure of angle AOB is 120° , and the length of a radius is 6 inches.



Which expression represents the length of arc AB , in inches?

- 1) $\frac{120}{360}(6\pi)$
 - 2) $120(6)$
 - 3) $\frac{1}{3}(36\pi)$
 - 4) $\frac{1}{3}(12\pi)$
- 485 A circle whose center is the origin passes through the point $(-5, 12)$. Which point also lies on this circle?
- 1) $(10, 3)$
 - 2) $(-12, 13)$
 - 3) $(11, 2\sqrt{12})$
 - 4) $(-8, 5\sqrt{21})$


- 486 Given: Parallelogram $ABCD$ with diagonal \overline{AC} drawn



Prove: $\triangle ABC \cong \triangle CDA$

487 Triangle $A'B'C'$ is the image of triangle ABC after a translation of 2 units to the right and 3 units up. Is triangle ABC congruent to triangle $A'B'C'$? Explain why.


488 In the diagram below, \overline{AD} intersects \overline{BE} at C , and $\overline{AB} \parallel \overline{DE}$.



If $CD = 6.6$ cm, $DE = 3.4$ cm, $CE = 4.2$ cm, and $BC = 5.25$ cm, what is the length of \overline{AC} , to the nearest hundredth of a centimeter?

- 1) 2.70
- 2) 3.34
- 3) 5.28
- 4) 8.25


489 In the diagram of $\triangle ABC$ below, \overline{DE} is parallel to \overline{AB} , $CD = 15$, $AD = 9$, and $AB = 40$.



The length of \overline{DE} is


- 1) 15
- 2) 24
- 3) 25
- 4) 30

490 In the diagram below, tangent \overline{DA} and secant \overline{DBC} are drawn to circle O from external point D , such that $\widehat{AC} \cong \widehat{BC}$.



If $m\widehat{BC} = 152^\circ$, determine and state $m\angle D$.

491 In the diagram below, if $\triangle ABE \cong \triangle CDF$ and \overline{AEFC} is drawn, then it could be proven that quadrilateral $ABCD$ is a




- 1) square
- 2) rhombus
- 3) rectangle
- 4) parallelogram

492 In $\triangle ABC$, \overline{BD} is the perpendicular bisector of \overline{ADC} . Based upon this information, which statements below can be proven?

- I. \overline{BD} is a median.
 - II. \overline{BD} bisects $\angle ABC$.
 - III. $\triangle ABC$ is isosceles.
- 1) I and II, only
 - 2) I and III, only
 - 3) II and III, only
 - 4) I, II, and III


- 493 In the diagram below of right triangle AED , $\overline{BC} \parallel \overline{DE}$.



Which statement is always true?

- 1) $\frac{AC}{BC} = \frac{DE}{AE}$
- 2) $\frac{AB}{AD} = \frac{BC}{DE}$
- 3) $\frac{AC}{CE} = \frac{BC}{DE}$
- 4) $\frac{DE}{BC} = \frac{DB}{AB}$


- 494 A solid metal prism has a rectangular base with sides of 4 inches and 6 inches, and a height of 4 inches. A hole in the shape of a cylinder, with a radius of 1 inch, is drilled through the entire length of the rectangular prism.



What is the approximate volume of the remaining solid, in cubic inches?

- 1) 19
- 2) 77
- 3) 93
- 4) 96


- 495 In right triangle RST below, altitude \overline{SV} is drawn to hypotenuse \overline{RT} .



Which statement is always true?

- 1) $\frac{RT}{ST} = \frac{ST}{VT}$
- 2) $\frac{VR}{VT} = \frac{VT}{VS}$
- 3) $\frac{RV}{SV} = \frac{SV}{RT}$
- 4) $\frac{TR}{VR} = \frac{VR}{SR}$


- 496 In the figure shown below, quadrilateral $TAEO$ is circumscribed around circle D . The midpoint of \overline{TA} is R , and $\overline{HO} \cong \overline{PE}$.



If $AP = 10$ and $EO = 12$, what is the perimeter of quadrilateral $TAEO$?


- 1) 56
- 2) 64
- 3) 72
- 4) 76

- 497 In $\triangle ABC$ shown below, side \overline{AC} is extended to point D with $m\angle DAB = (180 - 3x)^\circ$, $m\angle B = (6x - 40)^\circ$, and $m\angle C = (x + 20)^\circ$.



What is $m\angle BAC$?


- 1) 20°
 - 2) 40°
 - 3) 60°
 - 4) 80°
- 498 In the model below, a support wire for a telephone pole is attached to the pole and anchored to a stake in the ground 15 feet from the base of the telephone pole. Jamal places a 6-foot wooden pole under the support wire parallel to the telephone pole, such that one end of the pole is on the ground and the top of the pole is touching the support wire. He measures the distance between the bottom of the pole and the stake in the ground.



Jamal says he can approximate how high the support wire attaches to the telephone pole by using similar triangles. Explain why the triangles are similar.

- 499 An isosceles right triangle whose legs measure 6 is continuously rotated about one of its legs to form a three-dimensional object. The three-dimensional object is a
- 1) cylinder with a diameter of 6
 - 2) cylinder with a diameter of 12
 - 3) cone with a diameter of 6
 - 4) cone with a diameter of 12


- 500 As shown in the diagram below, an island (I) is due north of a marina (M). A boat house (H) is 4.5 miles due west of the marina. From the boat house, the island is located at an angle of 54° from the marina.



Determine and state, to the *nearest tenth of a mile*, the distance from the boat house (H) to the island (I). Determine and state, to the *nearest tenth of a mile*, the distance from the island (I) to the marina (M).


- 501 A plane intersects a hexagonal prism. The plane is perpendicular to the base of the prism. Which two-dimensional figure is the cross section of the plane intersecting the prism?
- 1) triangle
 - 2) trapezoid
 - 3) hexagon
 - 4) rectangle
- 502 A parallelogram must be a rhombus if its diagonals
- 1) are congruent
 - 2) bisect each other
 - 3) do not bisect its angles
 - 4) are perpendicular to each other

- 503 In the diagram below of circle O , chord \overline{CD} is parallel to diameter \overline{AOB} and $m\widehat{CD} = 130$.



What is $m\widehat{AC}$?


- 1) 25
 - 2) 50
 - 3) 65
 - 4) 115
- 504 In triangle SRK below, medians \overline{SC} , \overline{KE} , and \overline{RL} intersect at M .



Which statement must always be true?


- 1) $3(MC) = SC$
 - 2) $MC = \frac{1}{3}(SM)$
 - 3) $RM = 2MC$
 - 4) $SM = KM$
- 505 A parallelogram is always a rectangle if
- 1) the diagonals are congruent
 - 2) the diagonals bisect each other
 - 3) the diagonals intersect at right angles
 - 4) the opposite angles are congruent

- 506 The diagram below shows two similar triangles.



If $\tan \theta = \frac{3}{7}$, what is the value of x , to the nearest tenth?


- 1) 1.2
 - 2) 5.6
 - 3) 7.6
 - 4) 8.8
- 507 Kirstie is testing values that would make triangle KLM a right triangle when \overline{LN} is an altitude, and $KM = 16$, as shown below.



Which lengths would make triangle KLM a right triangle?


- 1) $LM = 13$ and $KN = 6$
 - 2) $LM = 12$ and $NM = 9$
 - 3) $KL = 11$ and $KN = 7$
 - 4) $LN = 8$ and $NM = 10$
- 508 A regular nonagon has a center point, P . What degree of rotation about point P will carry the nonagon onto itself?
- 1) 60°
 - 2) 90°
 - 3) 180°
 - 4) 200°

- 509 Triangle ABC and triangle ADE are graphed on the set of axes below.



Describe a transformation that maps triangle ABC onto triangle ADE . Explain why this transformation makes triangle ADE similar to triangle ABC .


- 510 In the diagram below, triangle ACD has points B and E on sides AC and AD , respectively, such that $\overline{BE} \parallel \overline{CD}$, $AB = 1$, $BC = 3.5$, and $AD = 18$.



What is the length of \overline{AE} , to the nearest tenth?


- 1) 14.0
- 2) 5.1
- 3) 3.3
- 4) 4.0

- 511 In the diagram below, quadrilateral $BCDE$ maps onto quadrilateral $JKLM$ using a sequence of rigid motions.



Determine and state the degree measure of angle D .

- 512 In the diagram below, two concentric circles with center O , and radii \overline{OC} , \overline{OD} , \overline{OE} , and \overline{OF} are drawn.




If $OC = 4$ and $OE = 6$, which relationship between the length of arc EF and the length of arc CD is always true?

- 1) The length of arc EF is 2 units longer than the length of arc CD .
- 2) The length of arc EF is 4 units longer than the length of arc CD .
- 3) The length of arc EF is 1.5 times the length of arc CD .
- 4) The length of arc EF is 2.0 times the length of arc CD .

513 The vertices of $\triangle PQR$ have coordinates $P(2,3)$, $Q(3,8)$, and $R(7,3)$. Under which transformation of $\triangle PQR$ are distance and angle measure preserved?

- 1) $(x,y) \rightarrow (2x,3y)$
- 2) $(x,y) \rightarrow (x+2,3y)$
- 3) $(x,y) \rightarrow (2x,y+3)$
- 4) $(x,y) \rightarrow (x+2,y+3)$


514 In the diagram below, \overline{DE} divides \overline{AB} and \overline{AC} proportionally, $m\angle C = 26^\circ$, $m\angle A = 82^\circ$, and \overline{DF} bisects $\angle BDE$.



The measure of angle DFB is

- 1) 36°
- 2) 54°
- 3) 72°
- 4) 82°



515 In the diagram below of right triangle ABC , altitude \overline{BD} is drawn to hypotenuse \overline{AC} .



If $BD = 4$, $AD = x - 6$, and $CD = x$, what is the length of \overline{CD} ?

- 1) 5
- 2) 2
- 3) 8
- 4) 11


516 In the diagram below of $\triangle HAR$ and $\triangle NTY$, angles H and N are right angles, and $\triangle HAR \sim \triangle NTY$.




If $AR = 13$ and $HR = 12$, what is the measure of angle Y , to the nearest degree?

- 1) 23°
- 2) 25°
- 3) 65°
- 4) 67°

517 A storage tank is in the shape of a cylinder with a hemisphere on the top. The highest point on the inside of the storage tank is 13 meters above the floor of the storage tank, and the diameter inside the cylinder is 8 meters. Determine and state, to the nearest cubic meter, the total volume inside the storage tank.



- 518 In the diagram below, $\overline{AB} \parallel \overline{DFC}$, $\overline{EDA} \parallel \overline{CBG}$, and \overline{EFB} and \overline{AG} are drawn.




Which statement is always true?

- 1) $\triangle DEF \cong \triangle CBF$
 - 2) $\triangle BAG \cong \triangle BAE$
 - 3) $\triangle BAG \sim \triangle AEB$
 - 4) $\triangle DEF \sim \triangle AEB$
- 519 In right triangle ABC , $m\angle C = 90^\circ$. If $\cos B = \frac{5}{13}$,

which function also equals $\frac{5}{13}$?


- 1) $\tan A$
 - 2) $\tan B$
 - 3) $\sin A$
 - 4) $\sin B$
- 520 The image of $\triangle DEF$ is $\triangle D'E'F'$. Under which transformation will the triangles *not* be congruent?
- 1) a reflection through the origin
 - 2) a reflection over the line $y = x$
 - 3) a dilation with a scale factor of 1 centered at $(2, 3)$
 - 4) a dilation with a scale factor of $\frac{3}{2}$ centered at the origin

- 521 Isosceles trapezoid $ABCD$ has bases \overline{DC} and \overline{AB} with nonparallel legs \overline{AD} and \overline{BC} . Segments \overline{AE} , \overline{BE} , \overline{CE} , and \overline{DE} are drawn in trapezoid $ABCD$ such that $\angle CDE \cong \angle DCE$, $\overline{AE} \perp \overline{DE}$, and $\overline{BE} \perp \overline{CE}$.



Prove $\triangle ADE \cong \triangle BCE$ and prove $\triangle AEB$ is an isosceles triangle.

- 522 The graph below shows $\triangle ABC$ and its image, $\triangle A''B''C''$.




Describe a sequence of rigid motions which would map $\triangle ABC$ onto $\triangle A''B''C''$.

- 523 A child's tent can be modeled as a pyramid with a square base whose sides measure 60 inches and whose height measures 84 inches. What is the volume of the tent, to the *nearest cubic foot*?
- 1) 35
 - 2) 58
 - 3) 82
 - 4) 175

524 The line whose equation is $3x - 5y = 4$ is dilated by a scale factor of $\frac{5}{3}$ centered at the origin. Which statement is correct?


- 1) The image of the line has the same slope as the pre-image but a different y -intercept.
- 2) The image of the line has the same y -intercept as the pre-image but a different slope.
- 3) The image of the line has the same slope and the same y -intercept as the pre-image.
- 4) The image of the line has a different slope and a different y -intercept from the pre-image.

525 Given: Parallelogram $ABCD$, $\overline{BF} \perp \overline{AFD}$, and $\overline{DE} \perp \overline{BEC}$



Prove: $BEDF$ is a rectangle


526 To build a handicapped-access ramp, the building code states that for every 1 inch of vertical rise in height, the ramp must extend out 12 inches horizontally, as shown in the diagram below.



What is the angle of inclination, x , of this ramp, to the nearest hundredth of a degree?

- 1) 4.76
- 2) 4.78
- 3) 85.22
- 4) 85.24


527 Kelly is completing a proof based on the figure below.



She was given that $\angle A \cong \angle EDF$, and has already proven $\overline{AB} \cong \overline{DE}$. Which pair of corresponding parts and triangle congruency method would *not* prove $\triangle ABC \cong \triangle DEF$?

- 1) $\overline{AC} \cong \overline{DF}$ and SAS
- 2) $\overline{BC} \cong \overline{EF}$ and SAS
- 3) $\angle C \cong \angle F$ and AAS
- 4) $\angle CBA \cong \angle FED$ and ASA


528 In circle M below, diameter \overline{AC} , chords \overline{AB} and \overline{BC} , and radius \overline{MB} are drawn.



Which statement is *not* true?

- 1) $\triangle ABC$ is a right triangle.
- 2) $\triangle ABM$ is isosceles.
- 3) $m\widehat{BC} = m\angle BMC$
- 4) $m\widehat{AB} = \frac{1}{2} m\angle ACB$


- 529 Keira has a square poster that she is framing and placing on her wall. The poster has a diagonal 58 cm long and fits exactly inside the frame. The width of the frame around the picture is 4 cm.



Determine and state the total area of the poster and frame to the *nearest tenth of a square centimeter*.

- 530 Given square $RSTV$, where $RS = 9$ cm. If square $RSTV$ is dilated by a scale factor of 3 about a given center, what is the perimeter, in centimeters, of the image of $RSTV$ after the dilation?
- 1) 12
 - 2) 27
 - 3) 36
 - 4) 108


- 531 In the diagram below of $\triangle ABC$, D , E , and F are the midpoints of AB , BC , and CA , respectively.




What is the ratio of the area of $\triangle CFE$ to the area of $\triangle CAB$?

- 1) 1:1
- 2) 1:2
- 3) 1:3
- 4) 1:4

- 532 Quadrilateral $PQRS$ has vertices $P(-2,3)$, $Q(3,8)$, $R(4,1)$, and $S(-1,-4)$. Prove that $PQRS$ is a rhombus. Prove that $PQRS$ is *not* a square. [The use of the set of axes below is optional.]




- 533 Quadrilaterals $BIKE$ and $GOLF$ are graphed on the set of axes below.



Describe a sequence of transformations that maps quadrilateral $BIKE$ onto quadrilateral $GOLF$.

534 Given the right triangle in the diagram below, what is the value of x , to the *nearest foot*?



- 1) 11
- 2) 17
- 3) 18
- 4) 22

535 Freda, who is training to use a radar system, detects an airplane flying at a constant speed and heading in a straight line to pass directly over her location. She sees the airplane at an angle of elevation of 15° and notes that it is maintaining a constant altitude of 6250 feet. One minute later, she sees the airplane at an angle of elevation of 52° . How far has the airplane traveled, to the *nearest foot*? Determine and state the speed of the airplane, to the *nearest mile per hour*.


536 Parallelogram $ABCD$ has coordinates $A(0,7)$ and $C(2,1)$. Which statement would prove that $ABCD$ is a rhombus?

- 1) The midpoint of \overline{AC} is $(1,4)$.
- 2) The length of \overline{BD} is $\sqrt{40}$.
- 3) The slope of \overline{BD} is $\frac{1}{3}$.
- 4) The slope of \overline{AB} is $\frac{1}{3}$.

537 In right triangle ABC , hypotenuse \overline{AB} has a length of 26 cm, and side \overline{BC} has a length of 17.6 cm. What is the measure of angle B , to the *nearest degree*?


- 1) 48°
- 2) 47°
- 3) 43°
- 4) 34°

538 Triangle QRS is graphed on the set of axes below.



On the same set of axes, graph and label $\triangle Q'R'S'$, the image of $\triangle QRS$ after a dilation with a scale factor of $\frac{3}{2}$ centered at the origin. Use slopes to explain why $Q'R' \parallel QR$.


539 In the diagram below, line m is parallel to line n . Figure 2 is the image of Figure 1 after a reflection over line m . Figure 3 is the image of Figure 2 after a reflection over line n .



Which single transformation would carry Figure 1 onto Figure 3?


- 1) a dilation
- 2) a rotation
- 3) a reflection
- 4) a translation

- 540 On the set of axes below, the vertices of $\triangle PQR$ have coordinates $P(-6, 7)$, $Q(2, 1)$, and $R(-1, -3)$.




What is the area of $\triangle PQR$?

- 1) 10
 - 2) 20
 - 3) 25
 - 4) 50
- 541 The diagram below shows circle O with diameter \overline{AB} . Using a compass and straightedge, construct a square that is inscribed in circle O . [Leave all construction marks.]




- 542 A man was parasailing above a lake at an angle of elevation of 32° from a boat, as modeled in the diagram below.



If 129.5 meters of cable connected the boat to the parasail, approximately how many meters above the lake was the man?


- 1) 68.6
 - 2) 80.9
 - 3) 109.8
 - 4) 244.4
- 543 In the diagram below, $m\widehat{ABC} = 268^\circ$.




What is the number of degrees in the measure of $\angle ABC$?

- 1) 134°
- 2) 92°
- 3) 68°
- 4) 46°

- 544 Triangle PQR has vertices $P(-3,-1)$, $Q(-1,7)$, and $R(3,3)$, and points A and B are midpoints of \overline{PQ} and \overline{RQ} , respectively. Use coordinate geometry to prove that \overline{AB} is parallel to \overline{PR} and is half the length of \overline{PR} . [The use of the set of axes below is optional.]



- 545 Using a compass and straightedge, construct the line of reflection over which triangle RST reflects onto triangle $R'S'T'$. [Leave all construction marks.]



- 546 Line MN is dilated by a scale factor of 2 centered at the point $(0,6)$. If \overleftrightarrow{MN} is represented by $y = -3x + 6$, which equation can represent $\overleftrightarrow{M'N'}$, the image of \overleftrightarrow{MN} ?
- 1) $y = -3x + 12$
 - 2) $y = -3x + 6$
 - 3) $y = -6x + 12$
 - 4) $y = -6x + 6$


- 547 Point Q is on \overline{MN} such that $MQ:QN = 2:3$. If M has coordinates $(3,5)$ and N has coordinates $(8,-5)$, the coordinates of Q are
- 1) $(5,1)$
 - 2) $(5,0)$
 - 3) $(6,-1)$
 - 4) $(6,0)$

- 548 The line represented by the equation $4y = 3x + 7$ is transformed by a dilation centered at the origin. Which linear equation could represent its image?
- 1) $3x - 4y = 9$
 - 2) $3x + 4y = 9$
 - 3) $4x - 3y = 9$
 - 4) $4x + 3y = 9$

- 549 What is an equation of the line that passes through the point $(6,8)$ and is perpendicular to a line with equation $y = \frac{3}{2}x + 5$?
- 1) $y - 8 = \frac{3}{2}(x - 6)$
 - 2) $y - 8 = -\frac{2}{3}(x - 6)$
 - 3) $y + 8 = \frac{3}{2}(x + 6)$
 - 4) $y + 8 = -\frac{2}{3}(x + 6)$


- 550 In $\triangle DEF$, $m\angle D = 40$, $DE = 12$ meters, and $DF = 8$ meters. Find the area of $\triangle DEF$ to the nearest tenth of a square meter.

- 551 The map of a campground is shown below. Campsite C , first aid station F , and supply station S lie along a straight path. The path from the supply station to the tower, T , is perpendicular to the path from the supply station to the campsite. The length of path \overline{FS} is 400 feet. The angle formed by path \overline{TF} and path \overline{FS} is 72° . The angle formed by path \overline{TC} and path \overline{CS} is 55° .




Determine and state, to the *nearest foot*, the distance from the campsite to the tower.

- 552 Given: \overline{RS} and \overline{TV} bisect each other at point X
 \overline{TR} and \overline{SV} are drawn




Prove: $\overline{TR} \parallel \overline{SV}$

- 553 Shae has recently begun kickboxing and purchased training equipment as modeled in the diagram below. The total weight of the bag, pole, and unfilled base is 270 pounds. The cylindrical base is 18 inches tall with a diameter of 20 inches. The dry sand used to fill the base weighs 95.46 lbs per cubic foot.



To the *nearest pound*, determine and state the total weight of the training equipment if the base is filled to 85% of its capacity.


- 554 In the diagram below, $\angle GRS \cong \angle ART$, $GR = 36$, $SR = 45$, $AR = 15$, and $RT = 18$.



Which triangle similarity statement is correct?


- 1) $\triangle GRS \sim \triangle ART$ by AA.
- 2) $\triangle GRS \sim \triangle ART$ by SAS.
- 3) $\triangle GRS \sim \triangle ART$ by SSS.
- 4) $\triangle GRS$ is not similar to $\triangle ART$.

- 555 In the diagram below, right triangle ABC has legs whose lengths are 4 and 6.




What is the volume of the three-dimensional object formed by continuously rotating the right triangle around \overline{AB} ?

- 1) 32π
 - 2) 48π
 - 3) 96π
 - 4) 144π
- 556 In the coordinate plane, the vertices of triangle PAT are $P(-1, -6)$, $A(-4, 5)$, and $T(5, -2)$. Prove that $\triangle PAT$ is an isosceles triangle. State the coordinates of R so that quadrilateral $PART$ is a parallelogram. Prove that quadrilateral $PART$ is a parallelogram. [The use of the set of axes below is optional.]




- 557 In the accompanying diagram of right triangle ABC , altitude \overline{BD} is drawn to hypotenuse \overline{AC} .



Which statement must always be true?

- 1) $\frac{AD}{AB} = \frac{BC}{AC}$
 - 2) $\frac{AD}{AB} = \frac{AB}{AC}$
 - 3) $\frac{BD}{BC} = \frac{AB}{AD}$
 - 4) $\frac{AB}{BC} = \frac{BD}{AC}$
- 558 In the diagram below, a sequence of rigid motions maps $ABCD$ onto $JKLM$.




If $m\angle A = 82^\circ$, $m\angle B = 104^\circ$, and $m\angle L = 121^\circ$, the measure of $\angle M$ is

- 1) 53°
- 2) 82°
- 3) 104°
- 4) 121°

559 The base of a pyramid is a rectangle with a width of 4.6 cm and a length of 9 cm. What is the height, in centimeters, of the pyramid if its volume is 82.8 cm^3 ?

- 1) 6
- 2) 2
- 3) 9
- 4) 18

560 What is an equation of circle O shown in the graph below?




- 1) $x^2 + 10x + y^2 + 4y = -13$
- 2) $x^2 - 10x + y^2 - 4y = -13$
- 3) $x^2 + 10x + y^2 + 4y = -25$
- 4) $x^2 - 10x + y^2 - 4y = -25$

561 An ice cream waffle cone can be modeled by a right circular cone with a base diameter of 6.6 centimeters and a volume of 54.45π cubic centimeters. What is the number of centimeters in the height of the waffle cone?

- 1) $3\frac{3}{4}$
- 2) 5
- 3) 15
- 4) $24\frac{3}{4}$


562 Triangle DAN is graphed on the set of axes below. The vertices of $\triangle DAN$ have coordinates $D(-6, -1)$, $A(6, 3)$, and $N(-3, 10)$.



What is the area of $\triangle DAN$?

- 1) 60
- 2) 120
- 3) $20\sqrt{13}$
- 4) $40\sqrt{13}$

563 On the graph below, point $A(3, 4)$ and \overline{BC} with coordinates $B(4, 3)$ and $C(2, 1)$ are graphed.




What are the coordinates of B' and C' after \overline{BC} undergoes a dilation centered at point A with a scale factor of 2?

- 1) $B'(5, 2)$ and $C'(1, -2)$
- 2) $B'(6, 1)$ and $C'(0, -1)$
- 3) $B'(5, 0)$ and $C'(1, -2)$
- 4) $B'(5, 2)$ and $C'(3, 0)$

- 564 A right cylinder is cut perpendicular to its base. The shape of the cross section is a
- 1) circle
 - 2) cylinder
 - 3) rectangle
 - 4) triangular prism
- 565 New streetlights will be installed along a section of the highway. The posts for the streetlights will be 7.5 m tall and made of aluminum. The city can choose to buy the posts shaped like cylinders or the posts shaped like rectangular prisms. The cylindrical posts have a hollow core, with aluminum 2.5 cm thick, and an outer diameter of 53.4 cm. The rectangular-prism posts have a hollow core, with aluminum 2.5 cm thick, and a square base that measures 40 cm on each side. The density of aluminum is 2.7 g/cm³, and the cost of aluminum is \$0.38 per kilogram. If all posts must be the same shape, which post design will cost the town less? How much money will be saved per streetlight post with the less expensive design?


- 566 Circle O is centered at the origin. In the diagram below, a quarter of circle O is graphed.



Which three-dimensional figure is generated when the quarter circle is continuously rotated about the y -axis?


- 1) cone
- 2) sphere
- 3) cylinder
- 4) hemisphere

- 567 In the graph below, $\triangle ABC$ has coordinates $A(-9,2)$, $B(-6,-6)$, and $C(-3,-2)$, and $\triangle RST$ has coordinates $R(-2,9)$, $S(5,6)$, and $T(2,3)$.



Is $\triangle ABC$ congruent to $\triangle RST$? Use the properties of rigid motions to explain your reasoning.

- 568 The diagram below shows parallelogram $ABCD$ with diagonals AC and BD intersecting at E .



What additional information is sufficient to prove that parallelogram $ABCD$ is also a rhombus?

- 1) \overline{BD} bisects \overline{AC} .
- 2) \overline{AB} is parallel to \overline{CD} .
- 3) \overline{AC} is congruent to \overline{BD} .
- 4) \overline{AC} is perpendicular to \overline{BD} .


569 Given $\triangle ABC \cong \triangle DEF$, which statement is *not* always true?

- 1) $\overline{BC} \cong \overline{DF}$
- 2) $m\angle A = m\angle D$
- 3) area of $\triangle ABC =$ area of $\triangle DEF$
- 4) perimeter of $\triangle ABC =$ perimeter of $\triangle DEF$


570 If $ABCD$ is a parallelogram, which statement would prove that $ABCD$ is a rhombus?

- 1) $\angle ABC \cong \angle CDA$
- 2) $\overline{AC} \cong \overline{BD}$
- 3) $\overline{AC} \perp \overline{BD}$
- 4) $\overline{AB} \perp \overline{CD}$

571 Line n is represented by the equation $3x + 4y = 20$. Determine and state the equation of line p , the image of line n , after a dilation of scale factor $\frac{1}{3}$ centered at the point $(4, 2)$. [The use of the set of axes below is optional.] Explain your answer.




572 In the diagram below, $\triangle ABC \cong \triangle DEF$.



Which sequence of transformations maps $\triangle ABC$ onto $\triangle DEF$?

- 1) a reflection over the x -axis followed by a translation
- 2) a reflection over the y -axis followed by a translation
- 3) a rotation of 180° about the origin followed by a translation
- 4) a counterclockwise rotation of 90° about the origin followed by a translation


573 As shown in the diagram below, $\overleftrightarrow{ABC} \parallel \overleftrightarrow{EFG}$ and $\overline{BF} \cong \overline{EF}$.




If $m\angle CBF = 42.5^\circ$, then $m\angle EBF$ is

- 1) 42.5°
- 2) 68.75°
- 3) 95°
- 4) 137.5°

- 574 Using a compass and straightedge, construct the median to side \overline{AC} in $\triangle ABC$ below. [Leave all construction marks.]



- 575 Triangle ABC has vertices at $A(-5,2)$, $B(-4,7)$, and $C(-2,7)$, and triangle DEF has vertices at $D(3,2)$, $E(2,7)$, and $F(0,7)$. Graph and label $\triangle ABC$ and $\triangle DEF$ on the set of axes below. Determine and state the single transformation where $\triangle DEF$ is the image of $\triangle ABC$. Use your transformation to explain why $\triangle ABC \cong \triangle DEF$.




- 576 In the two distinct acute triangles ABC and DEF , $\angle B \cong \angle E$. Triangles ABC and DEF are congruent when there is a sequence of rigid motions that maps
- 1) $\angle A$ onto $\angle D$, and $\angle C$ onto $\angle F$
 - 2) \overline{AC} onto \overline{DF} , and \overline{BC} onto \overline{EF}
 - 3) $\angle C$ onto $\angle F$, and \overline{BC} onto \overline{EF}
 - 4) point A onto point D , and \overline{AB} onto \overline{DE}

- 577 If $\triangle ABC$ is mapped onto $\triangle DEF$ after a line reflection and $\triangle DEF$ is mapped onto $\triangle XYZ$ after a translation, the relationship between $\triangle ABC$ and $\triangle XYZ$ is that they are always
- 1) congruent and similar
 - 2) congruent but not similar
 - 3) similar but not congruent
 - 4) neither similar nor congruent

- 578 Line segment RW has endpoints $R(-4,5)$ and $W(6,20)$. Point P is on \overline{RW} such that $RP:PW$ is 2:3. What are the coordinates of point P ?
- 1) (2,9)
 - 2) (0,11)
 - 3) (2,14)
 - 4) (10,2)


- 579 A circle with a diameter of 10 cm and a central angle of 30° is drawn below.




What is the area, to the nearest tenth of a square centimeter, of the sector formed by the 30° angle?

- 1) 5.2
- 2) 6.5
- 3) 13.1
- 4) 26.2

- 580 Identify which sequence of transformations could map pentagon $ABCDE$ onto pentagon $A''B''C''D''E''$, as shown below.



- 1) dilation followed by a rotation
 - 2) translation followed by a rotation
 - 3) line reflection followed by a translation
 - 4) line reflection followed by a line reflection
- 581 In the diagram below, \overline{DE} , \overline{DF} , and \overline{EF} are midsegments of $\triangle ABC$.




The perimeter of quadrilateral $ADEF$ is equivalent to

- 1) $AB + BC + AC$
 - 2) $\frac{1}{2}AB + \frac{1}{2}AC$
 - 3) $2AB + 2AC$
 - 4) $AB + AC$
- 582 Which rotation about its center will carry a regular decagon onto itself?
- 1) 54°
 - 2) 162°
 - 3) 198°
 - 4) 252°

- 583 Rhombus $STAR$ has vertices $S(-1,2)$, $T(2,3)$, $A(3,0)$, and $R(0,-1)$. What is the perimeter of rhombus $STAR$?

- 1) $\sqrt{34}$
- 2) $4\sqrt{34}$
- 3) $\sqrt{10}$
- 4) $4\sqrt{10}$


- 584 In the diagram below, $\overline{AEFB} \parallel \overline{CGD}$, and \overline{GE} and \overline{GF} are drawn.



If $m\angle EFG = 32^\circ$ and $m\angle AEG = 137^\circ$, what is $m\angle EGF$?


- 1) 11°
 - 2) 43°
 - 3) 75°
 - 4) 105°
- 585 A bakery sells hollow chocolate spheres. The larger diameter of each sphere is 4 cm. The thickness of the chocolate of each sphere is 0.5 cm. Determine and state, to the *nearest tenth of a cubic centimeter*, the amount of chocolate in each hollow sphere. The bakery packages 8 of them into a box. If the density of the chocolate is 1.308 g/cm^3 , determine and state, to the *nearest gram*, the total mass of the chocolate in the box.
- 586 A two-dimensional cross section is taken of a three-dimensional object. If this cross section is a triangle, what can *not* be the three-dimensional object?
- 1) cone
 - 2) cylinder
 - 3) pyramid
 - 4) rectangular prism

- 587 Given $\triangle ABC$ with $m\angle B = 62^\circ$ and side \overline{AC} extended to D , as shown below.



Which value of x makes $\overline{AB} \cong \overline{CB}$?

- 1) 59°
 - 2) 62°
 - 3) 118°
 - 4) 121°
- 588 In triangle ABC , points D and E are on sides \overline{AB} and \overline{BC} , respectively, such that $\overline{DE} \parallel \overline{AC}$, and $AD:DB = 3:5$.



If $DB = 6.3$ and $AC = 9.4$, what is the length of DE , to the nearest tenth?


- 1) 3.8
 - 2) 5.6
 - 3) 5.9
 - 4) 15.7
- 589 Line segment \overline{CD} is the altitude drawn to hypotenuse \overline{EF} in right triangle ECF . If $EC = 10$ and $EF = 24$, then, to the nearest tenth, ED is
- 1) 4.2
 - 2) 5.4
 - 3) 15.5
 - 4) 21.8

- 590 Rectangle $A'B'C'D'$ is the image of rectangle $ABCD$ after a dilation centered at point A by a scale factor of $\frac{2}{3}$. Which statement is correct?

- 1) Rectangle $A'B'C'D'$ has a perimeter that is $\frac{2}{3}$ the perimeter of rectangle $ABCD$.
- 2) Rectangle $A'B'C'D'$ has a perimeter that is $\frac{3}{2}$ the perimeter of rectangle $ABCD$.
- 3) Rectangle $A'B'C'D'$ has an area that is $\frac{2}{3}$ the area of rectangle $ABCD$.
- 4) Rectangle $A'B'C'D'$ has an area that is $\frac{3}{2}$ the area of rectangle $ABCD$.

- 591 Find, to the nearest tenth, the area of $\triangle ABC$ if $a = 6$, $b = 10$, and $m\angle C = 18$.


- 592 In the diagram below of circle O , tangent \overleftrightarrow{EC} is drawn to diameter \overline{AC} . Chord \overline{BC} is parallel to secant \overline{ADE} , and chord \overline{AB} is drawn.



Prove: $\frac{BC}{CA} = \frac{AB}{EC}$

- 593 The coordinates of the endpoints of directed line segment ABC are $A(-8,7)$ and $C(7,-13)$. If $AB:BC = 3:2$, the coordinates of B are
- 1) $(1,-5)$
 - 2) $(-2,-1)$
 - 3) $(-3,0)$
 - 4) $(3,-6)$


- 594 A rectangular in-ground pool is modeled by the prism below. The inside of the pool is 16 feet wide and 35 feet long. The pool has a shallow end and a deep end, with a sloped floor connecting the two ends. Without water, the shallow end is 9 feet long and 4.5 feet deep, and the deep end of the pool is 12.5 feet long.



If the sloped floor has an angle of depression of 16.5 degrees, what is the depth of the pool at the deep end, to the nearest tenth of a foot? Find the volume of the inside of the pool to the nearest cubic foot. A garden hose is used to fill the pool. Water comes out of the hose at a rate of 10.5 gallons per minute. How much time, to the nearest hour, will it take to fill the pool 6 inches from the top? [$1 \text{ ft}^3 = 7.48$ gallons]

- 595 In a right triangle, $\sin(40 - x)^\circ = \cos(3x)^\circ$. What is the value of x ?
- 1) 10
 - 2) 15
 - 3) 20
 - 4) 25

- 596 In the diagram below, $\overline{AB} \parallel \overline{DEF}$, \overline{AE} and \overline{BD} intersect at C , $m\angle B = 43^\circ$, and $m\angle CEF = 152^\circ$.




Which statement is true?

- 1) $m\angle D = 28^\circ$
- 2) $m\angle A = 43^\circ$
- 3) $m\angle ACD = 71^\circ$
- 4) $m\angle BCE = 109^\circ$

- 597 Which set of statements would describe a parallelogram that can always be classified as a rhombus?
- I. Diagonals are perpendicular bisectors of each other.
 - II. Diagonals bisect the angles from which they are drawn.
 - III. Diagonals form four congruent isosceles right triangles.
- 1) I and II
 - 2) I and III
 - 3) II and III
 - 4) I, II, and III


- 598 A regular decagon is rotated n degrees about its center, carrying the decagon onto itself. The value of n could be
- 1) 10°
 - 2) 150°
 - 3) 225°
 - 4) 252°

- 599 In parallelogram $ABCD$ shown below, the bisectors of $\angle ABC$ and $\angle DCB$ meet at E , a point on \overline{AD} .



If $m\angle A = 68^\circ$, determine and state $m\angle BEC$.

- 600 In the diagram below of $\triangle PQR$, \overline{ST} is drawn parallel to \overline{PR} , $PS = 2$, $SQ = 5$, and $TR = 5$.




What is the length of \overline{QR} ?

- 1) 7
 - 2) 2
 - 3) $12\frac{1}{2}$
 - 4) $17\frac{1}{2}$
- 601 What is an equation of a line that is perpendicular to the line whose equation is $2y = 3x - 10$ and passes through $(-6, 1)$?


- 1) $y = -\frac{2}{3}x - 5$
- 2) $y = -\frac{2}{3}x - 3$
- 3) $y = \frac{2}{3}x + 1$
- 4) $y = \frac{2}{3}x + 10$

- 602 Quadrilateral $MATH$ and its image $M''A''T''H''$ are graphed on the set of axes below.




Describe a sequence of transformations that maps quadrilateral $MATH$ onto quadrilateral $M''A''T''H''$.

- 603 A homeowner is building three steps leading to a deck, as modeled by the diagram below. All three step rises, \overline{HA} , \overline{FG} , and \overline{DE} , are congruent, and all three step runs, \overline{HG} , \overline{FE} , and \overline{DC} , are congruent. Each step rise is perpendicular to the step run it joins. The measure of $\angle CAB = 36^\circ$ and $\angle CBA = 90^\circ$.



If each step run is parallel to \overline{AB} and has a length of 10 inches, determine and state the length of each step rise, to the nearest tenth of an inch. Determine and state the length of \overline{AC} , to the nearest inch.


- 604 In the diagram below, rectangle $ABCD$ has vertices whose coordinates are $A(7,1)$, $B(9,3)$, $C(3,9)$, and $D(1,7)$.



Which transformation will *not* carry the rectangle onto itself?

- 1) a reflection over the line $y = x$
 - 2) a reflection over the line $y = -x + 10$
 - 3) a rotation of 180° about the point $(6,6)$
 - 4) a rotation of 180° about the point $(5,5)$
- 605 A machinist creates a solid steel part for a wind turbine engine. The part has a volume of 1015 cubic centimeters. Steel can be purchased for \$0.29 per kilogram, and has a density of 7.95 g/cm^3 . If the machinist makes 500 of these parts, what is the cost of the steel, to the *nearest dollar*?
- 606 A farmer has 64 feet of fence to enclose a rectangular vegetable garden. Which dimensions would result in the biggest area for this garden?
- 1) the length and the width are equal
 - 2) the length is 2 more than the width
 - 3) the length is 4 more than the width
 - 4) the length is 6 more than the width


- 607 Given: $\triangle ABC$, \overline{AEC} , \overline{BDE} with $\angle ABE \cong \angle CBE$, and $\angle ADE \cong \angle CDE$
 Prove: \overline{BDE} is the perpendicular bisector of \overline{AC}



Fill in the missing statement and reasons below.


Statements	Reasons
1 $\triangle ABC$, \overline{AEC} , \overline{BDE} with $\angle ABE \cong \angle CBE$, and $\angle ADE \cong \angle CDE$	1 Given
2 $\overline{BD} \cong \overline{BD}$	2
3 $\angle BDA$ and $\angle ADE$ are supplementary. $\angle BDC$ and $\angle CDE$ are supplementary.	3 Linear pairs of angles are supplementary.
4	4 Supplements of congruent angles are congruent.
5 $\triangle ABD \cong \triangle CBD$	5 ASA
6 $\overline{AD} \cong \overline{CD}$, $\overline{AB} \cong \overline{CB}$	6
7 \overline{BDE} is the perpendicular bisector of \overline{AC} .	7

- 608 In the diagram shown below, \overline{PA} is tangent to circle T at A , and secant \overline{PBC} is drawn where point B is on circle T .




If $PB = 3$ and $BC = 15$, what is the length of \overline{PA} ?

- 1) $3\sqrt{5}$
 - 2) $3\sqrt{6}$
 - 3) 3
 - 4) 9
- 609 Using a compass and straightedge, construct a regular hexagon inscribed in circle O . [Leave all construction marks.]



- 610 If $\sin(2x + 7)^\circ = \cos(4x - 7)^\circ$, what is the value of x ?
- 1) 7
 - 2) 15
 - 3) 21
 - 4) 30

- 611 Triangle ABC has vertices with coordinates $A(-1, -1)$, $B(4, 0)$, and $C(0, 4)$. Prove that $\triangle ABC$ is an isosceles triangle but *not* an equilateral triangle. [The use of the set of axes below is optional.]




- 612 The vertices of square $RSTV$ have coordinates $R(-1, 5)$, $S(-3, 1)$, $T(-7, 3)$, and $V(-5, 7)$. What is the perimeter of $RSTV$?

- 1) $\sqrt{20}$
 - 2) $\sqrt{40}$
 - 3) $4\sqrt{20}$
 - 4) $4\sqrt{40}$
- 613 Randy's basketball is in the shape of a sphere with a maximum circumference of 29.5 inches. Determine and state the volume of the basketball, to the *nearest cubic inch*.

- 614 In circle O , secants \overline{ADB} and \overline{AEC} are drawn from external point A such that points $D, B, E,$ and C are on circle O . If $AD = 8$, $\overline{AE} = 6$, and EC is 12 more than BD , the length of BD is


- 1) 6
- 2) 22
- 3) 36
- 4) 48

- 615 The greenhouse pictured below can be modeled as a rectangular prism with a half-cylinder on top. The rectangular prism is 20 feet wide, 12 feet high, and 45 feet long. The half-cylinder has a diameter of 20 feet.




To the *nearest cubic foot*, what is the volume of the greenhouse?

- 1) 17,869
 - 2) 24,937
 - 3) 39,074
 - 4) 67,349
- 616 In the diagram of rhombus $PQRS$ below, the diagonals \overline{PR} and \overline{QS} intersect at point T , $PR = 16$, and $QS = 30$. Determine and state the perimeter of $PQRS$.




- 617 The coordinates of the endpoints of \overline{AB} are $A(-8, -2)$ and $B(16, 6)$. Point P is on \overline{AB} . What are the coordinates of point P , such that $AP:PB$ is 3:5?
- 1) (1, 1)
 - 2) (7, 3)
 - 3) (9.6, 3.6)
 - 4) (6.4, 2.8)

- 618 In the diagram of $\triangle RST$ below, $m\angle T = 90^\circ$, $RS = 65$, and $ST = 60$.



What is the measure of $\angle S$, to the *nearest degree*?

- 1) 23°
 - 2) 43°
 - 3) 47°
 - 4) 67°
- 619 Quadrilateral $ABCD$ is inscribed in circle O , as shown below.




If $m\angle A = 80^\circ$, $m\angle B = 75^\circ$, $m\angle C = (y + 30)^\circ$, and $m\angle D = (x - 10)^\circ$, which statement is true?

- 1) $x = 85$ and $y = 50$
 - 2) $x = 90$ and $y = 45$
 - 3) $x = 110$ and $y = 75$
 - 4) $x = 115$ and $y = 70$
- 620 The equation of a circle is $x^2 + y^2 - 6y + 1 = 0$. What are the coordinates of the center and the length of the radius of this circle?


- 1) center (0, 3) and radius = $2\sqrt{2}$
- 2) center (0, -3) and radius = $2\sqrt{2}$
- 3) center (0, 6) and radius = $\sqrt{35}$
- 4) center (0, -6) and radius = $\sqrt{35}$

- 621 The graph below shows two congruent triangles, ABC and $A'B'C'$.



Which rigid motion would map $\triangle ABC$ onto $\triangle A'B'C'$?


- 1) a rotation of 90 degrees counterclockwise about the origin
 - 2) a translation of three units to the left and three units up
 - 3) a rotation of 180 degrees about the origin
 - 4) a reflection over the line $y = x$
- 622 After a counterclockwise rotation about point X , scalene triangle ABC maps onto $\triangle RST$, as shown in the diagram below.




Which statement must be true?

- 1) $\angle A \cong \angle R$
- 2) $\angle A \cong \angle S$
- 3) $\overline{CB} \cong \overline{TR}$
- 4) $\overline{CA} \cong \overline{TS}$


- 623 In the circle below, \overline{AB} is a chord. Using a compass and straightedge, construct a diameter of the circle. [Leave all construction marks.]



- 624 In square $GEOM$, the coordinates of G are $(2, -2)$ and the coordinates of O are $(-4, 2)$. Determine and state the coordinates of vertices E and M . [The use of the set of axes below is optional.]




625 As shown in the graph below, the quadrilateral is a rectangle.



Which transformation would *not* map the rectangle onto itself?

- 1) a reflection over the x -axis
- 2) a reflection over the line $x = 4$
- 3) a rotation of 180° about the origin
- 4) a rotation of 180° about the point $(4, 0)$

626 The diagram shows rectangle $ABCD$, with diagonal \overline{BD} .



What is the perimeter of rectangle $ABCD$, to the nearest tenth?


- 1) 28.4
- 2) 32.8
- 3) 48.0
- 4) 62.4

627 Aliyah says that when the line $4x + 3y = 24$ is dilated by a scale factor of 2 centered at the point $(3, 4)$, the equation of the dilated line is


$$y = -\frac{4}{3}x + 16.$$

Is Aliyah correct? Explain why.

[The use of the set of axes below is optional.]




628 Triangle ABC and triangle DEF are drawn below.



If $\overline{AB} \cong \overline{DE}$, $\overline{AC} \cong \overline{DF}$, and $\angle A \cong \angle D$, write a sequence of transformations that maps triangle ABC onto triangle DEF .


- 629 Triangle RJM has an area of 6 and a perimeter of 12. If the triangle is dilated by a scale factor of 3 centered at the origin, what are the area and perimeter of its image, triangle $R'J'M'$?
- 1) area of 9 and perimeter of 15
 - 2) area of 18 and perimeter of 36
 - 3) area of 54 and perimeter of 36
 - 4) area of 54 and perimeter of 108

- 630 A rectangle whose length and width are 10 and 6, respectively, is shown below. The rectangle is continuously rotated around a straight line to form an object whose volume is 150π .



Which line could the rectangle be rotated around?

- 1) a long side
 - 2) a short side
 - 3) the vertical line of symmetry
 - 4) the horizontal line of symmetry
- 631 Yolanda is making a springboard to use for gymnastics. She has 8-inch-tall springs and wants to form a 16.5° angle with the base, as modeled in the diagram below.




To the *nearest tenth of an inch*, what will be the length of the springboard, x ?

- 1) 2.3
- 2) 8.3
- 3) 27.0
- 4) 28.2

- 632 In quadrilateral $TOWN$, $\overline{OW} \cong \overline{TN}$ and $\overline{OT} \cong \overline{WN}$. Which additional information is sufficient to prove quadrilateral $TOWN$ is a rhombus?

- 1) $\overline{ON} \perp \overline{TW}$
- 2) $\overline{TO} \perp \overline{OW}$
- 3) $\overline{OW} \parallel \overline{TN}$
- 4) \overline{ON} and \overline{TW} bisect each other.

- 633 In the diagram below, \overline{AC} has endpoints with coordinates $A(-5,2)$ and $C(4,-10)$.




If B is a point on \overline{AC} and $AB:BC = 1:2$, what are the coordinates of B ?

- 1) $(-2, -2)$
- 2) $\left(-\frac{1}{2}, -4\right)$
- 3) $\left(0, -\frac{14}{3}\right)$
- 4) $(1, -6)$

- 634 A ladder 20 feet long leans against a building, forming an angle of 71° with the level ground. To the *nearest foot*, how high up the wall of the building does the ladder touch the building?


- 1) 15
- 2) 16
- 3) 18
- 4) 19

635 What is an equation of the perpendicular bisector of the line segment shown in the diagram below?



- 1) $y + 2x = 0$
- 2) $y - 2x = 0$
- 3) $2y + x = 0$
- 4) $2y - x = 0$


636 In the diagram of $\triangle ABC$ below, points D and E are on sides AB and CB respectively, such that $\overline{DE} \parallel \overline{AC}$.




If EB is 3 more than DB , $AB = 14$, and $CB = 21$, what is the length of AD ?

- 1) 6
- 2) 8
- 3) 9
- 4) 12

637 When instructed to find the length of \overline{HJ} in right triangle HJG , Alex wrote the equation $\sin 28^\circ = \frac{HJ}{20}$ while Marlene wrote $\cos 62^\circ = \frac{HJ}{20}$. Are both students' equations correct? Explain why.



638 In the diagram below, $\triangle ADE$ is the image of $\triangle ABC$ after a reflection over the line AC followed by a dilation of scale factor $\frac{AE}{AC}$ centered at point A .




Which statement must be true?

- 1) $m\angle BAC \cong m\angle AED$
- 2) $m\angle ABC \cong m\angle ADE$
- 3) $m\angle DAE \cong \frac{1}{2} m\angle BAC$
- 4) $m\angle ACB \cong \frac{1}{2} m\angle DAB$


- 639 Under which transformation would $\triangle A'B'C'$, the image of $\triangle ABC$, *not* be congruent to $\triangle ABC$?
- 1) reflection over the y-axis
 - 2) rotation of 90° clockwise about the origin
 - 3) translation of 3 units right and 2 units down
 - 4) dilation with a scale factor of 2 centered at the origin

- 640 Trapezoids $ABCD$ and $A''B''C''D''$ are graphed on the set of axes below.




Describe a sequence of transformations that maps trapezoid $ABCD$ onto trapezoid $A''B''C''D''$.

- 641 In the diagram below of isosceles triangle ABC , $\overline{AB} \cong \overline{CB}$ and angle bisectors \overline{AD} , \overline{BF} , and \overline{CE} are drawn and intersect at X .



If $m\angle BAC = 50^\circ$, find $m\angle AXC$.

- 642 In the diagram below of circle O , chord \overline{DF} bisects chord \overline{BC} at E .




If $BC = 12$ and FE is 5 more than DE , then FE is

- 1) 13
- 2) 9
- 3) 6
- 4) 4


- 643 A line segment is dilated by a scale factor of 2 centered at a point not on the line segment. Which statement regarding the relationship between the given line segment and its image is true?
- 1) The line segments are perpendicular, and the image is one-half of the length of the given line segment.
 - 2) The line segments are perpendicular, and the image is twice the length of the given line segment.
 - 3) The line segments are parallel, and the image is twice the length of the given line segment.
 - 4) The line segments are parallel, and the image is one-half of the length of the given line segment.

- 644 In the diagram below, \overline{GI} is parallel to \overline{NT} , and \overline{IN} intersects \overline{GT} at A .




Prove: $\triangle GIA \sim \triangle TNA$

- 645 In the diagram below of parallelogram $ROCK$, $m\angle C$ is 70° and $m\angle ROS$ is 65° .




What is $m\angle KSO$?

- 1) 45°
 - 2) 110°
 - 3) 115°
 - 4) 135°
- 646 In right triangle ABC shown below, altitude \overline{CD} is drawn to hypotenuse \overline{AB} . Explain why $\triangle ABC \sim \triangle ACD$.




- 647 The regular polygon below is rotated about its center.



Which angle of rotation will carry the figure onto itself?


- 1) 60°
- 2) 108°
- 3) 216°
- 4) 540°

- 648 The diagram below shows two figures. Figure A is a right triangular prism and figure B is an oblique triangular prism. The base of figure A has a height of 5 and a length of 8 and the height of prism A is 14. The base of figure B has a height of 8 and a length of 5 and the height of prism B is 14.




Use Cavalieri's Principle to explain why the volumes of these two triangular prisms are equal.

- 649 In the diagram below, the circle has a radius of 25 inches. The area of the *unshaded* sector is 500π in².



Determine and state the degree measure of angle Q , the central angle of the shaded sector.


- 650 In the diagram of right triangle ADE below, $\overline{BC} \parallel \overline{DE}$.



Which ratio is always equivalent to the sine of $\angle A$?

- 1) $\frac{AD}{DE}$
 - 2) $\frac{AE}{AD}$
 - 3) $\frac{BC}{AB}$
 - 4) $\frac{AB}{AC}$
- 651 An equation of circle O is $x^2 + y^2 + 4x - 8y = -16$. The statement that best describes circle O is the
- 1) center is $(2, -4)$ and is tangent to the x -axis
 - 2) center is $(2, -4)$ and is tangent to the y -axis
 - 3) center is $(-2, 4)$ and is tangent to the x -axis
 - 4) center is $(-2, 4)$ and is tangent to the y -axis

- 652 Given \overline{AB} below, use a compass and a straightedge to construct a segment that is $\frac{1}{4}AB$. [Leave all construction marks.]




- 653 The car tire shown in the photograph below has a diameter of $2\frac{1}{4}$ feet.



Approximately how many rotations will the tire make in one mile?

- 1) 373
 - 2) 747
 - 3) 1328
 - 4) 2347
- 654 In the diagram below, $AC = 7.2$ and $CE = 2.4$.




Which statement is *not* sufficient to prove $\triangle ABC \sim \triangle EDC$?

- 1) $\overline{AB} \parallel \overline{ED}$
- 2) $DE = 2.7$ and $AB = 8.1$
- 3) $CD = 3.6$ and $BC = 10.8$
- 4) $DE = 3.0$, $AB = 9.0$, $CD = 2.9$, and $BC = 8.7$

655 In right triangle ABC , $m\angle A = 32^\circ$, $m\angle B = 90^\circ$, and $AC = 6.2$ cm. What is the length of BC , to the nearest tenth of a centimeter?

- 1) 3.3
- 2) 3.9
- 3) 5.3
- 4) 11.7


656 The pyramid shown below has a square base, a height of 7, and a volume of 84.



What is the length of the side of the base?


- 1) 6
- 2) 12
- 3) 18
- 4) 36

657 A dog sees a bird in a tree. The angle of elevation from the dog's eyes to the bird is 36° , as modeled below.



The dog is 18.5 feet away from the base of the tree, and his eyes are 2.5 feet above the ground. Determine and state how high the bird is above the ground, to the nearest foot.

658 In regular hexagon $ABCDEF$ shown below, \overline{AD} , \overline{BE} , and \overline{CF} all intersect at G .



When $\triangle ABG$ is reflected over \overline{BG} and then rotated 180° about point G , $\triangle ABG$ is mapped onto


- 1) $\triangle FEG$
- 2) $\triangle AFG$
- 3) $\triangle CBG$
- 4) $\triangle DEG$

659 Given: Right triangle ABC with right angle at C . If $\sin A$ increases, does $\cos B$ increase or decrease? Explain why.

660 A regular pyramid has a square base. The perimeter of the base is 36 inches and the height of the pyramid is 15 inches. What is the volume of the pyramid in cubic inches?

- 1) 180
- 2) 405
- 3) 540
- 4) 1215


661 Given: Trapezoid $JKLM$ with $\overline{JK} \parallel \overline{ML}$. Using a compass and straightedge, construct the altitude from vertex J to \overline{ML} . [Leave all construction marks.]



662 Quadrilateral $MATH$ has both pairs of opposite sides congruent and parallel. Which statement about quadrilateral $MATH$ is always true?


- 1) $\overline{MT} \cong \overline{AH}$
- 2) $\overline{MT} \perp \overline{AH}$
- 3) $\angle MHT \cong \angle ATH$
- 4) $\angle MAT \cong \angle MHT$

663 In the diagram below of $\triangle ABC$ and $\triangle XYZ$, a sequence of rigid motions maps $\angle A$ onto $\angle X$, $\angle C$ onto $\angle Z$, and \overline{AC} onto \overline{XZ} .



Determine and state whether $\overline{BC} \cong \overline{YZ}$. Explain why.


664 In the diagram below of $\triangle ABC$, $\angle ABC$ is a right angle, $AC = 12$, $AD = 8$, and altitude \overline{BD} is drawn.



What is the length of \overline{BC} ?

- 1) $4\sqrt{2}$
- 2) $4\sqrt{3}$
- 3) $4\sqrt{5}$
- 4) $4\sqrt{6}$


665 In quadrilateral $BLUE$ shown below, $\overline{BE} \cong \overline{UL}$.



Which information would be sufficient to prove quadrilateral $BLUE$ is a parallelogram?

- 1) $\overline{BL} \parallel \overline{EU}$
- 2) $\overline{LU} \parallel \overline{BE}$
- 3) $\overline{BE} \cong \overline{BL}$
- 4) $\overline{LU} \cong \overline{EU}$

666 In the diagram below, secants \overline{RST} and \overline{RQP} , drawn from point R , intersect circle O at S, T, Q , and P .



If $RS = 6$, $ST = 4$, and $RP = 15$, what is the length of \overline{RQ} ?

667 The line represented by $2y = x + 8$ is dilated by a scale factor of k centered at the origin, such that the image of the line has an equation of $y - \frac{1}{2}x = 2$.


What is the scale factor?

- 1) $k = \frac{1}{2}$
- 2) $k = 2$
- 3) $k = \frac{1}{4}$
- 4) $k = 4$

Geometry Regents at Random Worksheets

668 A large snowman is made of three spherical snowballs with radii of 1 foot, 2 feet, and 3 feet, respectively. Determine and state the amount of snow, in cubic feet, that is used to make the snowman. [Leave your answer in terms of π .]

669 In the diagram below, a sphere is inscribed inside a cube. The cube has edge lengths of 18.



What is the volume of the sphere, in terms of π ?

- 1) 108π
- 2) 432π
- 3) 972π
- 4) 7776π

670 What is the image of $(4,3)$ after a reflection over the line $y = 1$?

- 1) $(-2,3)$
- 2) $(-4,3)$
- 3) $(4,-1)$
- 4) $(4,-3)$


671 The measure of one of the base angles of an isosceles triangle is 42° . The measure of an exterior angle at the vertex of the triangle is

- 1) 42°
- 2) 84°
- 3) 96°
- 4) 138°

672 Directed line segment \overline{AJ} has endpoints whose coordinates are $A(5,7)$ and $J(-10,-8)$. Point E is on \overline{AJ} such that $AE:EJ$ is $2:3$. What are the coordinates of point E ?


- 1) $(1,-1)$
- 2) $(-5,-3)$
- 3) $(-4,-2)$
- 4) $(-1,1)$

673 In isosceles triangle ABC shown below, $\overline{AB} \cong \overline{AC}$, and altitude \overline{AD} is drawn.



The length of \overline{AD} is 12 cm and the length of \overline{BC} is 10 cm. Determine and state, to the nearest cubic centimeter, the volume of the solid formed by continuously rotating $\triangle ABC$ about \overline{AD} .


674 In the diagram below, $\triangle CAR$ is mapped onto $\triangle BUS$ after a sequence of rigid motions.



If $AR = 3x + 4$, $RC = 5x - 10$, $CA = 2x + 6$, and $SB = 4x - 4$, what is the length of \overline{SB} ?


- 1) 6
- 2) 16
- 3) 20
- 4) 28

675 A garden bed, pictured below, is a square prism with a rectangular prism taken out. The inside length of the square prism is 6 feet. The rectangular prism taken out has a width of 2 feet and a length of 4 feet. The diagram below shows the top view of the garden bed with its inside measurements.



The garden bed is filled with topsoil to a uniform height of 1.25 feet. Determine and state the volume of the topsoil, in cubic feet. Each bag of topsoil sells for \$3.68 and contains 2 cubic feet of topsoil. Determine and state the total cost of the bags of topsoil that must be purchased to fill the garden.

676 In the diagram of triangles ABD and CBE below, sides AD and CE intersect at F , and $\angle ADB \cong \angle CEB$.




Which statement can *not* be proven?

- 1) $\triangle ADB \cong \triangle CEB$
- 2) $\angle EAF \cong \angle DCF$
- 3) $\triangle ADB \sim \triangle CEB$
- 4) $\triangle EAF \sim \triangle DCF$


677 Determine and state the coordinates of the center and the length of the radius of the circle represented by the equation $x^2 + 16x + y^2 + 12y - 44 = 0$.

678 Josh is making a square-based fire pit out of concrete for his backyard, as modeled by the right prism below. He plans to make the outside walls of the fire pit 3.5 feet on each side with a height of 1.5 feet. The concrete walls of the fire pit are going to be 9 inches thick.



If a bag of concrete mix will fill 0.6 ft^3 , determine and state the minimum number of bags needed to build the fire pit.


- 679 In the diagram below of quadrilateral $ADBE$, \overline{DE} is the perpendicular bisector of \overline{AB} .



Which statement is always true?

- 1) $\angle ADC \cong \angle BDC$
- 2) $\angle EAC \cong \angle DAC$
- 3) $\overline{AD} \cong \overline{BE}$
- 4) $\overline{AE} \cong \overline{AD}$

- 680 In right triangle SNO below, altitude \overline{NW} is drawn to hypotenuse \overline{SO} .



Which statement is *not* always true?


- 1) $\frac{SO}{SN} = \frac{SN}{SW}$
- 2) $\frac{SW}{NS} = \frac{NS}{OW}$
- 3) $\frac{SO}{ON} = \frac{ON}{OW}$
- 4) $\frac{OW}{NW} = \frac{NW}{SW}$

- 681 Pure silver has a density of 10.5 g/cm^3 . Samantha has a pure silver charm on her necklace in the shape of a sphere. The radius of the charm is 0.5 cm. Determine and state the mass of the charm, to the nearest tenth of a gram.

- 682 Segment \overline{AB} is the perpendicular bisector of \overline{CD} at point M . Which statement is always true?

- 1) $\overline{CB} \cong \overline{DB}$
- 2) $\overline{CD} \cong \overline{AB}$
- 3) $\triangle ACD \sim \triangle BCD$
- 4) $\triangle ACM \sim \triangle BCM$

- 683 In the diagram below, \overline{AB} and \overline{CD} intersect at E , and \overline{CA} and \overline{DB} are drawn.



If $\overline{CA} \parallel \overline{BD}$, which statement is always true?

- 1) $\overline{AE} \cong \overline{BE}$
- 2) $\overline{CA} \cong \overline{DB}$
- 3) $\triangle AEC \sim \triangle BED$
- 4) $\triangle AEC \cong \triangle BED$

- 684 A man is spray-painting the tops of 10 patio tables. Five tables have round tops, with diameters of 4 feet, and five tables have rectangular tops, with dimensions of 4 feet by 6 feet. A can of spray paint covers 25 square feet. How many cans of spray paint must be purchased to paint all of the tabletops?


- 685 Which equation represents a line that is perpendicular to the line whose equation is $y - 3x = 4$?

- 1) $y = -\frac{1}{3}x - 4$
- 2) $y = \frac{1}{3}x + 4$
- 3) $y = -3x + 4$
- 4) $y = 3x - 4$

686 The line whose equation is $6x + 3y = 3$ is dilated by a scale factor of 2 centered at the point $(0,0)$. An equation of its image is

- 1) $y = -2x + 1$
- 2) $y = -2x + 2$
- 3) $y = -4x + 1$
- 4) $y = -4x + 2$


687 Parallelogram $BETH$, with diagonals \overline{BT} and \overline{HE} , is drawn below.



What additional information is sufficient to prove that $BETH$ is a rectangle?


- 1) $\overline{BT} \perp \overline{HE}$
- 2) $\overline{BE} \parallel \overline{HT}$
- 3) $\overline{BT} \cong \overline{HE}$
- 4) $\overline{BE} \cong \overline{ET}$

688 Right triangle STR is shown below, with $m\angle T = 90^\circ$. Altitude \overline{TQ} is drawn to \overline{SR} , and $TQ = 8$.



If the ratio $SQ:QR$ is 1:4, determine and state the length of \overline{SR} .

689 In the diagram below of quadrilateral $FACT$, \overline{BR} intersects diagonal \overline{AT} at E , $\overline{AF} \parallel \overline{CT}$, and $\overline{AF} \cong \overline{CT}$.




Prove: $(AB)(TE) = (AE)(TR)$

690 If $ABCD$ is a parallelogram, which additional information is sufficient to prove that $ABCD$ is a rectangle?


- 1) $\overline{AB} \cong \overline{BC}$
- 2) $\overline{AB} \parallel \overline{CD}$
- 3) $\overline{AC} \cong \overline{BD}$
- 4) $\overline{AC} \perp \overline{BD}$

691 On the set of axes below, $\triangle ABC$ is drawn with vertices that have coordinates $A(2,-3)$, $B(4,5)$, and $C(-5,1)$.




Determine and state the area of $\triangle ABC$.

- 692 In quadrilateral $HOPE$ below, $\overline{EH} \cong \overline{OP}$, $\overline{EP} \cong \overline{OH}$, $\overline{EJ} \cong \overline{OG}$, and \overline{TG} and \overline{YJ} are perpendicular to diagonal \overline{EO} at points G and J , respectively.



Prove that $\overline{TG} \cong \overline{YJ}$.


- 693 Which polygon always has a minimum rotation of 180° about its center to carry it onto itself?




1) Rectangle



2) Square




3) Isosceles trapezoid



4) Regular pentagon

- 694 A circle has a radius of 6.4 inches. Determine and state, to the nearest square inch, the area of a sector whose arc measures 80° .


- 695 In triangle ABC below, D is a point on \overline{AB} and E is a point on \overline{AC} , such that $\overline{DE} \parallel \overline{BC}$.



If $AD = 12$, $DB = 8$, and $EC = 10$, what is the length of \overline{AC} ?

- 1) 15
- 2) 22
- 3) 24
- 4) 25

- 696 In right triangle ABC below, $m\angle C = 90^\circ$, $AC = 12$, and $m\angle A = 25^\circ$.



Which equation is correct for $\triangle ABC$?


- 1) $a = \frac{12}{\tan 25^\circ}$
- 2) $a = 12 \tan 25^\circ$
- 3) $c = \frac{12}{\tan 25^\circ}$
- 4) $c = 12 \tan 25^\circ$

- 697 A right cylinder is cut parallel to its base. The shape of this cross section is a


- 1) cone
- 2) circle
- 3) triangle
- 4) rectangle

- 698 The equation of a circle is $x^2 + y^2 + 12x = -27$.
 What are the coordinates of the center and the length of the radius of the circle?
- 1) center (6,0) and radius 3
 - 2) center (6,0) and radius 9
 - 3) center (-6,0) and radius 3
 - 4) center (-6,0) and radius 9

- 699 William is drawing pictures of cross sections of the right circular cone below.




Which drawing can *not* be a cross section of a cone?

- 1) 
- 2) 
- 3) 
- 4) 


- 700 Which expression is equal to $\sin 30^\circ$?
- 1) $\tan 30^\circ$
 - 2) $\sin 60^\circ$
 - 3) $\cos 60^\circ$
 - 4) $\cos 30^\circ$

- 701 Directed line segment \overline{KC} has endpoints $K(-4,-2)$ and $C(1,8)$. Point E divides \overline{KC} such that $KE:EC$ is 3:2. What are the coordinates of point E ?
- 1) (-1,4)
 - 2) (-2,2)
 - 3) (-3,0)
 - 4) (0,6)

- 702 Use a compass and straightedge to construct an equilateral triangle inscribed in circle A below.
 [Leave all construction marks.]




- 703 In $\triangle ABC$ below, $m\angle C = 90^\circ$, $AC = 11$, and $AB = 18$.



Determine and state the measure of angle A , to the nearest degree.


704 In the circle below, \overline{AD} , \overline{AC} , \overline{BC} , and \overline{DC} are chords, \overleftrightarrow{EDF} is tangent at point D , and $\overline{AD} \parallel \overline{BC}$.




Which statement is always true?

- 1) $\angle ADE \cong \angle CAD$
- 2) $\angle CDF \cong \angle ACB$
- 3) $\angle BCA \cong \angle DCA$
- 4) $\angle ADC \cong \angle ADE$

705 Triangle JOE has vertices whose coordinates are $J(4, 6)$, $O(-2, 4)$, and $E(6, 0)$. Prove that $\triangle JOE$ is isosceles. Point $Y(2, 2)$ is on \overline{OE} . Prove that \overline{JY} is the perpendicular bisector of \overline{OE} . [The use of the set of axes below is optional.]




706 In the diagram below, $\triangle SBC \sim \triangle CMJ$ and $\cos J = \frac{3}{5}$.



Determine and state $m\angle S$, to the nearest degree.

707 A storage building is modeled below by a hemisphere on top of a cylinder. The diameter of both the cylinder and hemisphere is 12 feet. The total height of the storage building is 30 feet.



To the nearest cubic foot, what is the volume of the storage building?

- 1) 942
- 2) 2488
- 3) 3167
- 4) 3845


708 If $\triangle TAP$ is dilated by a scale factor of 0.5, which statement about the image, $\triangle T'A'P'$, is true?

- 1) $m\angle T'A'P' = \frac{1}{2}(m\angle TAP)$
- 2) $m\angle T'A'P' = 2(m\angle TAP)$
- 3) $TA = 2(T'A')$
- 4) $TA = \frac{1}{2}(T'A')$

709 A small town is installing a water storage tank in the shape of a cylinder. The tank must be able to hold at least 100,000 gallons of water. The tank must have a height of exactly 30 feet. [1 cubic foot holds 7.48 gallons of water] What should the minimum diameter of the tank be, to the *nearest foot*?

- 1) 12
- 2) 24
- 3) 65
- 4) 75


710 Triangle RST has vertices with coordinates $R(-3,-2)$, $S(3,2)$ and $T(4,-4)$. Determine and state an equation of the line parallel to \overline{RT} that passes through point S . [The use of the set of axes below is optional.]



711 Which polygon does *not* always have congruent diagonals?

- 1) square
- 2) rectangle
- 3) rhombus
- 4) isosceles trapezoid

712 In the diagram below, $\triangle TAN$ is the image of $\triangle SUN$ after a reflection over \overline{NZ} .




Use the properties of rigid motions to explain why $\triangle TAN \cong \triangle SUN$.

713 Segment \overline{CA} is drawn below. Using a compass and straightedge, construct isosceles right triangle CAT where $\overline{CA} \perp \overline{CT}$ and $\overline{CA} \cong \overline{CT}$. [Leave all construction marks.]




714 A landscape architect is designing a triangular garden to fit in the corner of a lot. The corner of the lot forms an angle of 70° , and the sides of the garden including this angle are to be 11 feet and 13 feet, respectively. Find, to the *nearest integer*, the number of square feet in the area of the garden.

- 715 Sally and Mary both get ice cream from an ice cream truck. Sally's ice cream is served as a cylinder with a diameter of 4 cm and a total height of 8 cm. Mary's ice cream is served as a cone with a diameter of 7 cm and a total height of 12.5 cm. Assume that ice cream fills Sally's cylinder and Mary's cone.




Who was served more ice cream, Sally or Mary? Justify your answer. Determine and state how much more is served in the larger ice cream than the smaller ice cream, to the *nearest cubic centimeter*.

- 716 In $\triangle ABC$ below, use a compass and straightedge to construct the altitude from C to \overline{AB} . [Leave all construction marks.]



- 717 In $\triangle ABC$ below, \overline{DE} is drawn such that $AD = 4$, $DB = 8$, $AE = 3$, and $EC = 6$.



Explain why $\triangle ADE \sim \triangle ABC$.

- 718 A small can of soup is a right circular cylinder with a base diameter of 7 cm and a height of 9 cm. A large container is also a right circular cylinder with a base diameter of 9 cm and a height of 13 cm. Determine and state the volume of the small can and the volume of the large container to the *nearest cubic centimeter*. What is the minimum number of small cans that must be opened to fill the large container? Justify your answer.

- 719 The endpoints of \overline{AB} are $A(-5,3)$ and $B(7,-5)$. Point P is on \overline{AB} such that $AP:PB = 3:1$. What are the coordinates of point P ?


- 1) $(-2,-3)$
- 2) $(1,-1)$
- 3) $(-2,1)$
- 4) $(4,-3)$

- 720 In $\triangle ABC$, M is the midpoint of \overline{AB} and N is the midpoint of \overline{AC} . If $\overline{MN} = x + 13$ and $BC = 5x - 1$, what is the length of \overline{MN} ?

- 1) 3.5
- 2) 9
- 3) 16.5
- 4) 22


- 721 Triangles YEG and POM are two distinct non-right triangles such that $\angle G \cong \angle M$. Which statement is sufficient to prove $\triangle YEG$ is always congruent to $\triangle POM$?
- 1) $\angle E \cong \angle O$ and $\overline{YE} \cong \overline{PO}$
 - 2) $\overline{YG} \cong \overline{PM}$ and $\overline{YE} \cong \overline{PO}$
 - 3) There is a sequence of rigid motions that maps $\angle E$ onto $\angle O$ and \overline{YE} onto \overline{PO} .
 - 4) There is a sequence of rigid motions that maps point Y onto point P and \overline{YG} onto \overline{PM} .

- 722 Given: $\triangle ABC$, $\triangle DEF$, $\overline{AB} \perp \overline{BC}$, $\overline{DE} \perp \overline{EF}$, $\overline{AE} \cong \overline{DB}$, and $\overline{AC} \parallel \overline{FD}$



Prove: $\triangle ABC \cong \triangle DEF$

- 723 In the diagram below, $\triangle DOG \sim \triangle CAT$, where $\angle G$ and $\angle T$ are right angles.




Which expression is always equivalent to $\sin D$?

- 1) $\cos A$
- 2) $\sin A$
- 3) $\tan A$
- 4) $\cos C$


- 724 The line represented by the equation $y = 4x + 15$ is dilated by a scale factor of 2 centered at the origin. Which equation represents its image?
- 1) $y = 4x + 15$
 - 2) $y = 4x + 30$
 - 3) $y = 8x + 15$
 - 4) $y = 8x + 30$

- 725 In $\triangle AGL$ below, N and E are the midpoints of \overline{AG} and \overline{AL} , respectively, \overline{NE} is drawn.



If $NE = 15$ and $GL = 3x - 12$, determine and state the value of x .

- 726 In the diagram below, $\overline{AFKB} \parallel \overline{CHLM}$, $\overline{FH} \cong \overline{LH}$, $\overline{FL} \cong \overline{KL}$, and \overline{LF} bisects $\angle HFK$.




Which statement is always true?

- 1) $2(m\angle HLF) = m\angle CHE$
- 2) $2(m\angle FLK) = m\angle LKB$
- 3) $m\angle AFD = m\angle BKL$
- 4) $m\angle DFK = m\angle KLF$

727 The area of $\triangle TAP$ is 36 cm^2 . A second triangle, $\triangle JOE$, is formed by connecting the midpoints of each side of $\triangle TAP$. What is the area of $\triangle JOE$, in square centimeters?

- 1) 9
- 2) 12
- 3) 18
- 4) 27


728 In the diagram below of isosceles trapezoid $STAR$, diagonals \overline{AS} and \overline{RT} intersect at O and $\overline{ST} \parallel \overline{RA}$, with nonparallel sides \overline{SR} and \overline{TA} .



Which pair of triangles are *not* always similar?


- 1) $\triangle STO$ and $\triangle ARO$
- 2) $\triangle SOR$ and $\triangle TOA$
- 3) $\triangle SRA$ and $\triangle ATS$
- 4) $\triangle SRT$ and $\triangle TAS$

729 On the set of axes below, congruent quadrilaterals $ROCK$ and $R'O'C'K'$ are graphed.



Describe a sequence of transformations that would map quadrilateral $ROCK$ onto quadrilateral $R'O'C'K'$.


730 On the set of axes below, \overleftrightarrow{AB} is drawn and passes through $A(-2,6)$ and $B(4,0)$.



If \overleftrightarrow{CD} is the image of \overleftrightarrow{AB} after a dilation with a scale factor of $\frac{1}{2}$ centered at the origin, which equation represents \overleftrightarrow{CD} ?

- 1) $y = -x + 4$
- 2) $y = -x + 2$
- 3) $y = -\frac{1}{2}x + 4$
- 4) $y = -\frac{1}{2}x + 2$

731 In circle O below, $OA = 6$, and $m\angle COA = 100^\circ$.



What is the area of the shaded sector?


- 1) 10π
- 2) 26π
- 3) $\frac{10\pi}{3}$
- 4) $\frac{26\pi}{3}$

732 In triangle CEM , $CE = 3x + 10$, $ME = 5x - 14$, and $CM = 2x - 6$. Determine and state the value of x that would make CEM an isosceles triangle with the vertex angle at E .

733 A cylindrical pool has a diameter of 16 feet and height of 4 feet. The pool is filled to $\frac{1}{2}$ foot below the top. How much water does the pool contain, to the nearest gallon? [$1 \text{ ft}^3 = 7.48$ gallons]

- 1) 704
- 2) 804
- 3) 5264
- 4) 6016


734 In the diagram below of Circle O , diameter \overline{AOB} and chord \overline{CB} are drawn, and $m\angle B = 28^\circ$.



What is $m\widehat{BC}$?

- 1) 56°
- 2) 124°
- 3) 152°
- 4) 166°


735 In the diagram below of parallelogram $RSTV$, diagonals \overline{SV} and \overline{RT} intersect at E .




Which statement is always true?

- 1) $\overline{SR} \cong \overline{RV}$
- 2) $\overline{RT} \cong \overline{SV}$
- 3) $\overline{SE} \cong \overline{RE}$
- 4) $\overline{RE} \cong \overline{TE}$

736 Parallelogram $MATH$ has vertices $M(-7,-2)$, $A(0,4)$, $T(9,2)$, and $H(2,-4)$. Prove that parallelogram $MATH$ is a rhombus. [The use of the set of axes below is optional.] Determine and state the area of $MATH$.




- 737 Trapezoid $ABCD$ is drawn such that $\overline{AB} \parallel \overline{DC}$. Trapezoid $A'B'C'D'$ is the image of trapezoid $ABCD$ after a rotation of 110° counterclockwise about point P .




Which statement is always true?

- 1) $\angle A \cong \angle D'$
 - 2) $\overline{AC} \cong \overline{B'D'}$
 - 3) $\overline{A'B'} \parallel \overline{D'C'}$
 - 4) $\overline{B'A'} \cong \overline{C'D'}$
- 738 Ali made six solid spherical decorations out of modeling clay. Each decoration has a radius of 2.5 inches. The weight of clay is 68 pounds per cubic foot. Determine and state, to the nearest pound, the total weight of the six decorations.
- 739 A person observes a kite at an angle of elevation of 32° from a line of sight that begins 4 feet above the ground, as modeled in the diagram below. At the moment of observation, the kite is 70 feet above the ground.




Determine and state the horizontal distance, x , between the person and the point on the ground directly below the kite, to the nearest foot.

- 740 Quadrilateral $MATH$ has vertices with coordinates $M(-1,7)$, $A(3,5)$, $T(2,-7)$, and $H(-6,-3)$. Prove that quadrilateral $MATH$ is a trapezoid. State the coordinates of point Y such that point A is the midpoint of \overline{MY} . Prove that quadrilateral $MYTH$ is a rectangle. [The use of the set of axes below is optional.]




- 741 In the diagram below, a cone has a diameter of 16 inches and a slant height of 17 inches.



What is the volume of the cone, in cubic inches?

- 1) 320π
- 2) 363π
- 3) 960π
- 4) 1280π

- 742 A telephone pole 11 meters tall needs to be stabilized with a support beam, as modeled below.




Two conditions for proper support are:

- The beam reaches the telephone pole at 70% of the telephone pole's height above the ground.
- The beam forms a 65° angle with the ground.


Determine and state, to the *nearest tenth of a meter*, the length of the support beam that meets these conditions for this telephone pole. Determine and state, to the *nearest tenth of a meter*, how far the support beam must be placed from the base of the pole to meet the conditions.

- 743 A drone is used to measure the size of a brush fire on the ground. Segment AB represents the width of the fire, as shown below. The drone calculates the distance to point B to be 1076 feet at an angle of depression of 25° . At the same point, the drone calculates the distance to point A to be 774 feet at an angle of depression of 36° .



Determine and state the width of the fire, \overline{AB} , to the *nearest foot*.


- 744 In circle O below, chords \overline{CT} and \overline{BN} intersect at point A . Chords \overline{CB} and \overline{NT} are drawn.



Which statement is always true?

- 1) $\frac{NT}{TA} = \frac{CB}{BA}$
- 2) $\angle BAC \cong \angle ATN$
- 3) $\frac{NA}{AB} = \frac{TA}{AC}$
- 4) $\angle BCA \cong \angle NTA$

- 745 In the diagram below, $\triangle BRI$ is the image of $\triangle JOE$ after a translation. Triangle CAT is the image of $\triangle BRI$ after a line reflection.




Which statement is always true?


- 1) $\angle R \cong \angle T$
- 2) $\angle J \cong \angle A$
- 3) $\overline{JE} \cong \overline{RI}$
- 4) $\overline{OE} \cong \overline{AT}$

- 746 Which quadrilateral has diagonals that are always perpendicular?
- 1) rectangle
 - 2) rhombus
 - 3) trapezoid
 - 4) parallelogram

- 747 The accompanying diagram shows the floor plan for a kitchen. The owners plan to carpet all of the kitchen except the “work space,” which is represented by scalene triangle ABC . Find the area of this work space to the *nearest tenth of a square foot*.




- 748 In the diagram below of isosceles triangle AHE with the vertex angle at H , $CB \perp AE$ and $FD \perp AE$.



Which statement is always true?

- 1) $\frac{AH}{AC} = \frac{EH}{EF}$
- 2) $\frac{AC}{EF} = \frac{AB}{ED}$
- 3) $\frac{AB}{ED} = \frac{CB}{FE}$
- 4) $\frac{AD}{AB} = \frac{BE}{DE}$


- 749 A rectangle is graphed on the set of axes below.



A reflection over which line would carry the rectangle onto itself?

- 1) $y = 2$
- 2) $y = 10$
- 3) $y = \frac{1}{2}x - 3$
- 4) $y = -\frac{1}{2}x + 7$


- 750 In the diagram below, $\overleftrightarrow{ABCD} \parallel \overleftrightarrow{EHK}$, and $\overleftrightarrow{MBHP}$ and $\overleftrightarrow{NCHL}$ are drawn such that $\overline{BC} \cong \overline{BH}$.



If $m\angle NCD = 62^\circ$, what is $m\angle PHK$?

- 1) 118°
- 2) 68°
- 3) 62°
- 4) 56°

- 751 In right triangle DAN , $m\angle A = 90^\circ$. Which statement must always be true?
- 1) $\cos D = \cos N$
 - 2) $\cos D = \sin N$
 - 3) $\sin A = \cos N$
 - 4) $\cos A = \tan N$
- 752 Triangle ABC with coordinates $A(-2,5)$, $B(4,2)$, and $C(-8,-1)$ is graphed on the set of axes below.




Determine and state the area of $\triangle ABC$.

- 753 What are the coordinates of the center and length of the radius of the circle whose equation is $x^2 + y^2 + 2x - 16y + 49 = 0$?
- 1) center $(1, -8)$ and radius 4
 - 2) center $(-1, 8)$ and radius 4
 - 3) center $(1, -8)$ and radius 16
 - 4) center $(-1, 8)$ and radius 16

- 754 In $\triangle ABC$, side \overline{BC} is extended through C to D . If $m\angle A = 30^\circ$ and $m\angle ACD = 110^\circ$, what is the longest side of $\triangle ABC$?
- 1) \overline{AC}
 - 2) \overline{BC}
 - 3) \overline{AB}
 - 4) \overline{CD}


- 755 Triangle KLM is dilated by a scale factor of 3 to map onto triangle DRS . Which statement is *not* always true?
- 1) $\angle K \cong \angle D$
 - 2) $KM = \frac{1}{3} DS$
 - 3) The area of $\triangle DRS$ is 3 times the area of $\triangle KLM$.
 - 4) The perimeter of $\triangle DRS$ is 3 times the perimeter of $\triangle KLM$.

- 756 Given: Quadrilateral $ABCD$, $\overline{AB} \cong \overline{CD}$, $\overline{AB} \parallel \overline{CD}$, diagonal \overline{AC} intersects \overline{EF} at G , and $\overline{DE} \cong \overline{BF}$



Prove: G is the midpoint of \overline{EF}


- 757 In the diagram below, $\triangle ABC$ has medians \overline{AX} , \overline{BY} , and \overline{CZ} that intersect at point P .



If $AB = 26$, $AC = 28$, and $PC = 16$, what is the perimeter of $\triangle CZA$?


- 1) 57
- 2) 65
- 3) 70
- 4) 73

- 758 On the set of axes below, congruent triangles ABC and DEF are graphed.



Describe a sequence of rigid motions that maps $\triangle ABC$ onto $\triangle DEF$.

- 759 In the diagram below of $\triangle ABC$, \overline{CBF} is drawn, \overline{AB} bisects $\angle FBD$, and $\overline{BD} \perp \overline{AC}$.



If $m\angle C = 42^\circ$ what is $m\angle A$?

- 1) 24°
 - 2) 33°
 - 3) 48°
 - 4) 66°
- 760 In $\triangle ABC$, $AB = 5$, $AC = 12$, and $m\angle A = 90^\circ$. In $\triangle DEF$, $m\angle D = 90^\circ$, $DF = 12$, and $EF = 13$. Brett claims $\triangle ABC \cong \triangle DEF$ and $\triangle ABC \sim \triangle DEF$. Is Brett correct? Explain why.

- 761 What is the length of the radius of the circle whose equation is $x^2 + y^2 - 2x + 4y - 5 = 0$?

- 1) $\sqrt{5}$
- 2) $\sqrt{10}$
- 3) 5
- 4) 10

- 762 Line segment APB has endpoints $A(-5, 4)$ and $B(7, -4)$. What are the coordinates of P if $AP:PB$ is in the ratio 1:3?


- 1) $(-2, 2)$
- 2) $(-1, 1.3)$
- 3) $(1, 0)$
- 4) $(4, -2)$

- 763 Line AB is dilated by a scale factor of 2 centered at point A .




Evan thinks that the dilation of \overline{AB} will result in a line parallel to \overline{AB} , not passing through points A or B . Nathan thinks that the dilation of \overline{AB} will result in the same line, \overline{AB} . Who is correct? Explain why.

- 764 In the diagram below, $\triangle SUV \sim \triangle TRE$.




If $SU = 5$, $UV = 7$, $TR = 14$, and $TE = 21$, determine and state the length of \overline{SV} .

- 765 A candle in the shape of a right pyramid is modeled below. Each side of the square base measures 12 centimeters. The slant height of the pyramid measures 16 centimeters.




Determine and state the volume of the candle, to the *nearest cubic centimeter*. The wax used to make the candle weighs 0.032 ounce per cubic centimeter. Determine and state the weight of the candle, to the *nearest ounce*.

- 766 Triangle PET has vertices with coordinates $P(-6,4)$, $E(6,8)$, and $T(-4,-2)$. Prove $\triangle PET$ is a right triangle. State the coordinates of N , the image of P , after a 180° rotation centered at $(1,3)$. Prove $PENT$ is a rectangle. [The use of the set of axes below is optional.]




- 767 Triangle MAX has vertices with coordinates $M(-5,-2)$, $A(1,4)$, and $X(4,1)$. Determine and state the area of $\triangle MAX$. [The use of the set of axes below is optional.]



- 768 A circle has a radius of 4.5. What is the measure of the central angle that intercepts an arc whose length is 6.2, to the *nearest degree*?
- 1) 35°
 - 2) 42°
 - 3) 64°
 - 4) 79°


- 769 Which equation represents the line that passes through the point $(2,-7)$ and is perpendicular to the line whose equation is $y = \frac{3}{4}x + 4$?
- 1) $y + 7 = \frac{3}{4}(x - 2)$
 - 2) $y - 7 = \frac{3}{4}(x + 2)$
 - 3) $y + 7 = -\frac{4}{3}(x - 2)$
 - 4) $y - 7 = -\frac{4}{3}(x + 2)$

- 770 In $\triangle ADC$ below, \overline{EB} is drawn such that $AB = 4.1$, $AE = 5.6$, $BC = 8.22$, and $ED = 3.42$.



Is $\triangle ABE$ similar to $\triangle ADC$? Explain why.

- 771 Modeled by right triangles below, a surveyor (S) is taking land measurements using a cabin (C), a boulder (B), and a tree (T) as fixed points of reference. The cabin, boulder, and tree are collinear. The surveyor is 917 meters from the cabin, 1048 meters from the boulder, and 1425 meters from the tree.




Determine and state, to the *nearest degree*, the measure of $\angle BST$.

- 772 If $\sin(3x + 9)^\circ = \cos(5x - 7)^\circ$, what is the value of x ?
- 1) 8
 - 2) 11
 - 3) 33
 - 4) 42


- 773 A line whose equation is $y = -2x + 3$ is dilated by a scale factor of 4 centered at $(0, 3)$. Which equation represents the image of the line after the dilation?

- 1) $y = -2x + 3$
- 2) $y = -2x + 12$
- 3) $y = -8x + 3$
- 4) $y = -8x + 12$


- 774 A right circular cylinder has a diameter of 8 inches and a height of 12 inches. Which two-dimensional figure shows a cross section that is perpendicular to the base and passes through the center of the base?




1)



2)



3)




4)


- 775 In right triangle ABC , $m\angle A = 90^\circ$, $m\angle B = 18^\circ$, and $AC = 8$. To the *nearest tenth*, the length of BC is

- 1) 2.5
- 2) 8.4
- 3) 24.6
- 4) 25.9

- 776 The coordinates of the vertices of quadrilateral $ABCD$ are $A(0,4)$, $B(3,8)$, $C(8,3)$, and $D(5,-1)$. Prove that $ABCD$ is a parallelogram, but not a rectangle. [The use of the set of axes below is optional.]



- 777 In the diagram below of square $CASH$, diagonals AH and CS intersect at Z .




Which statement is true?

- 1) $m\angle ACZ > m\angle ZCH$
- 2) $m\angle ACZ < m\angle ASZ$
- 3) $m\angle AZC = m\angle SHC$
- 4) $m\angle AZC = m\angle ZCH$

- 778 What is the minimum number of degrees that a regular hexagon must rotate about its center to carry it onto itself?

- 1) 45°
- 2) 72°
- 3) 60°
- 4) 120°


- 779 In the diagram below of circle P , diameter \overline{MD} and chord \overline{AL} intersect at Q , $m\angle A Q D = 46^\circ$, and $m\widehat{LD} = 124^\circ$.



What is $m\widehat{AD}$?

- 1) 36°
- 2) 46°
- 3) 51°
- 4) 92°

- 780 In circle E below, tangent \overline{PA} and secant \overline{PBC} are drawn.




If $PB = 9$ and $BC = 16$, determine and state the length of PA .

781 A jewelry company makes copper heart pendants. Each heart uses 0.75 in^3 of copper and there is 0.323 pound of copper per cubic inch. If copper costs $\$3.68$ per pound, what is the total cost for 24 copper hearts?

- 1) $\$5.81$
- 2) $\$21.40$
- 3) $\$66.24$
- 4) $\$205.08$

782 In the diagram below of $\triangle CER$, $\overline{LA} \parallel \overline{CR}$.



If $CL = 3.5$, $LE = 7.5$, and $EA = 9.5$, what is the length of AR , to the nearest tenth?

- 1) 5.5
- 2) 4.4
- 3) 3.0
- 4) 2.8


783 The rectangle drawn below is continuously rotated about side S .



Which three-dimensional figure is formed by this rotation?

- 1) rectangular prism
- 2) square pyramid
- 3) cylinder
- 4) cone


784 Circle O is drawn below with secant \overline{BCD} . The length of tangent \overline{AD} is 24.



If the ratio of $DC:CB$ is $4:5$, what is the length of \overline{CB} ?

- 1) 36
- 2) 20
- 3) 16
- 4) 4

785 In the diagram of $\triangle SRA$ below, \overline{KP} is drawn such that $\angle SKP \cong \angle SRA$.




If $SK = 10$, $SP = 8$, and $PA = 6$, what is the length of \overline{KR} , to the nearest tenth?

- 1) 4.8
- 2) 7.5
- 3) 8.0
- 4) 13.3


786 The equation of a circle is $x^2 + y^2 + 8x - 6y + 7 = 0$. Determine and state the coordinates of the center and the length of the radius of the circle.

787 On the set of axes below, $\triangle ABC$ and $\triangle DEF$ are graphed.



Describe a sequence of rigid motions that would map $\triangle ABC$ onto $\triangle DEF$.

788 In the diagram below, \overline{EM} intersects \overline{HA} at J , $EA \perp HA$, and $EM \perp HM$.



If $EA = 7.2$, $EJ = 9$, $AJ = 5.4$, and $HM = 3.29$, what is the length of MJ , to the nearest hundredth?

- 1) 2.47
- 2) 2.63
- 3) 4.11
- 4) 4.39


789 Given: Triangle DUC with coordinates $D(-3, -1)$, $U(-1, 8)$, and $C(8, 6)$

Prove: $\triangle DUC$ is a right triangle


Point U is reflected over \overline{DC} to locate its image point, U' , forming quadrilateral $DUCU'$.

Prove quadrilateral $DUCU'$ is a square.

[The use of the set of axes below is optional.]




790 In the diagram below, $AE = 15$, $EB = 27$, $AF = 20$, and $FC = 36$.




Explain why $\overline{EF} \parallel \overline{BC}$.

- 791 The surface of the roof of a house is modeled by two congruent rectangles with dimensions 40 feet by 16 feet, as shown below.




Roofing shingles are sold in bundles. Each bundle covers $33\frac{1}{3}$ square feet. What is the minimum number of bundles that must be purchased to completely cover both rectangular sides of the roof?

- 1) 20
 - 2) 2
 - 3) 39
 - 4) 4
- 792 Barry wants to find the height of a tree that is modeled in the diagram below, where $\angle C$ is a right angle. The angle of elevation from point A on the ground to the top of the tree, H , is 40° . The angle of elevation from point B on the ground to the top of the tree, H , is 80° . The distance between points A and B is 85 feet.




Barry claims that $\triangle ABH$ is isosceles. Explain why Barry is correct. Determine and state, to the nearest foot, the height of the tree.

- 793 On the set of axes below, congruent triangles ABC and DEF are drawn.




Which sequence of transformations maps $\triangle ABC$ onto $\triangle DEF$?

- 1) A counterclockwise rotation of 90 degrees about the origin, followed by a translation 8 units to the right.
 - 2) A counterclockwise rotation of 90 degrees about the origin, followed by a reflection over the y -axis.
 - 3) A counterclockwise rotation of 90 degrees about the origin, followed by a translation 4 units down.
 - 4) A clockwise rotation of 90 degrees about the origin, followed by a reflection over the x -axis.
- 794 Using a compass and straightedge, construct the angle bisector of $\angle ABC$. [Leave all construction marks.]




795 In the diagram below, $\triangle GHJ$ is dilated by a scale factor of $\frac{1}{2}$ centered at point B to map onto $\triangle CDF$.



If $m\angle DFC = 40^\circ$, what is $m\angle HJG$?

- 1) 20°
- 2) 40°
- 3) 60°
- 4) 80°


796 A vertical mine shaft is modeled in the diagram below. At a point on the ground 50 feet from the top of the mine, a ventilation tunnel is dug at an angle of 47° .



What is the length of the tunnel, to the nearest foot?

- 1) 47
- 2) 54
- 3) 68
- 4) 73


797 On the set of axes below, the coordinates of three vertices of trapezoid $ABCD$ are $A(2, 1)$, $B(5, 4)$, and $D(-2, 3)$.




Which point could be vertex C ?

- 1) $(1, 5)$
- 2) $(4, 10)$
- 3) $(-1, 6)$
- 4) $(-3, 8)$

798 Using a compass and straightedge, construct the line of reflection that maps $\triangle ABC$ onto its image, $\triangle DEF$. [Leave all construction marks.]




- 799 In the diagram below, a boat at point A is traveling toward the most powerful waterfall in North America, the Horseshoe Falls. The Horseshoe Falls has a vertical drop of 188 feet. The angle of elevation from point A to the top of the waterfall is 15° .




After the boat travels toward the falls, the angle of elevation at point B to the top of the waterfall is 23° . Determine and state, to the *nearest foot*, the distance the boat traveled from point A to point B .

- 800 Cape Canaveral, Florida is where NASA launches rockets into space. As modeled in the diagram below, a person views the launch of a rocket from observation area A , 3280 feet away from launch pad B . After launch, the rocket was sighted at C with an angle of elevation of 15° . The rocket was later sighted at D with an angle of elevation of 31° .



Determine and state, to the *nearest foot*, the distance the rocket traveled between the two sightings, C and D .


- 801 In right triangle LMN shown below, $m\angle M = 90^\circ$, $MN = 12$, and $LM = 16$.



The ratio of $\cos N$ is


- 1) $\frac{12}{20}$
- 2) $\frac{16}{20}$
- 3) $\frac{12}{16}$
- 4) $\frac{16}{12}$

802 Given: $\triangle ACD$ with \overline{ABC} , \overline{AED} , and $\overline{BE} \parallel \overline{CD}$



Prove: $AB \cdot AD = AE \cdot AC$


803 Right triangle ABC is shown below.



Which trigonometric equation is always true for triangle ABC ?

- 1) $\sin A = \cos C$
- 2) $\cos A = \sin A$
- 3) $\cos A = \cos C$
- 4) $\tan A = \tan C$


804 In the diagram below of circle O , secants \overline{CFD} and \overline{CHE} are drawn from external point C .



If $m\widehat{DE} = 136^\circ$ and $m\angle C = 44^\circ$, then $m\widehat{FH}$ is

- 1) 46°
- 2) 48°
- 3) 68°
- 4) 88°


805 Quadrilateral $ABCD$ has vertices with coordinates $A(-3,6)$, $B(6,3)$, $C(6,-2)$, and $D(-6,2)$. Joe defines an isosceles trapezoid as a trapezoid with congruent diagonals. Use Joe's definition to prove $ABCD$ is an isosceles trapezoid. [The use of the set of axes below is optional.]



806 The area of the base of a cone is 9π square inches. The volume of the cone is 36π cubic inches. What is the height of the cone in inches?


- 1) 12
- 2) 8
- 3) 3
- 4) 4

807 In the diagram below of right triangle ACB , altitude \overline{CD} is drawn to hypotenuse \overline{AB} , $AD = 2$ and $AC = 6$.




Determine and state the length of \overline{AB} .

- 808 In circle P below, diameter \overline{AC} and radius \overline{BP} are drawn such that $m\angle APB = 110^\circ$.



If $AC = 12$, what is the area of shaded sector BPC ?


- 1) $\frac{7}{6}\pi$
 - 2) 7π
 - 3) 11π
 - 4) 28π
- 809 In the diagram of $\triangle ABC$ below, \overline{AE} bisects angle BAC , and altitude \overline{BD} is drawn.




If $m\angle C = 50^\circ$ and $m\angle ABC = 60^\circ$, $m\angle FEB$ is

- 1) 35°
 - 2) 40°
 - 3) 55°
 - 4) 85°
- 810 A plane intersects a sphere. Which two-dimensional shape is formed by this cross section?
- 1) rectangle
 - 2) triangle
 - 3) square
 - 4) circle

- 811 Line segment PQ has endpoints $P(-5,1)$ and $Q(5,6)$, and point R is on \overline{PQ} . Determine and state the coordinates of R , such that $PR:RQ = 2:3$. [The use of the set of axes below is optional.]




- 812 In the diagram of quadrilateral $ABCD$ below, $\overline{AB} \cong \overline{CD}$, and $\overline{AB} \parallel \overline{CD}$. Segments \overline{CE} and \overline{AF} are drawn to diagonal \overline{BD} such that $\overline{BE} \cong \overline{DF}$.



Prove: $\overline{CE} \cong \overline{AF}$


- 813 Which figure will *not* carry onto itself after a 120-degree rotation about its center?
- 1) equilateral triangle
 - 2) regular hexagon
 - 3) regular octagon
 - 4) regular nonagon

- 814 On the set of axes below, \overline{AB} , \overline{CD} , \overline{EF} , \overline{GH} , and \overline{IJ} are drawn.



Which segment is the image of \overline{AB} after a dilation with a scale factor of 2 centered at $(-2, -1)$?


- 1) \overline{CD}
 - 2) \overline{EF}
 - 3) \overline{GH}
 - 4) \overline{IJ}
- 815 In the diagram below, $\overleftrightarrow{CT} \parallel \overleftrightarrow{AR}$, and \overline{ACE} and \overline{RC} are drawn such that $\overline{AC} \cong \overline{RC}$.



If $m\angle ECT = 75^\circ$, what is $m\angle ACR$?


- 1) 30°
- 2) 60°
- 3) 75°
- 4) 105°

- 816 Directed line segment AB has endpoints whose coordinates are $A(-2, 5)$ and $B(8, -1)$. Determine and state the coordinates of P , the point which divides the segment in the ratio 3:2. [The use of the set of axes below is optional.]




- 817 A rectangle with dimensions of 4 feet by 7 feet is continuously rotated about one of its 4-foot sides. The resulting three-dimensional object is a
- 1) cylinder with a height of 7 feet and a base radius of 4 feet.
 - 2) cylinder with a height of 4 feet and a base radius of 7 feet.
 - 3) cone with a height of 7 feet and a base radius of 7 feet.
 - 4) cone with a height of 4 feet and a base radius of 7 feet.
- 818 A circle is continuously rotated about its diameter. Which three-dimensional object will be formed?
- 1) cone
 - 2) prism
 - 3) sphere
 - 4) cylinder

- 819 In the diagram below of right triangle \overline{MDL} , altitude \overline{DG} is drawn to hypotenuse \overline{ML} .



If $MG = 3$ and $GL = 24$, what is the length of \overline{DG} ?

- 1) 8
 - 2) 9
 - 3) $\sqrt{63}$
 - 4) $\sqrt{72}$
- 820 In the diagram below of $\triangle ABC$, D and E are the midpoints of \overline{AB} and \overline{AC} , respectively, and \overline{DE} is drawn.




- I. AA similarity
- II. SSS similarity
- III. SAS similarity

Which methods could be used to prove $\triangle ABC \sim \triangle ADE$?

- 1) I and II, only
 - 2) II and III, only
 - 3) I and III, only
 - 4) I, II, and III
- 821 The endpoints of \overline{AB} are $A(0,4)$ and $B(-4,6)$. Which equation of a line represents the perpendicular bisector of \overline{AB} ?
- 1) $y = -\frac{1}{2}x + 4$
 - 2) $y = -2x + 1$
 - 3) $y = 2x + 8$
 - 4) $y = 2x + 9$


- 822 In the diagram shown below, altitude \overline{CD} is drawn to the hypotenuse of right triangle ABC .



Which equation can always be used to find the length of \overline{AC} ?

- 1) $\frac{AC}{CD} = \frac{CD}{AD}$
- 2) $\frac{CD}{AC} = \frac{AC}{AB}$
- 3) $\frac{AC}{CD} = \frac{CD}{BC}$
- 4) $\frac{AB}{AC} = \frac{AC}{AD}$


- 823 On the set of axes below, the endpoints of \overline{AB} have coordinates $A(-3,4)$ and $B(5,2)$.



If \overline{AB} is dilated by a scale factor of 2 centered at $(3,5)$, what are the coordinates of the endpoints of its image, $\overline{A'B'}$?

- 1) $A'(-7,5)$ and $B'(9,1)$
- 2) $A'(-1,6)$ and $B'(7,4)$
- 3) $A'(-6,8)$ and $B'(10,4)$
- 4) $A'(-9,3)$ and $B'(7,-1)$


- 824 Many roofs are slanted to prevent the buildup of snow. As modeled below, the length of a roof is 5.5 meters and it rises to a height of 2.5 meters.



The angle of elevation of the roof, to the *nearest degree*, is


- 1) 24°
 - 2) 25°
 - 3) 27°
 - 4) 28°
- 825 A peanut butter manufacturer would like to use a cylindrical jar with a volume of 1180 cm^3 . The jar has a height of 10 cm. What is the diameter of the jar, to the *nearest tenth of a centimeter*?
- 1) 3.8
 - 2) 6.1
 - 3) 10.9
 - 4) 12.3
- 826 The equation of line t is $3x - y = 6$. Line m is the image of line t after a dilation with a scale factor of $\frac{1}{2}$ centered at the origin. What is an equation of the line m ?
- 1) $y = \frac{3}{2}x - 3$
 - 2) $y = \frac{3}{2}x - 6$
 - 3) $y = 3x + 3$
 - 4) $y = 3x - 3$
- 827 A pyramid with a square base is made of solid glass. The pyramid has a base with a side length of 5.7 cm and a height of 7 cm. The density of the glass is 2.4 grams per cubic centimeter. Determine and state, to the *nearest gram*, the mass of the pyramid.

- 828 In the diagram below, a line reflection followed by a rotation maps $\triangle ABC$ onto $\triangle DEF$.



Which statement is always true?


- 1) $\overline{BC} \cong \overline{EF}$
 - 2) $\overline{AC} \cong \overline{DE}$
 - 3) $\angle A \cong \angle F$
 - 4) $\angle B \cong \angle D$
- 829 In the diagram below, point E is located inside square $ABCD$ such that $\triangle ABE$ is equilateral, and \overline{CE} is drawn.



What is $m\angle BEC$?

- 1) 30°
 - 2) 60°
 - 3) 75°
 - 4) 90°
- 830 In rectangle $ABCD$, diagonal \overline{AC} is drawn. The measure of $\angle ACD$ is 37° and the length of \overline{BC} is 7.6 cm. What is the length of \overline{AC} , to the *nearest tenth of a centimeter*?
- 1) 4.6
 - 2) 9.5
 - 3) 10.1
 - 4) 12.6

- 831 Trish is a surveyor who was asked to estimate the distance across a pond. She stands at point C , 85 meters from point D , and locates points A and B on either side of the pond such that A , D , and B are collinear.




Trish approximates the measure of $\angle DCB$ to be 35° and the measure of $\angle ACD$ to be 75° . Determine and state the distance across the pond, AB , to the nearest meter.

- 832 As shown in the diagram below, a symmetrical roof frame rises 4 feet above a house and has a width of 24 feet.



Determine and state, to the nearest degree, the angle of elevation of the roof frame.


- 833 In $\triangle RHM$ below, $m\angle R = 110^\circ$ and $m\angle M = 40^\circ$.



If $\triangle RHM$ is reflected over side \overline{HM} to form quadrilateral $RHR'M$, which statement is always true?

- 1) Quadrilateral $RHR'M$ is a parallelogram.
- 2) $m\angle MHR' = 40^\circ$
- 3) $m\angle HMR' = 40^\circ$
- 4) $\overline{MR} \cong \overline{HR'}$

- 834 Darnell models a cup with the cylinder below. He measured the diameter of the cup to be 10 cm and the height to be 9 cm.




If Darnell fills the cup with water to a height of 8 cm, what is the volume of the water in the cup, to the nearest cubic centimeter?

- 1) 628
- 2) 707
- 3) 2513
- 4) 2827

- 835 Zach placed the foot of an extension ladder 8 feet from the base of the house and extended the ladder 25 feet to reach the house. To the nearest degree, what is the measure of the angle the ladder makes with the ground?


- 1) 18
- 2) 19
- 3) 71
- 4) 72

- 836 A square pyramid is intersected by a plane passing through the vertex and perpendicular to the base.




Which two-dimensional shape describes this cross section?

- 1) square
 - 2) triangle
 - 3) pentagon
 - 4) rectangle
- 837 A building is composed of a rectangular pyramid on top of a rectangular prism, as shown in the diagram below. The rectangular prism has a length of 38 feet, a width of 15 feet, and a height of 22 feet. The rectangular pyramid sits directly on top of the rectangular prism, and its height is 12 feet.



An air purification filter was installed that will clean all the air in the building at a rate of 2400 cubic feet per minute. Determine and state how long it will take, to the *nearest tenth of a minute*, for the filter to clean the air contained in the building.

- 838 Triangle HUS is shown below.




If point G is located on \overline{US} and \overline{HG} is drawn, which additional information is sufficient to prove $\triangle HUG \cong \triangle HSG$ by SAS?

- 1) \overline{HG} bisects \overline{US}
 - 2) \overline{HG} is an altitude
 - 3) \overline{HG} bisects $\angle UHS$
 - 4) \overline{HG} is the perpendicular bisector of \overline{US}
- 839 Which regular polygon will carry onto itself after a 135° rotation about its center?
- 1) triangle
 - 2) pentagon
 - 3) hexagon
 - 4) octagon

- 840 A sandbox in the shape of a rectangular prism has a length of 43 inches and a width of 30 inches. Jack uses bags of sand to fill the sandbox to a depth of 9 inches. Each bag of sand has a volume of 0.5 cubic foot. What is the minimum number of bags of sand that must be purchased to fill the sandbox?
- 1) 14
 - 2) 13
 - 3) 7
 - 4) 4

- 841 What is the volume of a right circular cone that has a height of 7.2 centimeters and a radius of 2.5 centimeters, to the *nearest tenth of a cubic centimeter*?
- 1) 37.7
 - 2) 47.1
 - 3) 113.1
 - 4) 141.4


- 842 In the diagram below of circle O , \overline{AC} and \overline{BC} are chords, and $m\angle ACB = 70^\circ$.



If $OA = 9$, the area of the shaded sector AOB is

- 1) 3.5π
 - 2) 7π
 - 3) 15.75π
 - 4) 31.5π
- 843 Which congruence statement is sufficient to prove parallelogram $MARK$ is a rhombus?
- 1) $\overline{MA} \cong \overline{MK}$
 - 2) $\overline{MA} \cong \overline{KR}$
 - 3) $\angle K \cong \angle A$
 - 4) $\angle R \cong \angle A$


- 844 The diagram below models the projection of light from a lighthouse, L . The sector has a radius of 38 miles and spans 102° .



Determine and state the area of the sector, to the nearest square mile.


- 845 In a right triangle, $\sin(4x + 3)^\circ = \cos(2x - 9)^\circ$. Determine and state the value of x .

- 846 In the diagram below of parallelogram $ABCD$, diagonal \overline{BD} and \overline{EF} are drawn, $\overline{EF} \perp \overline{DC}$, $m\angle DAB = 111^\circ$, and $m\angle DBC = 39^\circ$.



What is $m\angle DEF$?


- 1) 30°
 - 2) 51°
 - 3) 60°
 - 4) 120°
- 847 In the diagram below of right triangle SUN , where $\angle N$ is a right angle, $SU = 13.6$ and $SN = 12.3$.



What is $\angle S$, to the nearest degree?


- 1) 25°
 - 2) 42°
 - 3) 48°
 - 4) 65°
- 848 Parallelogram $EATK$ has diagonals \overline{ET} and \overline{AK} . Which information is always sufficient to prove $EATK$ is a rhombus?
- 1) $\overline{EA} \perp \overline{AT}$
 - 2) $\overline{EA} \cong \overline{AT}$
 - 3) $\overline{ET} \cong \overline{AK}$
 - 4) $\overline{ET} \cong \overline{AT}$

- 849 In the circle below, secants \overline{TSR} and \overline{TMH} intersect at T , $SR = 5$, $HM = 9$, $TM = 3$, and $TS = x$.



Which equation could be used to find the value of x ?

- 1) $x(x + 5) = 36$
 - 2) $x(x + 5) = 27$
 - 3) $3x = 45$
 - 4) $5x = 27$
- 850 A rectangular fish tank measures 24 inches long, 12 inches wide, and 16 inches high, as modeled in the diagram below.



If the empty tank weighs 25 pounds and the fish tank is filled with water to a height of 14 inches, what is the approximate weight of the tank and water? [$27.7 \text{ in.}^3 = 1 \text{ pound of water}$]


- 1) 146
- 2) 166
- 3) 171
- 4) 191

- 851 A flagpole casts a shadow on the ground 91 feet long, with a 53° angle of elevation from the end of the shadow to the top of the flagpole. Determine and state, to the nearest tenth of a foot, the height of the flagpole.

- 852 Which set of integers could represent the lengths of the sides of an isosceles triangle?

- 1) $\{1, 1, 3\}$
- 2) $\{2, 2, 5\}$
- 3) $\{3, 3, 6\}$
- 4) $\{4, 4, 7\}$

- 853 In the diagram below of $\triangle ABC$, X and Y are points on \overline{AB} and \overline{AC} , respectively, such that $m\angle AYX = m\angle B$.




Which statement is *not* always true?

- 1) $\frac{AX}{AC} = \frac{XY}{CB}$
- 2) $\frac{AY}{AB} = \frac{AX}{AC}$
- 3) $(AY)(CB) = (XY)(AB)$
- 4) $(AY)(AB) = (AC)(AX)$

- 854 A gardener wants to buy enough mulch to cover a rectangular garden that is 3 feet by 10 feet. One bag contains 2 cubic feet of mulch and costs \$3.66. How much will the minimum number of bags cost to cover the garden with mulch 3 inches deep?


- 1) \$3.66
- 2) \$10.98
- 3) \$14.64
- 4) \$29.28

- 855 The funnel shown below can be used to decorate cookies with melted chocolate. The funnel can be modeled by a cone whose radius is 6 cm and height is 13 cm.



The baker uses 2 cubic centimeters of chocolate to decorate each cookie. When the funnel is completely filled, what is the maximum number of cookies that can be decorated with the melted chocolate?

- 1) 78
 - 2) 245
 - 3) 490
 - 4) 735
- 856 In the diagram below, lines ℓ and m intersect lines n and p to create the shaded quadrilateral as shown.




Which congruence statement would be sufficient to prove the quadrilateral is a parallelogram?

- 1) $\angle 1 \cong \angle 6$ and $\angle 9 \cong \angle 14$
- 2) $\angle 5 \cong \angle 10$ and $\angle 6 \cong \angle 9$
- 3) $\angle 5 \cong \angle 7$ and $\angle 10 \cong \angle 15$
- 4) $\angle 6 \cong \angle 9$ and $\angle 9 \cong \angle 11$

- 857 A rectangle has a width of 3 and a length of 4. The rectangle is dilated by a scale factor of 1.8. What is the area of its image, to the nearest tenth?

- 1) 3.7
- 2) 6.7
- 3) 21.6
- 4) 38.9

- 858 In right triangle LMN below, $LN = 8$, $MN = 15$, and $LM = 17$.



If triangle LMN is translated such that it maps onto triangle XYZ , which statement is always true?

- 1) $XY = 15$
- 2) $YZ = 17$
- 3) $m\angle Z = 90^\circ$
- 4) $m\angle X = 90^\circ$

- 859 If the circumference of a standard lacrosse ball is 19.9 cm, what is the volume of this ball, to the nearest cubic centimeter?


- 1) 42
- 2) 133
- 3) 415
- 4) 1065

- 860 Quadrilateral $BEST$ has diagonals that intersect at point D . Which statement would *not* be sufficient to prove quadrilateral $BEST$ is a parallelogram?

- 1) $\overline{BD} \cong \overline{SD}$ and $\overline{ED} \cong \overline{TD}$
- 2) $\overline{BE} \cong \overline{ST}$ and $\overline{ES} \cong \overline{TB}$
- 3) $\overline{ES} \cong \overline{TB}$ and $\overline{BE} \parallel \overline{TS}$
- 4) $\overline{ES} \parallel \overline{BT}$ and $\overline{BE} \parallel \overline{TS}$


- 861 Right triangle ACT has $m\angle A = 90^\circ$. Which expression is always equivalent to $\cos T$?
- 1) $\cos C$
 - 2) $\sin C$
 - 3) $\tan T$
 - 4) $\sin T$

- 862 The right prism with a triangular base shown below is cut by a plane perpendicular to its bases.



The two-dimensional shape of the cross section is always a

- 1) triangle
 - 2) rhombus
 - 3) pentagon
 - 4) rectangle
- 863 Triangle ADF is drawn and $\overline{BC} \parallel \overline{DF}$.




Which statement must be true?

- 1) $\frac{AB}{BC} = \frac{BD}{DF}$
- 2) $BC = \frac{1}{2} DF$
- 3) $AB:AD = AC:CF$
- 4) $\angle ACB \cong \angle AFD$

- 864 The equation of a line is $3x - 5y = 8$. All lines perpendicular to this line must have a slope of
- 1) $\frac{3}{5}$
 - 2) $\frac{5}{3}$
 - 3) $-\frac{3}{5}$
 - 4) $-\frac{5}{3}$


- 865 Using a compass and straightedge, construct a midsegment of $\triangle AHL$ below. [Leave all construction marks.]



- 866 Two sides of a triangular-shaped pool measure 16 feet and 21 feet, and the included angle measures 58° . What is the area, to the nearest tenth of a square foot, of a nylon cover that would exactly cover the surface of the pool?

- 867 A regular pyramid with a square base is made of solid glass. It has a base area of 36 cm^2 and a height of 10 cm. If the density of glass is 2.7 grams per cubic centimeter, the mass of the pyramid, in grams, is
- 1) 120
 - 2) 324
 - 3) 360
 - 4) 972

- 868 Trapezoid $ABCD$ is graphed on the set of axes below.



Which transformation would map point A onto $A'(3, -7)$?

- 1) reflection over $y = x$
- 2) reflection over the y -axis
- 3) rotation of 180° about $(0, 0)$
- 4) rotation of 90° counterclockwise about $(0, 0)$


- 869 In right triangle ABC , altitude \overline{CD} is drawn to hypotenuse \overline{AB} . If $AD = 4$ and $CD = 8$, the length of \overline{BD} is

- 1) $\sqrt{48}$
- 2) $\sqrt{80}$
- 3) 12
- 4) 16

- 870 Line segment \overline{RH} has endpoints $R(-4, 4)$ and $H(2, -4)$. Which equation represents a line perpendicular to \overline{RH} that passes through the point $(3, -1)$?

- 1) $y + 1 = \frac{3}{4}(x - 3)$
- 2) $y + 1 = -\frac{3}{4}(x - 3)$
- 3) $y + 1 = \frac{4}{3}(x - 3)$
- 4) $y + 1 = -\frac{4}{3}(x - 3)$


- 871 In the diagram below of right triangle $\triangle MET$, altitude \overline{ES} is drawn to hypotenuse \overline{MT} .



If $ME = 6$ and $SM = 4$, what is MT ?

- 1) 9
- 2) 8
- 3) 5
- 4) 4

- 872 In $\triangle ABC$ below, \overline{DE} is drawn such that D and E are on \overline{AB} and \overline{AC} , respectively.




If $\overline{DE} \parallel \overline{BC}$, which equation will always be true?


- 1) $\frac{AD}{DE} = \frac{DB}{BC}$
- 2) $\frac{AD}{DE} = \frac{AB}{BC}$
- 3) $\frac{AD}{BC} = \frac{DE}{DB}$
- 4) $\frac{AD}{BC} = \frac{DE}{AB}$

- 873 The volume of a triangular prism is 70 in^3 . The base of the prism is a right triangle with one leg whose measure is 5 inches. If the height of the prism is 4 inches, determine and state the length, in inches, of the other leg of the triangle.

874 A triangle with vertices at $(-2,3)$, $(3,6)$, and $(2,1)$, is graphed on the set of axes below. A horizontal stretch of scale factor 2 with respect to $x = 0$, is represented by $(x,y) \rightarrow (2x,y)$. Graph the image of this triangle, after the horizontal stretch on the same set of axes.




875 In the diagram below, $\triangle ABC \cong \triangle DEC$.



Which transformation will map $\triangle ABC$ onto $\triangle DEC$?


- 1) a rotation
- 2) a line reflection
- 3) a translation followed by a dilation
- 4) a line reflection followed by a second line reflection

876 Quadrilateral $DEAR$ and its image, quadrilateral $D'E'A'R'$, are graphed on the set of axes below.




Describe a sequence of transformations that maps quadrilateral $DEAR$ onto quadrilateral $D'E'A'R'$.

877 Triangles ABC and DEF are graphed on the set of axes below.



Describe a sequence of transformations that maps $\triangle ABC$ onto $\triangle DEF$.

878 Given: $\triangle AEB$ and $\triangle DFC$, $\overline{AB} \parallel \overline{DC}$, $\overline{AE} \parallel \overline{DF}$,
 $\overline{EB} \parallel \overline{FC}$, $\overline{AC} \cong \overline{DB}$



Prove: $\triangle EAB \cong \triangle FDC$

879 Rectangle $ABCD$ has two vertices at coordinates $A(-1, -3)$ and $B(6, 5)$. The slope of \overline{BC} is

- 1) $-\frac{7}{8}$
- 2) $\frac{7}{8}$
- 3) $-\frac{8}{7}$
- 4) $\frac{8}{7}$


880 An equation of the line perpendicular to the line whose equation is $4x - 5y = 6$ and passes through the point $(-2, 3)$ is

- 1) $y + 3 = -\frac{5}{4}(x - 2)$
- 2) $y - 3 = -\frac{5}{4}(x + 2)$
- 3) $y + 3 = \frac{4}{5}(x - 2)$
- 4) $y - 3 = \frac{4}{5}(x + 2)$

881 In parallelogram $ABCD$ with $\overline{AC} \perp \overline{BD}$, $AC = 12$ and $BD = 16$. What is the perimeter of $ABCD$?

- 1) 10
- 2) 24
- 3) 40
- 4) 56


882 In the diagram below of $\triangle ACT$, \overline{ES} is drawn parallel to \overline{AT} such that E is on \overline{CA} and S is on \overline{CT} .



Which statement is always true?

- 1) $\frac{CE}{CA} = \frac{CS}{CT}$
- 2) $\frac{CE}{ES} = \frac{EA}{AT}$
- 3) $\frac{CE}{EA} = \frac{CS}{ST}$
- 4) $\frac{CE}{ST} = \frac{EA}{CS}$

883 On the set of axes below, $\triangle BLU$ has vertices with coordinates $B(-3, -2)$, $L(-2, 5)$, and $U(1, 1)$.




What is the area of $\triangle BLU$?

- 1) 11
- 2) 12.5
- 3) 14
- 4) 17.1

884 Which regular polygon would carry onto itself after a rotation of 300° about its center?

- 1) decagon
- 2) nonagon
- 3) octagon
- 4) hexagon


885 A tipping platform is a ramp used to unload trucks, as shown in the diagram below.



The truck is on a 75-foot-long ramp. The ramp is tipped at an angle of 30° . What is the height of the upper end of the ramp, x , to the nearest tenth of a foot?


- 1) 68.7
- 2) 65.0
- 3) 43.3
- 4) 37.5

886 In circle P below, tangent \overline{AL} and secant \overline{AKE} are drawn.



If $AK = 12$ and $KE = 36$, determine and state the length of \overline{AL} .


887 In $\triangle SNA$ below, $\overleftrightarrow{UE} \parallel \overline{NA}$.



If $SU = 3$, $SN = 11$, and $EA = 13$, what is the length of \overline{SE} , to the nearest tenth?

- 1) 2.5
- 2) 3.5
- 3) 4.9
- 4) 17.9

888 On the set of axes below, $\triangle DEF$ is the image of $\triangle ABC$ after a dilation of scale factor $\frac{1}{3}$.



The center of dilation is at


- 1) (0,0)
- 2) (2,-3)
- 3) (0,-2)
- 4) (-4,0)

889 An equation of circle M is $x^2 + y^2 + 6x - 2y + 1 = 0$.

What are the coordinates of the center and the length of the radius of circle M ?

- 1) center $(3, -1)$ and radius 9
- 2) center $(3, -1)$ and radius 3
- 3) center $(-3, 1)$ and radius 9
- 4) center $(-3, 1)$ and radius 3

890 In the diagram of $\triangle CAT$ below, $m\angle A = 90^\circ$ and altitude AE is drawn from vertex A .




Which statement is always true?

- 1) $\frac{CE}{AE} = \frac{AE}{ET}$
- 2) $\frac{AE}{CE} = \frac{AE}{ET}$
- 3) $\frac{AC}{CE} = \frac{AT}{ET}$
- 4) $\frac{CE}{AC} = \frac{AC}{ET}$

9 ANS:

$AB = \sqrt{(-5-1)^2 + (3-2)^2} = \sqrt{37}$, $BC = \sqrt{(-5--6)^2 + (3--3)^2} = \sqrt{37}$ (because $AB = BC$, $\triangle ABC$ is isosceles). $(0, -4)$. $AD = \sqrt{(1-0)^2 + (2--4)^2} = \sqrt{37}$, $CD = \sqrt{(-6-0)^2 + (-3--4)^2} = \sqrt{37}$,

$m_{\overline{AB}} = \frac{3-2}{-5-1} = -\frac{1}{6}$, $m_{\overline{CB}} = \frac{3--3}{-5--6} = 6$ ($ABCD$ is a square because all four sides are congruent, consecutive sides



are perpendicular since slopes are opposite reciprocals and so $\angle B$ is a right angle).

PTS: 6 REF: 081935geo NAT: G.GPE.B.4 TOP: Quadrilaterals in the Coordinate Plane
KEY: grids

10 ANS: 4

$$x^2 + 8x + 16 + y^2 - 12y + 36 = 144 + 16 + 36$$

$$(x+4)^2 + (y-6)^2 = 196$$

PTS: 2 REF: 061920geo NAT: G.GPE.A.1 TOP: Equations of Circles
KEY: completing the square

11 ANS:

Quadrilateral $MATH$, $\overline{HM} \cong \overline{AT}$, $\overline{HT} \cong \overline{AM}$, $\overline{HE} \perp \overline{MEA}$, and $\overline{HA} \perp \overline{AT}$ (given); $\angle HEA$ and $\angle TAH$ are right angles (perpendicular lines form right angles); $\angle HEA \cong \angle TAH$ (all right angles are congruent); $MATH$ is a parallelogram (a quadrilateral with two pairs of congruent opposite sides is a parallelogram); $\overline{MA} \parallel \overline{TH}$ (opposite sides of a parallelogram are parallel); $\angle THA \cong \angle EAH$ (alternate interior angles of parallel lines and a transversal are congruent); $\triangle HEA \sim \triangle TAH$ (AA); $\frac{HA}{TH} = \frac{HE}{TA}$ (corresponding sides of similar triangles are in proportion); $TA \cdot HA = HE \cdot TH$ (product of means equals product of extremes).

PTS: 6 REF: 061935geo NAT: G.SRT.B.5 TOP: Quadrilateral Proofs

12 ANS:

$$\frac{1}{3} \pi \times 8^2 \times 5 \approx 335.1$$

PTS: 2 REF: 082226geo NAT: G.GMD.B.4 TOP: Rotations of Two-Dimensional Objects

13 ANS: 3 PTS: 2 REF: 062215geo NAT: G.CO.C.10
TOP: Exterior Angle Theorem

14 ANS:

$$(7^2)18\pi = 16x^2 \frac{80}{13.2} \approx 6.1 \frac{60}{13.2} \approx 4.5 \quad 6 \times 4 = 24$$

$$13.2 \approx x$$

PTS: 4 REF: 012034geo NAT: G.GMD.A.3 TOP: Volume
KEY: cylinders

15 ANS: 3

$$12^2 = 9 \cdot GM \quad IM^2 = 16 \cdot 25$$

$$GM = 16 \quad IM = 20$$

PTS: 2 REF: 011910geo NAT: G.SRT.B.4 TOP: Similarity

16 ANS:

$$\tan 56 = \frac{x}{1.3} \quad \sqrt{(1.3 \tan 56)^2 + 1.5^2} \approx 3.7$$

$$x = 1.3 \tan 56$$

PTS: 4 REF: 012033geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side
KEY: advanced

17 ANS:

$$\sin^{-1}\left(\frac{5}{25}\right) \approx 11.5$$

PTS: 2 REF: 081926geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find an Angle

18 ANS: 3

$$-9 + \frac{1}{3}(9 - -9) = -9 + \frac{1}{3}(18) = -9 + 6 = -3 \quad 8 + \frac{1}{3}(-4 - 8) = 8 + \frac{1}{3}(-12) = 8 - 4 = 4$$

PTS: 2 REF: 081903geo NAT: G.GPE.B.6 TOP: Directed Line Segments

19 ANS:

Quadrilateral $ABCD$, E and F are points on \overline{BC} and \overline{AD} , respectively, and \overline{BGD} and \overline{EGF} are drawn such that $\angle ABG \cong \angle CDG$, $\overline{AB} \cong \overline{CD}$, and $\overline{CE} \cong \overline{AF}$ (given); $\overline{BD} \cong \overline{BD}$ (reflexive); $\triangle ABD \cong \triangle CDB$ (SAS); $\overline{BC} \cong \overline{DA}$ (CPCTC); $\overline{BE} + \overline{CE} \cong \overline{AF} + \overline{DF}$ (segment addition); $\overline{BE} \cong \overline{DF}$ (segment subtraction); $\angle BGE \cong \angle DGF$ (vertical angles are congruent); $\angle CBD \cong \angle ADB$ (CPCTC); $\triangle EBG \cong \triangle FDG$ (AAS); $\overline{FG} \cong \overline{EG}$ (CPCTC).

PTS: 6 REF: 012035geo NAT: G.SRT.B.5 TOP: Quadrilateral Proofs

20 ANS: 2

PTS: 2 REF: 012003geo NAT: G.SRT.B.5
TOP: Similarity KEY: basic

21 ANS: 2


$$\triangle ABC \sim \triangle BDC$$

$$\cos A = \frac{AB}{AC} = \frac{BD}{BC}$$

PTS: 2 REF: 012023geo NAT: G.SRT.C.6 TOP: Trigonometric Ratios

- 22 ANS: 4 PTS: 2 REF: 081922geo NAT: G.C.A.2
TOP: Chords, Secants and Tangents KEY: intersecting chords, length
- 23 ANS: 3
1) and 2) are wrong because the orientation of $\triangle LET$ has changed, implying one reflection has occurred. The sequence in 4) moves $\triangle LET$ back to Quadrant II.
- PTS: 2 REF: 062218geo NAT: G.CO.A.5 TOP: Compositions of Transformations
KEY: identify
- 24 ANS: 1
 $\frac{9}{6} = \frac{3}{2}$
- PTS: 2 REF: 061905geo NAT: G.SRT.A.1 TOP: Line Dilations
- 25 ANS:
If $d = 10$, $r = 5$ and $h = 12$ $V = \frac{1}{3} \pi(5^2)(12) = 100\pi$
- PTS: 2 REF: 062227geo NAT: G.GMD.A.3 TOP: Volume
KEY: cones
- 26 ANS: 1
 $\cos C = \frac{15}{17}$
 $C \approx 28$
- PTS: 2 REF: 012007geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find an Angle
- 27 ANS: 1
 $8 \times 3.5 \times 2.25 \times 1.055 = 66.465$
- PTS: 2 REF: 012014geo NAT: G.MG.A.2 TOP: Density
- 28 ANS:
 $100 \times \frac{1}{2} \times \frac{4}{3} \times \pi \times 2.8^3 \approx 4598$
- PTS: 2 REF: 062229geo NAT: G.GMD.A.3 TOP: Volume
KEY: spheres
- 29 ANS: 2 PTS: 2 REF: 012509geo NAT: G.SRT.B.4
TOP: Medians, Altitudes and Bisectors
- 30 ANS:
 $\frac{72}{360} (\pi)(10^2) = 20\pi$
- PTS: 2 REF: 061928geo NAT: G.C.B.5 TOP: Sectors

31 ANS: 3



PTS: 2 REF: 081905geo NAT: G.CO.C.10 TOP: Interior and Exterior Angles of Triangles


32 ANS: 4 PTS: 2 REF: 062223geo NAT: G.SRT.A.1

TOP: Line Dilations

33 ANS: 3 PTS: 2 REF: 082212geo NAT: G.SRT.A.1

TOP: Line Dilations

34 ANS:

Triangle with vertices $A(-2, 4)$, $B(6, 2)$, and $C(1, -1)$ (given); $m_{\overline{AC}} = -\frac{5}{3}$, $m_{\overline{BC}} = \frac{3}{5}$,

definition of slope; Because the slopes of the legs of the triangle are opposite reciprocals, the legs are perpendicular (definition of perpendicular); $\angle C$ is a right angle (definition of right angle); $\triangle ABC$ is a right triangle (if a triangle has a right angle, it is a right triangle); $\overline{AC} \cong \overline{BC} = \sqrt{34}$ (distance formula); $\triangle ABC$ is an isosceles triangle (an isosceles triangle has two congruent sides).

PTS: 4 REF: 011932geo NAT: G.GPE.B.4 TOP: Triangles in the Coordinate Plane

35 ANS:

$$3y + 7 = 2x \quad y - 6 = \frac{2}{3}(x - 2)$$

$$3y = 2x - 7$$

$$y = \frac{2}{3}x - \frac{7}{3}$$

PTS: 2 REF: 011925geo NAT: G.GPE.B.5 TOP: Parallel and Perpendicular Lines

KEY: write equation of parallel line

36 ANS:

$$17x = 15^2$$

$$17x = 225$$

$$x \approx 13.2$$

PTS: 2 REF: 061930geo NAT: G.SRT.B.4 TOP: Similarity

37 ANS:

$$\frac{10\pi(.5)^2 4}{\frac{2}{3}} \approx 47.1 \quad 48 \text{ bags}$$

PTS: 4 REF: 062234geo NAT: G.GMD.A.3 TOP: Volume

KEY: cylinders

38 ANS: 2

$$V = \frac{1}{3} \cdot 197^2 \cdot 107 = 1,384,188$$

PTS: 2 REF: 082208geo NAT: G.GMD.A.3 TOP: Volume

KEY: pyramids

39 ANS: 4

$$\sin x = \frac{10}{12}$$

$$x \approx 56$$

PTS: 2 REF: 061922geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find an Angle

40 ANS: 1 PTS: 2 REF: 081916geo NAT: G.SRT.B.4

TOP: Similarity

41 ANS: 2 PTS: 1 REF: 012017geo NAT: G.CO.A.5

TOP: Compositions of Transformations KEY: identify

42 ANS: 4

$$\frac{360^\circ}{n} = 36$$

$$n = 10$$

PTS: 2 REF: 082205geo NAT: G.CO.A.3 TOP: Mapping a Polygon onto Itself


43 ANS: 2

$$K = \frac{1}{2} (27)(19) \sin 135 \approx 181.4$$

PTS: 2 REF: 061602a2 NAT: G.SRT.D.9 TOP: Using Trigonometry to Find Area

KEY: basic

44 ANS:



$$\overline{AN} \cong \overline{AT} \cong \overline{TS} \cong \overline{SN}$$

Quadrilateral NATS is a rhombus

$$\sqrt{5^2 + 5^2} = \sqrt{7^2 + 1^2} = \sqrt{5^2 + 5^2} = \sqrt{7^2 + 1^2}$$

$$\sqrt{50} = \sqrt{50} = \sqrt{50} = \sqrt{50}$$

because all four sides are congruent.

PTS: 4

REF: 012032geo

NAT: G.GPE.B.4

TOP: Quadrilaterals in the Coordinate Plane

KEY: grids

45 ANS: 4

$$\sin A = \frac{13}{16}$$

$$A \approx 54^\circ$$

PTS: 2

REF: 082207geo

NAT: G.SRT.C.8

TOP: Using Trigonometry to Find an Angle

46 ANS:

$$r_{x\text{-axis}} \circ T_{-3,1} \circ R_{(-5,2),90^\circ}$$

PTS: 2

REF: 011928geo

NAT: G.CO.A.5

TOP: Compositions of Transformations

KEY: identify

47 ANS: 3

$$\frac{150}{360} \cdot 9^2 \pi = 33.75\pi$$

PTS: 2

REF: 012013geo

NAT: G.C.B.5

TOP: Sectors

48 ANS: 1

$$\frac{\frac{1}{3} \pi (2)^2 \left(\frac{1}{2}\right)}{\frac{1}{3} \pi (1)^2 (1)} = 2$$

PTS: 2


REF: 012010geo

NAT: G.GMD.A.3

TOP: Volume

KEY: cones

49 ANS: 2



PTS: 2 REF: 061921geo NAT: G.CO.C.11 TOP: Interior and Exterior Angles of Polygons

50 ANS:

$$\tan y = \frac{1.58}{3.74} \quad \tan x = \frac{.41}{3.74} \quad 22.90 - 6.26 = 16.6$$

$$y \approx 22.90 \quad x \approx 6.26$$

PTS: 4 REF: 062232geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find an Angle

51 ANS: 1

$$\frac{1}{3} (4.5)^2 (10)(0.676) \approx 45.6$$

PTS: 2 REF: 062212geo NAT: G.MG.A.2 TOP: Density

52 ANS: 2

$$\sqrt{8^2 + 6^2} = 10 \text{ for one side}$$

PTS: 2 REF: 011907geo NAT: G.CO.C.11 TOP: Special Quadrilaterals


53 ANS: 3

$$\sqrt{40^2 - \left(\frac{64}{2}\right)^2} = 24 \quad V = \frac{1}{3} (64)^2 \cdot 24 = 32768$$

PTS: 2 REF: 081921geo NAT: G.GMD.A.3 TOP: Volume

KEY: pyramids

54 ANS:



PTS: 2 REF: 061931geo NAT: G.CO.D.13 TOP: Constructions

55 ANS: 1

PTS: 2

REF: 012022geo

NAT: G.CO.A.5

TOP: Compositions of Transformations KEY: grids

56 ANS:

$$\tan 30 = \frac{y}{440} \quad \tan 38.8 = \frac{h}{440} \quad 353.8 - 254 \approx 100$$

$$y \approx 254 \quad h \approx 353.8$$

PTS: 4 REF: 061934geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side
KEY: advanced

57 ANS: 2

$$V = \frac{1}{3} (8)^2 \cdot 6 = 128$$


PTS: 2 REF: 061906geo NAT: G.GMD.A.3 TOP: Volume
KEY: pyramids

58 ANS: 1

A dilation by a scale factor of 4 centered at the origin preserves parallelism and $(0, -2) \rightarrow (0, -8)$.

PTS: 2 REF: 081910geo NAT: G.SRT.A.1 TOP: Line Dilations

59 ANS:



PTS: 2 REF: 011926geo NAT: G.CO.C.11 TOP: Interior and Exterior Angles of Polygons
60 ANS: 4 PTS: 2 REF: spr2404geo NAT: G.GPE.A.1
TOP: Equations of Circles KEY: write equation, given graph

61 ANS: 1

$$h = \sqrt{6.5^2 - 2.5^2} = 6, V = \frac{1}{3} \pi (2.5)^2 6 = 12.5\pi$$

PTS: 2 REF: 011923geo NAT: G.GMD.A.3 TOP: Volume
KEY: cones

62 ANS: 4

$$\frac{54}{360} \cdot 10^2 \pi = 15\pi$$

PTS: 2 REF: 062224geo NAT: G.C.B.5 TOP: Sectors


63 ANS: 4

Isosceles triangle theorem.

PTS: 2 REF: 062207geo NAT: G.CO.C.10 TOP: Isosceles Triangle Theorem

64 ANS: 4 PTS: 2 REF: 082210geo NAT: G.SRT.C.7
TOP: Cofunctions

65 ANS:



PTS: 2 REF: 012029geo NAT: G.CO.D.12 TOP: Constructions
KEY: parallel and perpendicular lines

66 ANS:

$$4x \cdot x = 6^2$$

$$4x^2 = 36$$

$$x^2 = 9$$

$$x = 3$$

PTS: 2 REF: 082229geo NAT: G.SRT.B.4 TOP: Similarity

67 ANS: 2

$$K = \frac{1}{2}(10)(18) \sin 120 = 45\sqrt{3} \approx 78$$

PTS: 2 REF: fall0907a2 NAT: G.SRT.D.9 TOP: Using Trigonometry to Find Area
KEY: basic

68 ANS: 3

$\angle N$ is the smallest angle in $\triangle NYA$, so side \overline{AY} is the shortest side of $\triangle NYA$. $\angle VYA$ is the smallest angle in $\triangle VYA$, so side \overline{VA} is the shortest side of both triangles.

PTS: 2 REF: 011919geo NAT: G.CO.C.10 TOP: Angle Side Relationship

69 ANS: 2

$$K = \frac{1}{2}(8)(5) \sin 57 \approx 16.8$$

PTS: 2 REF: spr2403geo NAT: G.SRT.D.9 TOP: Using Trigonometry to Find Area
KEY: basic

70 ANS: 1

$$-1 + \frac{1}{3}(8 - -1) = -1 + \frac{1}{3}(9) = -1 + 3 = 2 \quad -3 + \frac{1}{3}(9 - -3) = -3 + \frac{1}{3}(12) = -3 + 4 = 1$$

PTS: 2 REF: 011915geo NAT: G.GPE.B.6 TOP: Directed Line Segments

71 ANS: 1

$$\cos 65 = \frac{x}{15}$$

$$x \approx 6.3$$


PTS: 2

REF: 081924geo

NAT: G.SRT.C.8

TOP: Using Trigonometry to Find a Side

72 ANS:



$$\frac{1}{2}(5)(10) = 25$$

PTS: 2

REF: 061926geo

NAT: G.GPE.B.7

TOP: Polygons in the Coordinate Plane

73 ANS: 4

$$x^2 = 10.2 \times 14.3$$

$$x \approx 12.1$$

PTS: 2

REF: 012016geo

NAT: G.SRT.B.4

TOP: Similarity

74 ANS: 2

PTS: 2

REF: spr2401geo

NAT: G.CO.A.2

TOP: Identifying Transformations

75 ANS:

$$r_{y=2} \circ r_{y\text{-axis}}$$

PTS: 2

REF: 081927geo

NAT: G.CO.A.5

TOP: Compositions of Transformations

KEY: identify

76 ANS:

$$\sin 86.03 = \frac{183.27}{x}$$

$$x \approx 183.71$$

PTS: 2

REF: 062225geo

NAT: G.SRT.C.8

TOP: Using Trigonometry to Find a Side

77 ANS: 3

PTS: 2

REF: 081913geo

NAT: G.CO.C.11

TOP: Parallelograms

78 ANS: 3

PTS: 2

REF: 082203geo

NAT: G.CO.B.6

TOP: Properties of Transformations

KEY: basic

79 ANS: 4

PTS: 2

REF: 061901geo

NAT: G.CO.A.5

TOP: Compositions of Transformations

KEY: identify

80 ANS:

$\triangle ABE \cong \triangle CBD$ (given); $\angle A \cong \angle C$ (CPCTC); $\angle AFD \cong \angle CFE$ (vertical angles are congruent); $\overline{AB} \cong \overline{CB}$,
 $\overline{DB} \cong \overline{EB}$ (CPCTC); $\overline{AD} \cong \overline{CE}$ (segment subtraction); $\triangle AFD \cong \triangle CFE$ (AAS)

PTS: 4 REF: 081933geo NAT: G.SRT.B.5 TOP: Triangle Proofs

KEY: proof

81 ANS: 2 PTS: 2 REF: 081901geo NAT: G.SRT.A.1

TOP: Line Dilations

82 ANS: 2

The line $x = -2$ will be tangent to the circle at $(-2, -4)$. A segment connecting this point and $(2, -4)$ is a radius of the circle with length 4.

PTS: 2 REF: 012020geo NAT: G.GPE.A.1 TOP: Equations of Circles

KEY: other

83 ANS: 4

$$x^2 - 8x + y^2 + 6y = 39$$

$$x^2 - 8x + 16 + y^2 + 6y + 9 = 39 + 16 + 9$$

$$(x - 4)^2 + (y + 3)^2 = 64$$

PTS: 2 REF: 081906geo NAT: G.GPE.A.1 TOP: Equations of Circles

KEY: completing the square

84 ANS: 3

$$4x + 3x + 13 = 90 \quad 4(11) < 3(11) + 13$$

$$7x = 77 \quad 44 < 46$$

$$x = 11$$

PTS: 2 REF: 012021geo NAT: G.SRT.C.7 TOP: Cofunctions

85 ANS:

No, because dilations do not preserve distance.

PTS: 2 REF: 061925geo NAT: G.SRT.A.2 TOP: Dilations

86 ANS: 2

$\angle ADE \cong \angle ABC$ and $\angle AED \cong \angle ACB$

PTS: 2 REF: 062214geo NAT: G.SRT.B.4 TOP: Side Splitter Theorem

87 ANS: 4

d) is SSA

PTS: 2 REF: 061914geo NAT: G.CO.B.7 TOP: Triangle Congruency

88 ANS:

$$R_{90^\circ} \text{ or } T_{2,-6} \circ R_{(-4,2),90^\circ} \text{ or } R_{270^\circ} \circ r_{x\text{-axis}} \circ r_{y\text{-axis}}$$

PTS: 2 REF: 061929geo NAT: G.CO.A.5 TOP: Compositions of Transformations

KEY: identify

89 ANS: 1 PTS: 2 REF: 011922geo NAT: G.SRT.C.7
TOP: Cofunctions

90 ANS:

$$24 \text{ in} \times 12 \text{ in} \times 18 \text{ in} \cdot 2.94 \approx 3 \frac{24}{3} \times \frac{12}{3} \times \frac{18}{3} = 192 \cdot 192 \left(\frac{4}{3} \pi \right) \left(\frac{2.94}{2} \right)^3 (0.025) \approx 64$$

PTS: 4 REF: 082234geo NAT: G.MG.A.2 TOP: Density

91 ANS: 2

$$108\pi = \frac{6^2 \pi h}{3}$$

$$\frac{324\pi}{36\pi} = h$$

$$9 = h$$

PTS: 2 REF: 012002geo NAT: G.GMD.A.3 TOP: Volume
KEY: cones

92 ANS: 1

A dilation preserves angle measure, so $\angle A \cong \angle CDE$.

PTS: 2 REF: 062203geo NAT: G.SRT.C.6 TOP: Trigonometric Ratios

93 ANS:

$$\text{Theresa. } (30 \times 15 \times (4 - 0.5)) \text{ ft}^3 \times \frac{7.48 \text{ g}}{1 \text{ ft}^3} \times \frac{\$3.95}{100 \text{ g}} = \$465.35, (\pi \times 12^2 \times (4 - 0.5)) \text{ ft}^3 \times \frac{7.48 \text{ g}}{1 \text{ ft}^3} \times \frac{\$200}{6000 \text{ g}} = \$394.79$$


PTS: 4 REF: 011933geo NAT: G.GMD.A.3 TOP: Volume
KEY: cylinders

94 ANS: 1

$$V = \frac{1}{2} \times \frac{4}{3} \pi r^3 = \frac{1}{2} \times \frac{4}{3} \pi \cdot \left(\frac{12.6}{2} \right)^3 \approx 523.7$$

PTS: 2 REF: 061910geo NAT: G.GMD.A.3 TOP: Volume
KEY: spheres

95 ANS:



PTS: 2 REF: 062231geo NAT: G.CO.D.12 TOP: Constructions

KEY: parallel and perpendicular lines


96 ANS: 4 PTS: 2 REF: 011921geo NAT: G.GPE.B.4

TOP: Triangles in the Coordinate Plane

97 ANS: 2 PTS: 2 REF: 081909geo NAT: G.CO.A.5

TOP: Compositions of Transformations KEY: identify

98 ANS: 4



PTS: 2 REF: 082218geo NAT: G.C.A.2 TOP: Chords, Secants and Tangents

KEY: inscribed

99 ANS: 3

Therefore $\angle 2 \cong \angle 7$. Since opposite angles are congruent, $ABCD$ is a parallelogram.

PTS: 2 REF: 062209geo NAT: G.CO.C.11 TOP: Parallelograms

100 ANS: 4

$$\left(\frac{-5+7}{2}, \frac{1-9}{2} \right) = (1, -4) \quad m = \frac{1-9}{-5-7} = \frac{10}{-12} = -\frac{5}{6} \quad m_{\perp} = \frac{6}{5}$$

PTS: 2 REF: 062220geo NAT: G.GPE.B.5 TOP: Parallel and Perpendicular Lines

KEY: perpendicular bisector

101 ANS: 2

$$m = \frac{-(-2)}{3} = \frac{2}{3}$$

PTS: 2 REF: 061916geo NAT: G.GPE.B.5 TOP: Parallel and Perpendicular Lines
KEY: write equation of parallel line

102 ANS: 3

$$180 - (48 + 66) = 180 - 114 = 66$$

PTS: 2 REF: 012001geo NAT: G.CO.C.9 TOP: Lines and Angles

103 ANS:

$$2 \times (90 \times 10) + (\pi)(30^2) - (\pi)(20^2) \approx 3371$$

PTS: 2 REF: 011931geo NAT: G.MG.A.3 TOP: Compositions of Polygons and Circles
KEY: area

104 ANS: 3

$2(2x + 8) = 7x - 2$ $AB = 7(6) - 2 = 40$. Since \overline{EF} is a midsegment, $EF = \frac{40}{2} = 20$. Since $\triangle ABC$ is equilateral,

$$4x + 16 = 7x - 2$$

$$18 = 3x$$

$$6 = x$$

$$AE = BF = \frac{40}{2} = 20. \quad 40 + 20 + 20 + 20 = 100$$

PTS: 2 REF: 061923geo NAT: G.CO.C.10 TOP: Midsegments

105 ANS: 4

$$-7 + \frac{1}{4}(5 - -7) = -7 + \frac{1}{4}(12) = -7 + 3 = -4 \quad -5 + \frac{1}{4}(3 - -5) = -5 + \frac{1}{4}(8) = -5 + 2 = -3$$

PTS: 2 REF: 012005geo NAT: G.GPE.B.6 TOP: Directed Line Segments

106 ANS: 1

PTS: 2

REF: 081919geo

NAT: G.SRT.C.7

TOP: Cofunctions

107 ANS:

$$\left(\frac{2.5}{3}\right)(\pi)\left(\frac{8.25}{2}\right)^2(3) \approx 134$$

PTS: 2 REF: 081931geo NAT: G.GMD.A.3 TOP: Volume

KEY: cylinders

108 ANS:

Quadrilateral $ABCD$ with diagonal \overline{AC} , segments \overline{GH} and \overline{EF} , $\overline{AE} \cong \overline{CG}$, $\overline{BE} \cong \overline{DG}$, $\overline{AH} \cong \overline{CF}$, and $\overline{AD} \cong \overline{CB}$ (given); $\overline{HF} \cong \overline{HF}$, $\overline{AC} \cong \overline{AC}$ (reflexive property); $\overline{AH} + \overline{HF} \cong \overline{CF} + \overline{HF}$, $\overline{AE} + \overline{BE} \cong \overline{CG} + \overline{DG}$ (segment

$$\overline{AF} \cong \overline{CH}$$

$$\overline{AB} \cong \overline{CD}$$

addition); $\triangle ABC \cong \triangle CDA$ (SSS); $\angle EAF \cong \angle GCH$ (CPCTC); $\triangle AEF \cong \triangle CGH$ (SAS); $\overline{EF} \cong \overline{GH}$ (CPCTC).

PTS: 6 REF: 011935geo NAT: G.SRT.B.5 TOP: Quadrilateral Proofs

109 ANS: 4

The line $y = \frac{3}{2}x - 4$ does not pass through the center of dilation, so the dilated line will be distinct from $y = \frac{3}{2}x - 4$. Since a dilation preserves parallelism, the line $y = \frac{3}{2}x - 4$ and its image will be parallel, with slopes of $\frac{3}{2}$. To obtain the y-intercept of the dilated line, the scale factor of the dilation, $\frac{3}{4}$, can be applied to the y-intercept, $(0, -4)$. Therefore, $\left(0 \cdot \frac{3}{4}, -4 \cdot \frac{3}{4}\right) \rightarrow (0, -3)$. So the equation of the dilated line is $y = \frac{3}{2}x - 3$.


PTS: 2

REF: 011924geo

NAT: G.SRT.A.1

TOP: Line Dilations

110 ANS:




PTS: 2

REF: 012030geo

NAT: G.SRT.B.4

TOP: Centroid, Orthocenter, Incenter and Circumcenter

111 ANS: 1



$$m\angle CBE = 180 - 51 = 129$$

PTS: 2

REF: 062221geo

NAT: G.CO.C.11

TOP: Interior and Exterior Angles of Polygons

112 ANS: 1

$$5x = 12 \cdot 7 \quad 16.8 + 7 = 23.8$$

$$5x = 84$$

$$x = 16.8$$

PTS: 2

REF: 061911geo

NAT: G.SRT.B.4

TOP: Side Splitter Theorem

113 ANS:

$$\sin 4.76 = \frac{1.5}{x} \quad \tan 4.76 = \frac{1.5}{x} \quad 18 - \frac{16}{12} \approx 16.7$$

$$x \approx 18.1$$

$$x \approx 18$$

PTS: 4

REF: 011934geo

NAT: G.SRT.C.8

TOP: Using Trigonometry to Find a Side

114 ANS: 1

$$-7 + \frac{1}{3}(2 - -7) = -7 + \frac{1}{3}(9) = -7 + 3 = -4 \quad 3 + \frac{1}{3}(-6 - 3) = 3 + \frac{1}{3}(-9) = 3 - 3 = 0$$

PTS: 2 REF: 082213geo NAT: G.GPE.B.6 TOP: Directed Line Segments

115 ANS: 3 PTS: 2 REF: 011904geo NAT: G.CO.A.3

TOP: Mapping a Polygon onto Itself

116 ANS: 2 PTS: 2 REF: 011912geo NAT: G.CO.C.11

TOP: Parallelograms

117 ANS: 3

A dilation does not preserve distance.

PTS: 2 REF: 062210geo NAT: G.CO.A.2

TOP: Analytical Representations of Transformations KEY: basic

118 ANS: 1

$$44 \left(\left(10 \times 3 \times \frac{1}{4} \right) + \left(9 \times 3 \times \frac{1}{4} \right) \right) = 627$$

PTS: 2 REF: 082221geo NAT: G.GMD.A.3 TOP: Volume

KEY: compositions

119 ANS: 4

1) SAS; 2) AAS; 3) SSS

PTS: 2 REF: 062216geo NAT: G.SRT.B.5 TOP: Triangle Congruency

120 ANS: 3

$$M_x = \frac{-5 + -1}{2} = -\frac{6}{2} = -3 \quad M_y = \frac{5 + -1}{2} = \frac{4}{2} = 2$$

PTS: 2 REF: 081902geo NAT: G.GPE.B.4 TOP: Quadrilaterals in the Coordinate Plane

KEY: general

121 ANS: 1 PTS: 2 REF: 082211geo NAT: G.GMD.B.4

TOP: Cross-Sections of Three-Dimensional Objects

122 ANS: 3

$$\frac{1}{2} \times 24 = 12$$

PTS: 2 REF: 012009geo NAT: G.CO.C.10 TOP: Midsegments

123 ANS: 1 PTS: 2 REF: 012004geo NAT: G.CO.C.11

TOP: Special Quadrilaterals

124 ANS: 3

$$\text{Broome: } \frac{200536}{706.82} \approx 284 \quad \text{Dutchess: } \frac{280150}{801.59} \approx 349 \quad \text{Niagara: } \frac{219846}{522.95} \approx 420 \quad \text{Saratoga: } \frac{200635}{811.84} \approx 247$$

PTS: 2 REF: 061902geo NAT: G.MG.A.2 TOP: Density

125 ANS: 2

$$18^2 = 12(x + 12)$$

$$324 = 12(x + 12)$$

$$27 = x + 12$$

$$x = 15$$

PTS: 2

REF: 081920geo

NAT: G.SRT.B.4

TOP: Similarity

126 ANS:

$$m = \frac{5}{4}; m_{\perp} = -\frac{4}{5} \quad y - 12 = -\frac{4}{5}(x - 5)$$

PTS: 2

REF: 012031geo

NAT: G.GPE.B.5

TOP: Parallel and Perpendicular Lines

KEY: write equation of perpendicular line

127 ANS: 3

$$\frac{360^\circ}{6} = 60^\circ \quad 120^\circ \text{ is a multiple of } 60^\circ$$

PTS: 2

REF: 012011geo

NAT: G.CO.A.3

TOP: Mapping a Polygon onto Itself

128 ANS: 1

$$x^2 + y^2 - 12y + 36 = 20.25 + 36 \quad \sqrt{56.25} = 7.5$$

$$x^2 + (y - 6)^2 = 56.25$$

PTS: 2


REF: 082219geo

NAT: G.GPE.A.1

TOP: Equations of Circles

KEY: completing the square

129 ANS:



PTS: 2

REF: 082227geo

NAT: G.CO.D.12

TOP: Constructions

KEY: congruent and similar figures

130 ANS: 2

$$\tan 11.87 = \frac{x}{0.5(5280)}$$

$$x \approx 555$$

PTS: 2

REF: 011913geo

NAT: G.SRT.C.8

TOP: Using Trigonometry to Find a Side

131 ANS: 2

$$\frac{4}{x} = \frac{6}{9}$$

$$x = 6$$

PTS: 2 REF: 061915geo NAT: G.SRT.B.5 TOP: Similarity

KEY: basic


132 ANS: 1

$$\triangle ABC \sim \triangle RST$$

PTS: 2 REF: 011908geo NAT: G.SRT.B.5 TOP: Similarity

KEY: basic

133 ANS:



$$m_{\overline{AD}} = \frac{0-6}{1-(-1)} = -3 \quad \overline{AD} \parallel \overline{BC} \text{ because their slopes are equal. } ABCD \text{ is a trapezoid}$$

$$m_{\overline{BC}} = \frac{-1-8}{6-3} = -3$$

because it has a pair of parallel sides. $AC = \sqrt{(-1-6)^2 + (6-(-1))^2} = \sqrt{98}$ $ABCD$ is not an isosceles trapezoid

$$BD = \sqrt{(8-0)^2 + (3-1)^2} = \sqrt{68}$$

because its diagonals are not congruent.

PTS: 4 REF: 061932geo NAT: G.GPE.B.4 TOP: Quadrilaterals in the Coordinate Plane

KEY: grids

134 ANS: 2

$$\frac{4}{3} \pi \times \left(\frac{1.68}{2} \right)^3 \times 0.6523 \approx 1.62$$

PTS: 2 REF: 081914geo NAT: G.MG.A.2 TOP: Density

135 ANS: 2

$$\frac{x}{360} (15)^2 \pi = 75\pi$$

$$x = 120$$

PTS: 2 REF: 011914geo NAT: G.C.B.5 TOP: Sectors

136 ANS:

$$\frac{124 - 56}{2} = 34$$

PTS: 2 REF: 081930geo NAT: G.C.A.2 TOP: Chords, Secants and Tangents
 KEY: secant and tangent drawn from common point, angle

137 ANS:

$$\cos 14 = \frac{5 - 1.2}{x}$$

$$x \approx 3.92$$

PTS: 2 REF: 082228geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side

138 ANS:

$$\frac{4}{x+3} = \frac{x-1}{15} \quad 7+3 = 10$$

$$x^2 - x + 3x - 3 = 60$$

$$x^2 + 2x - 63 = 0$$

$$(x+9)(x-7) = 0$$

$$x = 7$$

PTS: 4 REF: spr2407geo NAT: G.SRT.B.5 TOP: Similarity
 KEY: basic

139 ANS: 2

$$8 \times 8 \times 9 + \frac{1}{3} (8 \times 8 \times 3) = 640$$

PTS: 2 REF: 011909geo NAT: G.GMD.A.3 TOP: Volume
 KEY: compositions

140 ANS: 2

$$\left(\frac{1}{4}\right)^2 = \frac{1}{16}$$

PTS: 2 REF: 082216geo NAT: G.SRT.B.5 TOP: Similarity
 KEY: perimeter and area

141 ANS: 2

$$\tan 36 = \frac{x}{8} \quad 5.8 + 1.5 \approx 7$$

$$x \approx 5.8$$

PTS: 2 REF: 081915geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side

142 ANS: 3

$$12x = 9^2 \quad 6.75 + 12 = 18.75$$

$$12x = 81$$

$$x = \frac{82}{12} = \frac{27}{4}$$

PTS: 2

REF: 062213geo

NAT: G.SRT.B.4

TOP: Similarity

143 ANS: 2

PTS: 2

REF: 012012geo

NAT: G.SRT.B.4

TOP: Medians, Altitudes and Bisectors

144 ANS: 1

$$\sin 10 = \frac{x}{140}$$

$$x \approx 24$$

PTS: 2

REF: 062217geo

NAT: G.SRT.C.8

TOP: Using Trigonometry to Find a Side

145 ANS: 2

$$ER = \sqrt{17^2 - 8^2} = 15$$

PTS: 2

REF: 061917geo

NAT: G.CO.C.11

TOP: Special Quadrilaterals

146 ANS: 1

$$(x-1)^2 + (y-4)^2 = \left(\frac{10}{2}\right)^2$$

$$x^2 - 2x + 1 + y^2 - 8y + 16 = 25$$

$$x^2 - 2x + y^2 - 8y = 8$$

PTS: 2


REF: 011920geo

NAT: G.GPE.A.1

TOP: Equations of Circles

KEY: write equation, given center and radius

147 ANS:



$$\tan 22.2 = \frac{50}{x} \quad \tan 13.3 = \frac{y}{122.52}$$

$$x \approx 122.52 \quad y \approx 29$$

$$50 - 29 = 21$$

PTS: 4


REF: 082232geo

NAT: G.SRT.C.8

TOP: Using Trigonometry to Find a Side

KEY: advanced

148 ANS:



Yes, because a dilation preserves angle measure.

PTS: 4 REF: 081932geo NAT: G.CO.D.12 TOP: Constructions

KEY: congruent and similar figures

149 ANS: 3

$$8 \cdot 15 = 16 \cdot 7.5$$


PTS: 2 REF: 061913geo NAT: G.C.A.2 TOP: Chords, Secants and Tangents

KEY: intersecting chords, length

150 ANS: 4 PTS: 2 REF: 012019geo NAT: G.GMD.B.4

TOP: Cross-Sections of Three-Dimensional Objects

151 ANS:



PTS: 2 REF: 082230geo NAT: G.CO.C.11 TOP: Interior and Exterior Angles of Polygons

152 ANS:

$$4\sqrt{3^2 + 3^2} + 2(2) = 4\sqrt{18} + 4 = 12\sqrt{2} + 4$$

PTS: 2 REF: spr2408geo NAT: G.GPE.B.7 TOP: Polygons in the Coordinate Plane

153 ANS: 1

$$\frac{6.5}{10.5} = \frac{5.2}{x}$$

$$x = 8.4$$

PTS: 2 REF: 012006geo NAT: G.CO.C.11 TOP: Trapezoids

154 ANS: 4

$$(8 \times 2) + (3 \times 2) - \left(\frac{18}{12} \times \frac{21}{12} \right) \approx 19$$

PTS: 2

REF: 081917geo

NAT: G.MG.A.3

TOP: Compositions of Polygons and Circles

KEY: area

155 ANS: 1

$$\sin 24 = \frac{7.7}{x}$$

$$x \approx 18.9$$


PTS: 2

REF: 012504geo

NAT: G.SRT.C.8

TOP: Using Trigonometry to Find a Side

156 ANS: 4



PTS: 2

REF: 061908geo

NAT: G.SRT.B.5

TOP: Triangle Proofs

KEY: statements

157 ANS: 2

$$\frac{(-4, 2)}{(-2, 1)} = 2$$

PTS: 2

REF: 062201geo

NAT: G.SRT.A.2

TOP: Dilations

158 ANS: 4

$$\tan A = \frac{\text{opposite}}{\text{adjacent}} = \frac{15}{8}$$

PTS: 2

REF: 011917geo

NAT: G.SRT.C.6

TOP: Trigonometric Ratios

159 ANS: 4

$$-2 + \frac{2}{5}(3 - -2) = -2 + 2 = 0 \quad 6 + \frac{2}{5}(-4 - 6) = 6 - 4 = 2$$

PTS: 2

REF: 012502geo

NAT: G.GPE.B.6

TOP: Directed Line Segments

160 ANS:

$$\angle Q \cong \angle M \quad \angle P \cong \angle N \quad \overline{QP} \cong \overline{MN}$$

PTS: 2

REF: 012025geo

NAT: G.CO.B.7

TOP: Triangle Congruency

161 ANS:

$$T_{0.5} \circ r_{y\text{-axis}}$$

PTS: 2

REF: 082225geo

NAT: G.CO.A.5

TOP: Compositions of Transformations

KEY: identify

162 ANS:

$$\sin 38 = \frac{24.5}{x}$$

$$x \approx 40$$

PTS: 2 REF: 012026geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side
KEY: graphics

163 ANS:

30° $\triangle CAD$ is an equilateral triangle, so $\angle CAB = 60^\circ$. Since \overrightarrow{AD} is an angle bisector, $\angle CAD = 30^\circ$.

PTS: 2 REF: 081929geo NAT: G.CO.D.12 TOP: Constructions
KEY: polygons


164 ANS: 3 PTS: 2 REF: 061912geo NAT: G.CO.C.11

TOP: Parallelograms

165 ANS: 4 PTS: 2 REF: 011905geo NAT: G.C.A.2

TOP: Chords, Secants and Tangents KEY: inscribed

166 ANS:



$$\frac{1}{2}(5)(12) = 30$$

PTS: 2 REF: 081928geo NAT: G.GPE.B.7 TOP: Polygons in the Coordinate Plane

167 ANS: 1

$$m = \frac{-A}{B} = \frac{-3}{2} \quad m_{\perp} = \frac{2}{3}$$

PTS: 2 REF: 081908geo NAT: G.GPE.B.5 TOP: Parallel and Perpendicular Lines
KEY: identify perpendicular lines

168 ANS: 1 PTS: 2 REF: 081904geo NAT: G.SRT.B.4

TOP: Centroid, Orthocenter, Incenter and Circumcenter

169 ANS:

$\angle D = 46^\circ$ because the angles of a triangle equal 180° . $\angle B = 46^\circ$ because opposite angles of a parallelogram are congruent.

PTS: 2 REF: 081925geo NAT: G.CO.C.11 TOP: Interior and Exterior Angles of Polygons

170 ANS: 3 PTS: 2 REF: 011911geo NAT: G.GMD.B.4

TOP: Rotations of Two-Dimensional Objects

171 ANS: 2 PTS: 2 REF: 082220geo NAT: G.CO.A.5

TOP: Compositions of Transformations KEY: identify

172 ANS: 2 PTS: 2 REF: 012503geo NAT: G.CO.A.5
TOP: Compositions of Transformations


173 ANS: 1
 $\frac{100-80}{2} = 10$

PTS: 2 REF: 062219geo NAT: G.C.A.2 TOP: Chords, Secants and Tangents
KEY: secant and tangent drawn from common point, angle

174 ANS: 2 PTS: 2 REF: 082204geo NAT: G.CO.C.11
TOP: Special Quadrilaterals

175 ANS: 2 PTS: 2 REF: 062202geo NAT: G.GMD.B.4
TOP: Cross-Sections of Three-Dimensional Objects

176 ANS: 4



$$\sqrt{8^2 + 2^2} \times \sqrt{4^2 + 1^2} = \sqrt{68} \times \sqrt{17} = \sqrt{4} \sqrt{17} \times \sqrt{17} = 2 \cdot 17 = 34$$

PTS: 2 REF: 082214geo NAT: G.GPE.B.7 TOP: Polygons in the Coordinate Plane
177 ANS: 4 PTS: 2 REF: 011916geo NAT: G.CO.C.10
TOP: Exterior Angle Theorem

178 ANS:
 $x^2 + 6x + 9 + y^2 - 6y + 9 = 63 + 9 + 9 \quad (-3, 3); r = 9$

$$(x + 3)^2 + (y - 3)^2 = 81$$


PTS: 2 REF: 062230geo NAT: G.GPE.A.1 TOP: Equations of Circles
KEY: completing the square

179 ANS: 4
 $\left(\frac{360-120}{360}\right)(\pi)(9^2) = 54\pi$

PTS: 2 REF: 081912geo NAT: G.C.B.5 TOP: Sectors
180 ANS: 2
 $90 - 57 = 33$

PTS: 2 REF: 061909geo NAT: G.SRT.C.7 TOP: Cofunctions

181 ANS: 3




PTS: 2 REF: 082217geo NAT: G.SRT.B.5 TOP: Triangle Proofs
 KEY: statements

182 ANS: 1

$$\frac{360^\circ}{5} = 72^\circ$$

PTS: 2 REF: 062204geo NAT: G.CO.A.3 TOP: Mapping a Polygon onto Itself

183 ANS: 1



$$\frac{72 - 34}{2} = 19$$

PTS: 2 REF: 061918geo NAT: G.C.A.2 TOP: Chords, Secants and Tangents
 KEY: secants drawn from common point, angle

184 ANS:

$$\frac{121 - x}{2} = 35$$

$$121 - x = 70$$

$$x = 51$$

PTS: 2 REF: 011927geo NAT: G.C.A.2 TOP: Chords, Secants and Tangents
 KEY: secants drawn from common point, angle

185 ANS: 2

$$\text{slope of } \overline{OA} = \frac{4 - 0}{-3 - 0} = -\frac{4}{3} \quad m_{\perp} = \frac{3}{4}$$

PTS: 2 REF: 082223geo NAT: G.C.A.2 TOP: Chords, Secants and Tangents
 KEY: radius drawn to tangent

186 ANS: 4 PTS: 2 REF: 061904geo NAT: G.CO.A.3
 TOP: Mapping a Polygon onto Itself

187 ANS: 3

$$\frac{6\sqrt{3}}{x} = \frac{\sqrt{3}}{2}$$

$$x = 12$$

PTS: 2 REF: spr2402geo NAT: G.SRT.C.8 TOP: 30-60-90 Triangles

188 ANS:

$$\left((10 \times 6) + \sqrt{7(7-6)(7-4)(7-4)} \right) (6.5) \approx 442$$

PTS: 4 REF: 081934geo NAT: G.GMD.A.3 TOP: Volume

KEY: compositions

189 ANS:

$$x^2 = 8 \times 12.5$$

$$x = 10$$

PTS: 2 REF: 012028geo NAT: G.C.A.2 TOP: Chords, Secants and Tangents

KEY: secant and tangent drawn from common point, length

190 ANS: 1

$$x^2 - 4x + 4 + y^2 + 6y + 9 = 12 + 4 + 9$$

$$(x-2)^2 + (y+3)^2 = 25$$

PTS: 2 REF: 012506geo NAT: G.GPE.A.1 TOP: Equations of Circles

KEY: completing the square

191 ANS:

Reflections preserve distance and angle measure.

PTS: 2 REF: 062228geo NAT: G.CO.B.6 TOP: Properties of Transformations

KEY: graphics

192 ANS: 2


$$-4 + \frac{2}{5}(6 - -4) = -4 + \frac{2}{5}(10) = -4 + 4 = 0 \quad -1 + \frac{2}{5}(4 - -1) = -1 + \frac{2}{5}(5) = -1 + 2 = 1$$

PTS: 2 REF: 062222geo NAT: G.GPE.B.6 TOP: Directed Line Segments

193 ANS: 4 PTS: 2 REF: 081911geo NAT: G.GMD.B.4

TOP: Rotations of Two-Dimensional Objects

194 ANS:



$$\left(\frac{72}{360}\right)\pi(4)^2 \approx 10.1$$


PTS: 2 REF: 082231geo NAT: G.C.B.5 TOP: Sectors

195 ANS: 3

Sine and cosine are cofunctions.

PTS: 2 REF: 062206geo NAT: G.SRT.C.7 TOP: Cofunctions

196 ANS:



PTS: 2 REF: 011929geo NAT: G.CO.D.12 TOP: Constructions

KEY: polygons

197 ANS: 2 PTS: 2 REF: 010219siii NAT: G.SRT.D.9

TOP: Using Trigonometry to Find Area KEY: basic

198 ANS: 4

$$\frac{12}{6.1x - 6.5} = \frac{5}{1.4x + 3} \quad 6.1(5) - 6.5 = 24$$

$$16.8x + 36 = 30.5x - 32.5$$


$$68.5 = 13.7x$$

$$5 = x$$

PTS: 2 REF: 062211geo NAT: G.SRT.B.5 TOP: Similarity

KEY: basic

199 ANS:



1) Quadrilateral $HYPE$ with $H(-3, 6)$, $Y(2, 9)$, $P(8, -1)$, and $E(3, -4)$ (Given); 2) Slope of \overline{HY} and \overline{PE} is $\frac{3}{5}$, slope of \overline{YP} and \overline{EH} is $-\frac{5}{3}$ (Slope determined graphically); 3) $\overline{HY} \perp \overline{YP}$, $\overline{PE} \perp \overline{EH}$, $\overline{YP} \perp \overline{PE}$, $\overline{EH} \perp \overline{HY}$ (The slopes of perpendicular lines are opposite reciprocals); 4) $\angle H$, $\angle Y$, $\angle P$, $\angle E$ are right angles (Perpendicular lines form right angles); 5) $HYPE$ is a rectangle (A rectangle has four right angles).

PTS: 4 REF: 082233geo NAT: G.GPE.B.4 TOP: Quadrilaterals in the Coordinate Plane
KEY: grids

200 ANS: 1 PTS: 2 REF: 011918geo NAT: G.MG.A.3
TOP: Compositions of Polygons and Circles KEY: area

201 ANS: 3
 $\frac{10}{x} = \frac{15}{12}$
 $x = 8$

PTS: 2 REF: 081918geo NAT: G.SRT.B.4 TOP: Side Splitter Theorem

202 ANS:
 $8 \times 3 \times \frac{1}{12} \times 43 = 86$

PTS: 2 REF: 012027geo NAT: G.MG.A.2 TOP: Density
203 ANS: 4

$$-8 + \frac{2}{3}(10 - -8) = -8 + \frac{2}{3}(18) = -8 + 12 = 4 \quad 4 + \frac{2}{3}(-2 - 4) = 4 + \frac{2}{3}(-6) = 4 - 4 = 0$$

PTS: 2 REF: 061919geo NAT: G.GPE.B.6 TOP: Directed Line Segments
204 ANS: 2

The slope of $-3x + 4y = 8$ is $\frac{3}{4}$.

PTS: 2 REF: 061907geo NAT: G.SRT.A.1 TOP: Line Dilations
205 ANS: 3


$$V = \pi(3)^2(3) = 27\pi$$

PTS: 2 REF: 012507geo NAT: G.GMD.B.4 TOP: Rotations of Two-Dimensional Objects

206 ANS: 2
SAS

PTS: 2 REF: 012505geo NAT: G.SRT.B.5 TOP: Triangle Proofs
KEY: statements

207 ANS:



1) Quadrilateral $ABCD$, \overline{AC} and \overline{EF} intersect at H , $\overline{EF} \parallel \overline{AD}$, $\overline{EF} \parallel \overline{BC}$, and $\overline{AD} \cong \overline{BC}$ (Given); 2) $\angle EHA \cong \angle FHC$ (Vertical angles are congruent); 3) $\overline{AD} \parallel \overline{BC}$ (Transitive property of parallel lines); 4) $ABCD$ is a parallelogram (Quadrilateral with a pair of sides both parallel and congruent); 5) $\overline{AB} \parallel \overline{CD}$ (Opposite sides of a parallelogram); 6) $\angle AEH \cong \angle CFH$ (Alternate interior angles formed by parallel lines and a transversal); 7) $\triangle AEH \sim \triangle CFH$ (AA); 8) $\frac{EH}{FH} = \frac{AH}{CH}$ (Corresponding sides of similar triangles are proportional); 8) $(EH)(CH) = (FH)(AH)$ (Product of means equals product of extremes).

PTS: 6 REF: 082235geo NAT: G.SRT.B.5 TOP: Quadrilateral Proofs

208 ANS:

Parallelogram $PQRS$, $\overline{QT} \perp \overline{PS}$, $\overline{SU} \perp \overline{QR}$ (given); $\overline{QU} \cong \overline{PT}$ (opposite sides of a parallelogram are parallel; Quadrilateral $QUST$ is a rectangle (quadrilateral with parallel opposite sides and opposite right angles is a rectangle); $\overline{SU} \cong \overline{QT}$ (opposite sides of a rectangle are congruent); $\overline{RS} \cong \overline{PQ}$ (opposite sides of a parallelogram are congruent); $\angle RUS$ and $\angle PTQ$ are right angles (the supplement of a right angle is a right angle), $\triangle RSU \cong \triangle PQT$ (HL); $\overline{PT} \cong \overline{RU}$ (CPCTC)

PTS: 4 REF: 062233geo NAT: G.SRT.B.5 TOP: Quadrilateral Proofs

209 ANS: 3

Since orientation is preserved, a reflection has not occurred.

PTS: 2 REF: 062205geo NAT: G.CO.A.2 TOP: Identifying Transformations
KEY: graphics

210 ANS: 1 PTS: 2 REF: 062208geo NAT: G.GMD.B.4
TOP: Rotations of Two-Dimensional Objects

211 ANS: 2

$$K = \frac{1}{2}(8)(5) \sin 57 \approx 16.8$$

PTS: 2 REF: spr2403geo NAT: G.SRT.D.9 TOP: Using Trigonometry to Find Area
KEY: basic

212 ANS: 1 PTS: 2 REF: 082209geo NAT: G.CO.A.3
TOP: Mapping a Polygon onto Itself

213 ANS:

$$\sqrt{(-2 - -7)^2 + (4 - -1)^2} = \sqrt{(-2 - -3)^2 + (4 - -3)^2} \text{ Since } \overline{AB} \text{ and } \overline{AC} \text{ are congruent, } \triangle ABC \text{ is isosceles.}$$


$$\sqrt{50} = \sqrt{50}$$

$$A'(3, -1), B'(-2, -6), C'(2, -8). \quad AC = \sqrt{50} \quad AA' = \sqrt{(-2 - 3)^2 + (4 - -1)^2}, \quad A'C' = \sqrt{50} \text{ (translation preserves}$$

$$= \sqrt{50}$$

distance), $CC' = \sqrt{(-3 - 2)^2 + (-3 - -8)^2}$ Since all four sides are congruent, $AA'C'C$ is a rhombus.

$$= \sqrt{50}$$



PTS: 6

REF: 062235geo

NAT: G.GPE.B.4

TOP: Quadrilaterals in the Coordinate Plane

KEY: grids

214 ANS: 4

$$4y = 7x - 3 \quad m = \frac{7}{4} \quad .$$

$$y = \frac{7}{4}x - \frac{3}{4} \quad m_{\perp} = -\frac{4}{7}$$

PTS: 2

REF: 012508geo

NAT: G.GPE.B.5

TOP: Parallel and Perpendicular Lines

KEY: write equation of perpendicular line

215 ANS: 2

$$180 - 40 - 95 = 45$$

PTS: 2

REF: 082201geo

NAT: G.CO.B.6

TOP: Properties of Transformations

KEY: graphics

216 ANS: 2

$$\frac{x}{15} = \frac{5}{12}$$

$$x = 6.25$$

PTS: 2

REF: 011906geo

NAT: G.SRT.B.4

TOP: Side Splitter Theorem

217 ANS:

No. The midpoint of \overline{DF} is $\left(\frac{1+4}{2}, \frac{-1+2}{2}\right) = (2.5, 0.5)$. A median from point E must pass through the midpoint.

PTS: 2 REF: 011930geo NAT: G.GPE.B.4 TOP: Triangles in the Coordinate Plane

218 ANS: 4

$$2x - 1 = 16$$

$$x = 8.5$$

PTS: 2 REF: 011902geo NAT: G.CO.B.6 TOP: Properties of Transformations

KEY: graphics

219 ANS: 4

$$\frac{2}{4} = \frac{8}{x+2} \quad 14 + 2 = 16$$

$$2x + 4 = 32$$

$$x = 14$$

PTS: 2 REF: 012024geo NAT: G.SRT.B.4 TOP: Side Splitter Theorem

220 ANS: 4

$$90 - 35 = 55 \quad 55 \times 2 = 110$$

PTS: 2 REF: 012015geo NAT: G.CO.B.6 TOP: Properties of Transformations


KEY: graphics

221 ANS: 2

Create two congruent triangles by drawing \overline{BD} , which has a length of 8. Each triangle has an area of $\frac{1}{2}(8)(3) = 12$.

PTS: 2 REF: 012018geo NAT: G.GPE.B.7 TOP: Polygons in the Coordinate Plane

222 ANS: 4



$$\frac{4}{5} = \frac{6}{x} \quad \frac{4}{9} = \frac{y}{18} \quad 5 + 18 + 7.5 + 8 = 38.5$$

$$x = 7.5 \quad y = 8$$

PTS: 2 REF: 082222geo NAT: G.SRT.B.4 TOP: Side Splitter Theorem

223 ANS: 3

PTS: 2

REF: 061924geo NAT: G.CO.C.11

TOP: Special Quadrilaterals

224 ANS:




PTS: 2 REF: spr2406geo NAT: G.CO.D.12 TOP: Constructions
 KEY: line bisector

225 ANS: 4

$$\frac{18}{4.5} = 4$$

PTS: 2 REF: 011901geo NAT: G.SRT.A.1 TOP: Line Dilations

226 ANS: 3



PTS: 2 REF: 082215geo NAT: G.CO.C.11 TOP: Interior and Exterior Angles of Polygons


227 ANS: 1

$$\frac{1}{3}, \frac{3}{9}, \frac{\sqrt{10}}{\sqrt{90}}$$

PTS: 2 REF: 082206geo NAT: G.SRT.A.2 TOP: Dilations

Geometry Regents at Random Worksheets Answer Section

228 ANS:



PTS: 4 REF: 011634geo NAT: G.CO.D.12 TOP: Constructions
KEY: congruent and similar figures

229 ANS: 2 PTS: 2 REF: 081513geo NAT: G.CO.A.2
TOP: Identifying Transformations KEY: graphics

230 ANS: 4 PTS: 2 REF: 061513geo NAT: G.CO.C.11
TOP: Parallelograms

231 ANS: 4

$$-5 + \frac{3}{5}(5 - -5) \quad -4 + \frac{3}{5}(1 - -4)$$

$$-5 + \frac{3}{5}(10) \quad -4 + \frac{3}{5}(5)$$

$$-5 + 6 \quad -4 + 3$$

$$1 \quad -1$$

PTS: 2 REF: spr1401geo NAT: G.GPE.B.6 TOP: Directed Line Segments

232 ANS: 1 PTS: 2 REF: 061604geo NAT: G.CO.A.2
TOP: Identifying Transformations KEY: graphics

233 ANS:

$$\tan 47 = \frac{x}{8.5} \quad \text{Cone: } V = \frac{1}{3} \pi (8.5)^2 (9.115) \approx 689.6 \quad \text{Cylinder: } V = \pi (8.5)^2 (25) \approx 5674.5 \quad \text{Hemisphere:}$$

$$x \approx 9.115$$

$$V = \frac{1}{2} \left(\frac{4}{3} \pi (8.5)^3 \right) \approx 1286.3 \quad 689.6 + 5674.5 + 1286.3 \approx 7650 \quad \text{No, because } 7650 \cdot 62.4 = 477,360$$

477,360 \cdot .85 = 405,756, which is greater than 400,000.

PTS: 6 REF: 061535geo NAT: G.MG.A.2 TOP: Density

234 ANS:

$$\frac{360}{6} = 60$$

PTS: 2 REF: 081627geo NAT: G.CO.A.3 TOP: Mapping a Polygon onto Itself

235 ANS:

$$r = 25 \text{ cm} \left(\frac{1 \text{ m}}{100 \text{ cm}} \right) = 0.25 \text{ m} \quad V = \pi(0.25 \text{ m})^2(10 \text{ m}) = 0.625\pi \text{ m}^3 \quad W = 0.625\pi \text{ m}^3 \left(\frac{380 \text{ K}}{1 \text{ m}^3} \right) \approx 746.1 \text{ K}$$

$$n = \frac{\$50,000}{\left(\frac{\$4.75}{\text{K}} \right) (746.1 \text{ K})} = 14.1 \quad 15 \text{ trees}$$

PTS: 4 REF: spr1412geo NAT: G.MG.A.2 TOP: Density

236 ANS:

$$x = \sqrt{.55^2 - .25^2} \cong 0.49 \quad \text{No, } .49^2 = .25y \quad .9604 + .25 < 1.5$$

$$.9604 = y$$

PTS: 4 REF: 061534geo NAT: G.SRT.B.4 TOP: Similarity

237 ANS: 3

(3) Could be a trapezoid.

PTS: 2 REF: 081607geo NAT: G.CO.C.11 TOP: Parallelograms

238 ANS:

Translate $\triangle ABC$ along \overline{CF} such that point C maps onto point F , resulting in image $\triangle A'B'C'$. Then reflect $\triangle A'B'C'$ over \overline{DF} such that $\triangle A'B'C'$ maps onto $\triangle DEF$.

or

Reflect $\triangle ABC$ over the perpendicular bisector of \overline{EB} such that $\triangle ABC$ maps onto $\triangle DEF$.

PTS: 2 REF: fall1408geo NAT: G.CO.B.7 TOP: Triangle Congruency

239 ANS: 3


PTS: 2

REF: 061524geo

NAT: G.CO.B.7

TOP: Triangle Congruency

240 ANS: 2




PTS: 2

REF: 061619geo

NAT: G.CO.C.10

TOP: Triangle Proofs

241 ANS:



$\triangle XYZ$, $\overline{XY} \cong \overline{ZY}$, and \overline{YW} bisects $\angle XYZ$ (Given). $\triangle XYZ$ is isosceles (Definition of isosceles triangle). \overline{YW} is an altitude of $\triangle XYZ$ (The angle bisector of the vertex of an isosceles triangle is also the altitude of that triangle). $\overline{YW} \perp \overline{XZ}$ (Definition of altitude). $\angle YWZ$ is a right angle (Definition of perpendicular lines).

PTS: 4 REF: spr1411geo NAT: G.CO.C.10 TOP: Triangle Proofs
 242 ANS: 3 PTS: 2 REF: 081502geo NAT: G.CO.A.2
 TOP: Identifying Transformations KEY: basic
 243 ANS:


$$\sin x = \frac{4.5}{11.75}$$

$$x \approx 23$$

PTS: 2 REF: 061528geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find an Angle
 244 ANS:

$m_{\overline{TS}} = \frac{-10}{6} = -\frac{5}{3}$ $m_{\overline{SR}} = \frac{3}{5}$ Since the slopes of \overline{TS} and \overline{SR} are opposite reciprocals, they are perpendicular and form a right angle. $\triangle RST$ is a right triangle because $\angle S$ is a right angle. $P(0,9)$ $m_{\overline{RP}} = \frac{-10}{6} = -\frac{5}{3}$ $m_{\overline{PT}} = \frac{3}{5}$

Since the slopes of all four adjacent sides (\overline{TS} and \overline{SR} , \overline{SR} and \overline{RP} , \overline{RP} and \overline{PT} and \overline{TS} , \overline{RP} and \overline{PT}) are opposite reciprocals, they are perpendicular and form right angles. Quadrilateral $RSTP$ is a rectangle because it has four right angles.



PTS: 6 REF: 061536geo NAT: G.GPE.B.4 TOP: Quadrilaterals in the Coordinate Plane
 KEY: grids

245 ANS: 2

$$h^2 = 30 \cdot 12$$

$$h^2 = 360$$

$$h = 6\sqrt{10}$$

PTS: 2 REF: 061613geo NAT: G.SRT.B.4 TOP: Similarity

246 ANS: 1 PTS: 2 REF: 011608geo NAT: G.CO.A.5

TOP: Compositions of Transformations KEY: identify

247 ANS: 3

$$\frac{x}{10} = \frac{6}{4} \quad \overline{CD} = 15 - 4 = 11$$

$$x = 15$$

PTS: 2 REF: 081612geo NAT: G.SRT.B.5 TOP: Similarity

KEY: basic

248 ANS:

Parallelogram $ANDR$ with \overline{AW} and \overline{DE} bisecting \overline{ND} and \overline{RA} at points W and E (Given). $\overline{AN} \cong \overline{RD}$, $\overline{AR} \cong \overline{DN}$ (Opposite sides of a parallelogram are congruent). $AE = \frac{1}{2}AR$, $WD = \frac{1}{2}DN$, so $\overline{AE} \cong \overline{WD}$ (Definition of bisect and division property of equality). $\overline{AR} \parallel \overline{DN}$ (Opposite sides of a parallelogram are parallel). $AWDE$ is a parallelogram (Definition of parallelogram). $RE = \frac{1}{2}AR$, $NW = \frac{1}{2}DN$, so $\overline{RE} \cong \overline{NW}$ (Definition of bisect and division property of equality). $\overline{ED} \cong \overline{AW}$ (Opposite sides of a parallelogram are congruent). $\triangle ANW \cong \triangle DRE$ (SSS).

PTS: 6 REF: 011635geo NAT: G.SRT.B.5 TOP: Quadrilateral Proofs

249 ANS: 1

$$m_{\overline{TA}} = -1 \quad y = mx + b$$

$$m_{\overline{EM}} = 1 \quad 1 = 1(2) + b$$

$$-1 = b$$

PTS: 2 REF: 081614geo NAT: G.GPE.B.4 TOP: Quadrilaterals in the Coordinate Plane

KEY: general

250 ANS:

$$\frac{120}{230} = \frac{x}{315}$$

$$x = 164$$

PTS: 2 REF: 081527geo NAT: G.SRT.B.5 TOP: Similarity

KEY: basic

251 ANS: 2 PTS: 2 REF: 061610geo NAT: G.C.A.2

TOP: Chords, Secants and Tangents KEY: inscribed

252 ANS: 1

$$\frac{1000}{20\pi} \approx 15.9$$

PTS: 2

REF: 011623geo NAT: G.GMD.A.1 TOP: Circumference

253 ANS:

No, the weight of the bricks is greater than 900 kg. $500 \times (5.1 \text{ cm} \times 10.2 \text{ cm} \times 20.3 \text{ cm}) = 528,003 \text{ cm}^3$.

$$528,003 \text{ cm}^3 \times \frac{1 \text{ m}^3}{1000000 \text{ cm}^3} = 0.528003 \text{ m}^3. \quad \frac{1920 \text{ kg}}{\text{m}^3} \times 0.528003 \text{ m}^3 \approx 1013 \text{ kg}.$$

PTS: 2

REF: fall1406geo NAT: G.MG.A.2 TOP: Density

254 ANS: 3

$$175 = \frac{1}{3} \cdot s^2 \cdot 21 \quad 5 \times 4 = 20$$

$$25 = s^2$$

$$5 = s$$

PTS: 2

REF: 012516geo NAT: G.GMD.A.3 TOP: Volume

KEY: pyramids

255 ANS: 4

$$m = -\frac{1}{2} \quad -4 = 2(6) + b$$

$$m_{\perp} = 2 \quad -4 = 12 + b$$


$$-16 = b$$

PTS: 2

REF: 011602geo NAT: G.GPE.B.5 TOP: Parallel and Perpendicular Lines

KEY: write equation of perpendicular line

256 ANS: 1



Since the midpoint of \overline{AB} is $(3, -2)$, the center must be either $(5, -2)$ or $(1, -2)$.

$$r = \sqrt{2^2 + 5^2} = \sqrt{29}$$

PTS: 2

REF: 061623geo NAT: G.GPE.A.1 TOP: Equations of Circles

KEY: other

257 ANS: 1

$$m = \left(\frac{-11+5}{2}, \frac{5+-7}{2} \right) = (-3, -1) \quad m = \frac{5--7}{-11-5} = \frac{12}{-16} = -\frac{3}{4} \quad m_{\perp} = \frac{4}{3}$$

PTS: 2 REF: 061612geo NAT: G.GPE.B.5 TOP: Parallel and Perpendicular Lines
KEY: perpendicular bisector

258 ANS: 3

$$x^2 + 4x + 4 + y^2 - 6y + 9 = 12 + 4 + 9$$

$$(x+2)^2 + (y-3)^2 = 25$$

PTS: 2 REF: 081509geo NAT: G.GPE.A.1 TOP: Equations of Circles
KEY: completing the square

259 ANS:


Opposite angles in a parallelogram are congruent, so $m\angle O = 118^\circ$. The interior angles of a triangle equal 180° .
 $180 - (118 + 22) = 40$.

PTS: 2 REF: 061526geo NAT: G.CO.C.11 TOP: Interior and Exterior Angles of Polygons

260 ANS: 4 PTS: 2 REF: 011609geo NAT: G.SRT.C.7

TOP: Cofunctions

261 ANS:



The length of $\overline{A'C'}$ is twice \overline{AC} .

PTS: 4 REF: 081632geo NAT: G.CO.D.12 TOP: Constructions
KEY: congruent and similar figures

262 ANS:

$$\frac{\pi \cdot 11.25^2 \cdot 33.5}{231} \approx 57.7$$

PTS: 4 REF: 061632geo NAT: G.GMD.A.3 TOP: Volume
KEY: cylinders

263 ANS:

Reflections are rigid motions that preserve distance.

PTS: 2 REF: 061530geo NAT: G.CO.B.7 TOP: Triangle Congruency

264 ANS: 4 PTS: 2 REF: 081503geo NAT: G.GMD.B.4

TOP: Rotations of Two-Dimensional Objects

265 ANS: 3

$$r = \sqrt{(7-3)^2 + (1-(-2))^2} = \sqrt{16+9} = 5$$

PTS: 2 REF: 061503geo NAT: G.GPE.B.4 TOP: Circles in the Coordinate Plane

266 ANS: 1

$$\frac{1}{2} \left(\frac{4}{3} \right) \pi \cdot 5^3 \cdot 62.4 \approx 16,336$$

PTS: 2 REF: 061620geo NAT: G.MG.A.2 TOP: Density

267 ANS:

x represents the distance between the lighthouse and the canoe at 5:00; y represents the distance between the

lighthouse and the canoe at 5:05. $\tan 6 = \frac{112-1.5}{x}$ $\tan(49+6) = \frac{112-1.5}{y} = \frac{1051.3-77.4}{5} \approx 195$

$$x \approx 1051.3 \qquad y \approx 77.4$$

PTS: 4 REF: spr1409geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side
KEY: advanced

268 ANS: 3

$$\frac{9}{5} = \frac{9.2}{x} \quad 5.1 + 9.2 = 14.3$$

$$9x = 46$$

$$x \approx 5.1$$

PTS: 2 REF: 061511geo NAT: G.SRT.B.4 TOP: Side Splitter Theorem

269 ANS: 1

TOP: Cofunctions

PTS: 2

REF: 081504geo

NAT: G.SRT.C.7

270 ANS: 1

TOP: Lines and Angles

PTS: 2

REF: 011606geo

NAT: G.CO.C.9

271 ANS: 2

$$14 \times 16 \times 10 = 2240 \quad \frac{2240 - 1680}{2240} = 0.25$$

PTS: 2 REF: 011604geo NAT: G.GMD.A.3 TOP: Volume

KEY: prisms

272 ANS: 4

The measures of the angles of a triangle remain the same after all rotations because rotations are rigid motions which preserve angle measure.

PTS: 2 REF: fall1402geo NAT: G.CO.B.6 TOP: Properties of Transformations

KEY: graphics

273 ANS: 1

$$3^2 = 9$$

PTS: 2 REF: 081520geo NAT: G.SRT.A.2 TOP: Dilations

274 ANS:

Parallelogram $ABCD$, diagonals \overline{AC} and \overline{BD} intersect at E (given). $\overline{DC} \parallel \overline{AB}$; $\overline{DA} \parallel \overline{CB}$ (opposite sides of a parallelogram are parallel). $\angle ACD \cong \angle CAB$ (alternate interior angles formed by parallel lines and a transversal are congruent).

PTS: 2 REF: 081528geo NAT: G.CO.C.11 TOP: Quadrilateral Proofs

275 ANS: 1

$$\frac{\frac{1}{4}(\pi \cdot 22^2 \cdot 27)}{231} \approx 44$$

PTS: 2 REF: 012517geo NAT: G.GMD.A.3 TOP: Volume

KEY: cylinders

276 ANS:

$$\frac{3.75}{5} = \frac{4.5}{6} \quad \overline{AB} \text{ is parallel to } \overline{CD} \text{ because } \overline{AB} \text{ divides the sides proportionately.}$$

$$39.375 = 39.375$$

PTS: 2 REF: 061627geo NAT: G.SRT.B.4 TOP: Side Splitter Theorem

277 ANS:

$$\text{Yes. } (x-1)^2 + (y+2)^2 = 4^2$$


$$(3.4-1)^2 + (1.2+2)^2 = 16$$

$$5.76 + 10.24 = 16$$

$$16 = 16$$

PTS: 2 REF: 081630geo NAT: G.GPE.B.4 TOP: Circles in the Coordinate Plane

278 ANS:



PTS: 2 REF: 061631geo NAT: G.CO.D.12 TOP: Constructions

KEY: parallel and perpendicular lines

279 ANS: 4

$$\frac{7}{12} \cdot 30 = 17.5$$


PTS: 2 REF: 061521geo NAT: G.SRT.B.5 TOP: Similarity

KEY: perimeter and area

280 ANS: 1 PTS: 2 REF: 061518geo NAT: G.SRT.A.1

TOP: Line Dilations

281 ANS:



PTS: 2 REF: fall1409geo NAT: G.CO.D.12 TOP: Constructions

KEY: parallel and perpendicular lines

282 ANS:

A dilation of $\frac{5}{2}$ about the origin. Dilations preserve angle measure, so the triangles are similar by AA.

PTS: 4 REF: 061634geo NAT: G.SRT.A.3 TOP: Similarity Proofs

283 ANS: 3

$$5 \cdot \frac{10}{4} = \frac{50}{4} = 12.5$$

PTS: 2 REF: 081512geo NAT: G.C.A.2 TOP: Chords, Secants and Tangents

KEY: common tangents

284 ANS: 2

$$\frac{4}{3} \pi \cdot 4^3 + 0.075 \approx 20$$

PTS: 2 REF: 011619geo NAT: G.MG.A.2 TOP: Density

285 ANS: 4

$$\frac{-2-1}{-1--3} = \frac{-3}{2} \quad \frac{3-2}{0-5} = \frac{1}{-5} \quad \frac{3-1}{0--3} = \frac{2}{3} \quad \frac{2--2}{5--1} = \frac{4}{6} = \frac{2}{3}$$

PTS: 2 REF: 081522geo NAT: G.GPE.B.4 TOP: Quadrilaterals in the Coordinate Plane

KEY: general

286 ANS: 2

$$SA = 6 \cdot 12^2 = 864$$

$$\frac{864}{450} = 1.92$$

PTS: 2 REF: 061519geo NAT: G.MG.A.3 TOP: Surface Area

287 ANS: 3

$$42 = \frac{1}{2}(a)(8) \sin 61$$

$$42 \approx 3.5a$$

$$12 \approx a$$

PTS: 2 REF: 011316a2 NAT: G.SRT.D.9 TOP: Using Trigonometry to Find Area
KEY: basic

288 ANS: 4

The line $y = 3x - 1$ passes through the center of dilation, so the dilated line is not distinct.

PTS: 2 REF: 081524geo NAT: G.SRT.A.1 TOP: Line Dilations

289 ANS: 3

$$\tan 34 = \frac{T}{20}$$

$$T \approx 13.5$$

PTS: 2 REF: 061505geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side
KEY: graphics

290 ANS:

$M\left(\frac{4+0}{2}, \frac{6-1}{2}\right) = M\left(2, \frac{5}{2}\right)$ $m = \frac{6-1}{4-0} = \frac{5}{4}$ $m_{\perp} = -\frac{4}{5}$ $y - 2.5 = -\frac{4}{5}(x - 2)$ The diagonals, \overline{MT} and \overline{AH} , of rhombus $MATH$ are perpendicular bisectors of each other.

PTS: 4 REF: fall1411geo NAT: G.GPE.B.4 TOP: Quadrilaterals in the Coordinate Plane
KEY: grids

291 ANS: 1 PTS: 2 REF: 012512geo NAT: G.CO.C.10

TOP: Midsegments

292 ANS: 4 PTS: 2 REF: 011611geo NAT: G.CO.B.6

TOP: Properties of Transformations KEY: graphics

293 ANS:


$$\frac{\left(\frac{180-20}{2}\right)}{360} \times \pi(6)^2 = \frac{80}{360} \times 36\pi = 8\pi$$

PTS: 4 REF: spr1410geo NAT: G.C.B.5 TOP: Sectors

294 ANS: 1 PTS: 2 REF: 081606geo NAT: G.SRT.C.7

TOP: Cofunctions

295 ANS:



$$180 - 2(30) = 120$$

PTS: 2

REF: 011626geo

NAT: G.C.A.2

TOP: Chords, Secants and Tangents

KEY: parallel lines

296 ANS: 3

$$\frac{12}{4} = \frac{x}{5} \quad 15 - 4 = 11$$

$$x = 15$$

PTS: 2


REF: 011624geo

NAT: G.SRT.B.5

TOP: Similarity

KEY: basic

297 ANS: 3



PTS: 2

REF: 011603geo

NAT: G.CO.C.11

TOP: Interior and Exterior Angles of Polygons

298 ANS:

$4x - .07 = 2x + .01$ $\sin A$ is the ratio of the opposite side and the hypotenuse while $\cos B$ is the ratio of the adjacent

$$2x = 0.8$$

$$x = 0.4$$

side and the hypotenuse. The side opposite angle A is the same side as the side adjacent to angle B . Therefore, $\sin A = \cos B$.


PTS: 2

REF: fall1407geo

NAT: G.SRT.C.7

TOP: Cofunctions

299 ANS:



PTS: 2

REF: 061525geo

NAT: G.CO.D.13

TOP: Constructions

300 ANS:

$$\frac{3}{8} \cdot 56 = 21$$

PTS: 2 REF: 081625geo NAT: G.C.A.2 TOP: Chords, Secants and Tangents

KEY: common tangents

301 ANS: 3

1) only proves AA; 2) need congruent legs for HL; 3) SAS; 4) only proves product of altitude and base is equal

PTS: 2 REF: 061607geo NAT: G.SRT.B.5 TOP: Triangle Proofs

KEY: statements

302 ANS: 1

$$\frac{6}{8} = \frac{9}{12}$$

PTS: 2 REF: 011613geo NAT: G.SRT.B.5 TOP: Similarity

KEY: basic

303 ANS:

Circle A can be mapped onto circle B by first translating circle A along vector \overrightarrow{AB} such that A maps onto B , and then dilating circle A , centered at A , by a scale factor of $\frac{5}{3}$. Since there exists a sequence of transformations that maps circle A onto circle B , circle A is similar to circle B .

PTS: 2 REF: spr1404geo NAT: G.C.A.1 TOP: Similarity Proofs

304 ANS:

It is given that point D is the image of point A after a reflection in line CH . It is given that \overleftrightarrow{CH} is the perpendicular bisector of \overline{BCE} at point C . Since a bisector divides a segment into two congruent segments at its midpoint, $\overline{BC} \cong \overline{EC}$. Point E is the image of point B after a reflection over the line CH , since points B and E are equidistant from point C and it is given that \overleftrightarrow{CH} is perpendicular to \overline{BE} . Point C is on \overleftrightarrow{CH} , and therefore, point C maps to itself after the reflection over \overleftrightarrow{CH} . Since all three vertices of triangle ABC map to all three vertices of triangle DEC under the same line reflection, then $\triangle ABC \cong \triangle DEC$ because a line reflection is a rigid motion and triangles are congruent when one can be mapped onto the other using a sequence of rigid motions.

PTS: 6 REF: spr1414geo NAT: G.CO.B.7 TOP: Triangle Congruency

305 ANS:

Yes. The sequence of transformations consists of a reflection and a translation, which are isometries which preserve distance and congruency.

PTS: 2 REF: 011628geo NAT: G.CO.B.7 TOP: Triangle Congruency

306 ANS: 4 PTS: 2 REF: 061615geo NAT: G.SRT.C.6

TOP: Trigonometric Ratios

307 ANS: 4

$$2592276 = \frac{1}{3} \cdot s^2 \cdot 146.5$$

$$230 \approx s$$

PTS: 2 REF: 081521geo NAT: G.GMD.A.3 TOP: Volume

KEY: pyramids

308 ANS:

Triangle $X'Y'Z'$ is the image of $\triangle XYZ$ after a rotation about point Z such that \overline{ZX} coincides with \overline{ZU} . Since rotations preserve angle measure, \overline{ZY} coincides with \overline{ZV} , and corresponding angles X and Y , after the rotation, remain congruent, so $\overline{XY} \parallel \overline{UV}$. Then, dilate $\triangle X'Y'Z'$ by a scale factor of $\frac{ZU}{ZX}$ with its center at point Z . Since dilations preserve parallelism, \overline{XY} maps onto \overline{UV} . Therefore, $\triangle XYZ \sim \triangle UVZ$.

PTS: 2 REF: spr1406geo NAT: G.SRT.A.2 TOP: Compositions of Transformations

KEY: grids

309 ANS: 1

PTS: 2

REF: 061520geo

NAT: G.C.A.2

TOP: Chords, Secants and Tangents

KEY: mixed

310 ANS: 2

The line $y = 2x - 4$ does not pass through the center of dilation, so the dilated line will be distinct from $y = 2x - 4$. Since a dilation preserves parallelism, the line $y = 2x - 4$ and its image will be parallel, with slopes of 2. To obtain the y -intercept of the dilated line, the scale factor of the dilation, $\frac{3}{2}$, can be applied to the y -intercept,

$(0, -4)$. Therefore, $\left(0 \cdot \frac{3}{2}, -4 \cdot \frac{3}{2}\right) \rightarrow (0, -6)$. So the equation of the dilated line is $y = 2x - 6$.

PTS: 2

REF: fall1403geo

NAT: G.SRT.A.1

TOP: Line Dilations

311 ANS: 3

PTS: 2

REF: 061601geo

NAT: G.GMD.B.4

TOP: Rotations of Two-Dimensional Objects

312 ANS: 2

PTS: 2

REF: 012518geo

NAT: G.SRT.A.1

TOP: Line Dilations

313 ANS:

Parallelogram $ABCD$, $\overline{BE} \perp \overline{CED}$, $\overline{DF} \perp \overline{BFC}$, $\overline{CE} \cong \overline{CF}$ (given). $\angle BEC \cong \angle DFC$ (perpendicular lines form right angles, which are congruent). $\angle FCD \cong \angle BCE$ (reflexive property). $\triangle BEC \cong \triangle DFC$ (ASA). $\overline{BC} \cong \overline{CD}$ (CPCTC). $ABCD$ is a rhombus (a parallelogram with consecutive congruent sides is a rhombus).

PTS: 6

REF: 081535geo

NAT: G.SRT.B.5

TOP: Quadrilateral Proofs

314 ANS:

$$\begin{aligned} \tan 52.8 &= \frac{h}{x} & x \tan 52.8 &= x \tan 34.9 + 8 \tan 34.9 & \tan 52.8 &\approx \frac{h}{9} & 11.86 + 1.7 &\approx 13.6 \\ h &= x \tan 52.8 & x \tan 52.8 - x \tan 34.9 &= 8 \tan 34.9 & & & x &\approx 11.86 \\ \tan 34.9 &= \frac{h}{x+8} & x(\tan 52.8 - \tan 34.9) &= 8 \tan 34.9 & & & & \\ h &= (x+8) \tan 34.9 & x &= \frac{8 \tan 34.9}{\tan 52.8 - \tan 34.9} & & & & \\ & & & x &\approx 9 & & & \end{aligned}$$

PTS: 6 REF: 011636geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side
KEY: advanced

315 ANS: 4

The slope of \overline{BC} is $\frac{2}{5}$. Altitude is perpendicular, so its slope is $-\frac{5}{2}$.

PTS: 2 REF: 061614geo NAT: G.GPE.B.4 TOP: Triangles in the Coordinate Plane


316 ANS:

Quadrilateral $ABCD$ with diagonals \overline{AC} and \overline{BD} that bisect each other, and $\angle 1 \cong \angle 2$ (given); quadrilateral $ABCD$ is a parallelogram (the diagonals of a parallelogram bisect each other); $\overline{AB} \parallel \overline{CD}$ (opposite sides of a parallelogram are parallel); $\angle 1 \cong \angle 3$ and $\angle 2 \cong \angle 4$ (alternate interior angles are congruent); $\angle 2 \cong \angle 3$ and $\angle 3 \cong \angle 4$ (substitution); $\triangle ACD$ is an isosceles triangle (the base angles of an isosceles triangle are congruent); $\overline{AD} \cong \overline{DC}$ (the sides of an isosceles triangle are congruent); quadrilateral $ABCD$ is a rhombus (a rhombus has consecutive congruent sides); $\overline{AE} \perp \overline{BE}$ (the diagonals of a rhombus are perpendicular); $\angle BEA$ is a right angle (perpendicular lines form a right angle); $\triangle AEB$ is a right triangle (a right triangle has a right angle).

PTS: 6 REF: 061635geo NAT: G.CO.C.11 TOP: Quadrilateral Proofs

317 ANS: 3 PTS: 2 REF: 061616geo NAT: G.CO.A.2
TOP: Identifying Transformations KEY: graphics

318 ANS: 3



PTS: 2 REF: 081508geo NAT: G.CO.C.11 TOP: Interior and Exterior Angles of Polygons

319 ANS: 2

$$\frac{12}{4} = \frac{36}{x}$$

$$12x = 144$$

$$x = 12$$

PTS: 2 REF: 061621geo NAT: G.SRT.B.4 TOP: Side Splitter Theorem

320 ANS:

$$\tan 7 = \frac{125}{x} \quad \tan 16 = \frac{125}{y} \quad 1018 - 436 \approx 582$$

$$x \approx 1018 \quad y \approx 436$$

PTS: 4 REF: 081532geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side
KEY: advanced

321 ANS:

Each quarter in both stacks has the same base area. Therefore, each corresponding cross-section of the stacks will have the same area. Since the two stacks of quarters have the same height of 23 quarters, the two volumes must be the same.

PTS: 2 REF: spr1405geo NAT: G.GMD.A.1 TOP: Volume

322 ANS: 2

$$C = \pi d \quad V = \pi \left(\frac{2.25}{\pi} \right)^2 \cdot 8 \approx 12.8916 \quad W = 12.8916 \cdot 752 \approx 9694$$

$$4.5 = \pi d$$

$$\frac{4.5}{\pi} = d$$

$$\frac{2.25}{\pi} = r$$

PTS: 2 REF: 081617geo NAT: G.MG.A.2 TOP: Density

323 ANS: 2 PTS: 2 REF: 081619geo NAT: G.C.B.5

TOP: Sectors

324 ANS:

(2) Euclid's Parallel Postulate; (3) Alternate interior angles formed by parallel lines and a transversal are congruent; (4) Angles forming a line are supplementary; (5) Substitution

PTS: 4 REF: 011633geo NAT: G.CO.C.10 TOP: Triangle Proofs

325 ANS: 3

$$\sqrt{20^2 - 10^2} \approx 17.3$$


PTS: 2 REF: 081608geo NAT: G.SRT.C.8 TOP: 30-60-90 Triangles

326 ANS: 2

The given line h , $2x + y = 1$, does not pass through the center of dilation, the origin, because the y -intercept is at $(0, 1)$. The slope of the dilated line, m , will remain the same as the slope of line h , -2 . All points on line h , such as $(0, 1)$, the y -intercept, are dilated by a scale factor of 4; therefore, the y -intercept of the dilated line is $(0, 4)$ because the center of dilation is the origin, resulting in the dilated line represented by the equation $y = -2x + 4$.

PTS: 2 REF: spr1403geo NAT: G.SRT.A.1 TOP: Line Dilations

327 ANS:



$$-6 + \frac{2}{5}(4 - -6) \quad -5 + \frac{2}{5}(0 - -5) \quad (-2, -3)$$

$$-6 + \frac{2}{5}(10) \quad -5 + \frac{2}{5}(5)$$


$$-6 + 4 \quad -5 + 2$$

$$-2 \quad -3$$


- PTS: 2 REF: 061527geo NAT: G.GPE.B.6 TOP: Directed Line Segments
 328 ANS: 4 PTS: 2 REF: 061608geo NAT: G.SRT.A.2
 TOP: Compositions of Transformations KEY: grids
 329 ANS: 4 PTS: 2 REF: 061504geo NAT: G.CO.A.5
 TOP: Compositions of Transformations KEY: identify
 330 ANS: 3 PTS: 2 REF: 011621geo NAT: G.C.A.2
 TOP: Chords, Secants and Tangents KEY: inscribed
 331 ANS: 1

$$V = \frac{\frac{4}{3}\pi\left(\frac{10}{2}\right)^3}{2} \approx 261.8 \cdot 62.4 = 16,336$$

- PTS: 2 REF: 081516geo NAT: G.MG.A.2 TOP: Density
 332 ANS:



- PTS: 2 REF: 081526geo NAT: G.CO.D.13 TOP: Constructions
 333 ANS: 2



- PTS: 2 REF: 081604geo NAT: G.CO.C.10 TOP: Interior and Exterior Angles of Triangles

334 ANS: 4

$$\frac{2}{6} = \frac{5}{15}$$

PTS: 2 REF: 081517geo NAT: G.SRT.B.4 TOP: Side Splitter Theorem

335 ANS:

$$A = 6^2 \pi = 36\pi \quad 36\pi \cdot \frac{x}{360} = 12\pi$$

$$x = 360 \cdot \frac{12}{36}$$

$$x = 120$$

PTS: 2 REF: 061529geo NAT: G.C.B.5 TOP: Sectors

336 ANS: 4 PTS: 2 REF: 081514geo NAT: G.SRT.A.2

TOP: Compositions of Transformations KEY: grids

337 ANS: 2

$$\sqrt{3 \cdot 21} = \sqrt{63} = 3\sqrt{7}$$

PTS: 2 REF: 011622geo NAT: G.SRT.B.4 TOP: Similarity

338 ANS: 1

$$x^2 - 4x + 4 + y^2 + 8y + 16 = -11 + 4 + 16$$

$$(x - 2)^2 + (y + 4)^2 = 9$$

PTS: 2 REF: 081616geo NAT: G.GPE.A.1 TOP: Equations of Circles

KEY: completing the square

339 ANS: 1

$$m = -\frac{2}{3} \quad 1 = \left(-\frac{2}{3}\right)6 + b$$

$$1 = -4 + b$$

$$5 = b$$

PTS: 2 REF: 081510geo NAT: G.GPE.B.5 TOP: Parallel and Perpendicular Lines

KEY: write equation of parallel line

340 ANS: 2

$$\sqrt{(-1 - 2)^2 + (4 - 3)^2} = \sqrt{10}$$

PTS: 2 REF: 011615geo NAT: G.GPE.B.7 TOP: Polygons in the Coordinate Plane

341 ANS: 4

$$x = -6 + \frac{1}{6}(6 - -6) = -6 + 2 = -4 \quad y = -2 + \frac{1}{6}(7 - -2) = -2 + \frac{9}{6} = -\frac{1}{2}$$

PTS: 2 REF: 081618geo NAT: G.GPE.B.6 TOP: Directed Line Segments

342 ANS:

As the sum of the measures of the angles of a triangle is 180° , $m\angle ABC + m\angle BCA + m\angle CAB = 180^\circ$. Each interior angle of the triangle and its exterior angle form a linear pair. Linear pairs are supplementary, so $m\angle ABC + m\angle FBC = 180^\circ$, $m\angle BCA + m\angle DCA = 180^\circ$, and $m\angle CAB + m\angle EAB = 180^\circ$. By addition, the sum of these linear pairs is 540° . When the angle measures of the triangle are subtracted from this sum, the result is 360° , the sum of the exterior angles of the triangle.

PTS: 4 REF: fall1410geo NAT: G.CO.C.10 TOP: Triangle Proofs

343 ANS: 3

$$A = \frac{1}{2}ab \quad 3 - 6 = -3 = x$$

$$24 = \frac{1}{2}a(8) \quad \frac{4+12}{2} = 8 = y$$

$$a = 6$$

PTS: 2 REF: 081615geo NAT: G.GPE.B.7 TOP: Polygons in the Coordinate Plane

344 ANS: 1

$$m = \frac{-A}{B} = \frac{-2}{-1} = 2$$

$$m_{\perp} = -\frac{1}{2}$$

PTS: 2 REF: 061509geo NAT: G.GPE.B.5 TOP: Parallel and Perpendicular Lines

KEY: identify perpendicular lines

345 ANS:

The acute angles in a right triangle are always complementary. The sine of any acute angle is equal to the cosine of its complement.

PTS: 2 REF: spr1407geo NAT: G.SRT.C.7 TOP: Cofunctions

346 ANS:

$$V = \frac{1}{3}\pi\left(\frac{8.3}{2}\right)^2(10.2) + \frac{1}{2} \cdot \frac{4}{3}\pi\left(\frac{8.3}{2}\right)^3 \approx 183.961 + 149.693 \approx 333.65 \text{ cm}^3 \quad 333.65 \times 50 = 16682.7 \text{ cm}^3$$

$$16682.7 \times 0.697 = 11627.8 \text{ g} \quad 11.6278 \times 3.83 = \$44.53$$

PTS: 6 REF: 081636geo NAT: G.MG.A.2 TOP: Density

347 ANS: 4 PTS: 2 REF: 061606geo NAT: G.GMD.A.3

TOP: Volume KEY: compositions

348 ANS: 1

The man's height, 69 inches, is opposite to the angle of elevation, and the shadow length, 102 inches, is adjacent to the angle of elevation. Therefore, tangent must be used to find the angle of elevation. $\tan x = \frac{69}{102}$

$$x \approx 34.1$$

PTS: 2 REF: fall1401geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find an Angle

349 ANS:

$$\tan x = \frac{12}{75} \quad \tan y = \frac{72}{75} \quad 43.83 - 9.09 \approx 34.7$$

$$x \approx 9.09 \quad y \approx 43.83$$

PTS: 4 REF: 081634geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find an Angle

350 ANS: 3

$$\frac{60}{360} \cdot 8^2 \pi = \frac{1}{6} \cdot 64\pi = \frac{32\pi}{3}$$

PTS: 2 REF: 061624geo NAT: G.C.B.5 TOP: Sectors

351 ANS: 2 PTS: 2 REF: 081501geo NAT: G.CO.C.11

TOP: Special Quadrilaterals

352 ANS: 4

$$3 \times 6 = 18$$

PTS: 2 REF: 061602geo NAT: G.SRT.A.1 TOP: Line Dilations

353 ANS: 4 PTS: 2 REF: 081506geo NAT: G.SRT.A.2

TOP: Dilations

354 ANS: 2 PTS: 2 REF: 061516geo NAT: G.SRT.A.2

TOP: Dilations

355 ANS:

$$\ell: y = 3x - 4$$

$$m: y = 3x - 8$$

PTS: 2 REF: 011631geo NAT: G.SRT.A.1 TOP: Line Dilations

356 ANS: 3

$$V = 12 \cdot 8.5 \cdot 4 = 408$$

$$W = 408 \cdot 0.25 = 102$$

PTS: 2 REF: 061507geo NAT: G.MG.A.2 TOP: Density

357 ANS:

Similar triangles are required to model and solve a proportion. $\frac{x+5}{1.5} = \frac{x}{1} \quad \frac{1}{3} \pi (1.5)^2 (15) - \frac{1}{3} \pi (1)^2 (10) \approx 24.9$

$$x + 5 = 1.5x$$

$$5 = .5x$$

$$10 = x$$

$$10 + 5 = 15$$

PTS: 6 REF: 061636geo NAT: G.GMD.A.3 TOP: Volume

KEY: cones

358 ANS: 4

$$\sin 70 = \frac{x}{20}$$

$$x \approx 18.8$$

PTS: 2 REF: 061611geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side
KEY: without graphics

359 ANS: 1

$$\frac{1}{2}(7.4)(3.8)\sin 126 \approx 11.4$$

PTS: 2 REF: 011218a2 NAT: G.SRT.D.9 TOP: Using Trigonometry to Find Area
KEY: basic

360 ANS: 2 PTS: 2 REF: 081519geo NAT: G.SRT.B.5

TOP: Similarity KEY: basic

361 ANS: 2

$$x^2 + y^2 + 6y + 9 = 7 + 9$$

$$x^2 + (y + 3)^2 = 16$$

PTS: 2 REF: 061514geo NAT: G.GPE.A.1 TOP: Equations of Circles
KEY: completing the square

362 ANS: 1 PTS: 2 REF: 081603geo NAT: G.GMD.B.4

TOP: Rotations of Two-Dimensional Objects

363 ANS:

$$\tan x = \frac{10}{4}$$

$$x \approx 68$$

PTS: 2 REF: 061630geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find an Angle

364 ANS:

$M = 180 - (47 + 57) = 76$ Rotations do not change angle measurements.

PTS: 2 REF: 081629geo NAT: G.CO.B.6 TOP: Properties of Transformations

365 ANS: 2

$$x^2 = 4 \cdot 10$$

$$x = \sqrt{40}$$

$$x = 2\sqrt{10}$$

PTS: 2 REF: 081610geo NAT: G.SRT.B.4 TOP: Similarity

366 ANS:

$$\frac{2}{5} \cdot (16 - 1) = 6 \quad \frac{2}{5} \cdot (14 - 4) = 4 \quad (1 + 6, 4 + 4) = (7, 8)$$

PTS: 2 REF: 081531geo NAT: G.GPE.B.6 TOP: Directed Line Segments

367 ANS: 3 PTS: 2 REF: 081613geo NAT: G.GMD.B.4
TOP: Cross-Sections of Three-Dimensional Objects

368 ANS: 2

$$\frac{11}{1.2 \text{ oz}} \left(\frac{16 \text{ oz}}{1 \text{ lb}} \right) = \frac{13.\bar{3}1}{\text{lb}} \frac{13.\bar{3}1}{\text{lb}} \left(\frac{1 \text{ g}}{3.7851} \right) \approx \frac{3.5 \text{ g}}{1 \text{ lb}}$$

PTS: 2 REF: 061618geo NAT: G.MG.A.2 TOP: Density

369 ANS: 1
 $180 - (68 \cdot 2)$

PTS: 2 REF: 081624geo NAT: G.CO.C.11 TOP: Interior and Exterior Angles of Polygons

370 ANS:

$\triangle MNO$ is congruent to $\triangle PNO$ by SAS. Since $\triangle MNO \cong \triangle PNO$, then $\overline{MO} \cong \overline{PO}$ by CPCTC. So \overline{NO} must divide \overline{MP} in half, and $MO = 8$.


PTS: 2 REF: fall1405geo NAT: G.SRT.B.4 TOP: Medians, Altitudes and Bisectors

371 ANS:

$$\frac{137.8}{6^3} \approx 0.638 \text{ Ash}$$

PTS: 2 REF: 081525geo NAT: G.MG.A.2 TOP: Density
372 ANS: 3 PTS: 2 REF: 081622geo NAT: G.SRT.B.5
TOP: Triangle Proofs KEY: statements

373 ANS:



$$\frac{1.65}{4.15} = \frac{x}{16.6}$$

$$4.15x = 27.39$$

$$x = 6.6$$

PTS: 2 REF: 061531geo NAT: G.SRT.B.5 TOP: Similarity
KEY: basic

374 ANS: 3

$$\frac{5}{2}(x+3) = 3x+5 \quad AB = 5+3 = 8 \quad 8 \times 4 = 32$$

$$5x + 15 = 6x + 10$$

$$5 = x$$

PTS: 2 REF: 012514geo NAT: G.SRT.B.5 TOP: Similarity
KEY: perimeter and area

375 ANS: 2

x is $\frac{1}{2}$ the circumference. $\frac{C}{2} = \frac{10\pi}{2} \approx 16$

PTS: 2 REF: 061523geo NAT: G.GMD.A.1 TOP: Circumference

376 ANS: 3 PTS: 2 REF: 011605geo NAT: G.CO.A.2

TOP: Analytical Representations of Transformations KEY: basic

377 ANS:

ABC – point of reflection $\rightarrow (-y, x)$ + point of reflection $\triangle DEF \cong \triangle A'B'C'$ because $\triangle DEF$ is a reflection of

$A(2, -3) - (2, -3) = (0, 0) \rightarrow (0, 0) + (2, -3) = A'(2, -3)$

$B(6, -8) - (2, -3) = (4, -5) \rightarrow (5, 4) + (2, -3) = B'(7, 1)$

$C(2, -9) - (2, -3) = (0, -6) \rightarrow (6, 0) + (2, -3) = C'(8, -3)$

$\triangle A'B'C'$ and reflections preserve distance.

PTS: 4 REF: 081633geo NAT: G.CO.A.5 TOP: Rotations

KEY: grids

378 ANS: 3

$\frac{60}{360} \cdot 6^2 \pi = 6\pi$

PTS: 2 REF: 081518geo NAT: G.C.B.5 TOP: Sectors

379 ANS: 2 PTS: 2 REF: 011610geo NAT: G.SRT.A.1

TOP: Line Dilations

380 ANS:

$\overline{LA} \cong \overline{DN}$, $\overline{CA} \cong \overline{CN}$, and $\overline{DAC} \perp \overline{LCN}$ (Given). $\angle LCA$ and $\angle DCN$ are right angles (Definition of perpendicular lines). $\triangle LAC$ and $\triangle DNC$ are right triangles (Definition of a right triangle). $\triangle LAC \cong \triangle DNC$ (HL).

$\triangle LAC$ will map onto $\triangle DNC$ after rotating $\triangle LAC$ counterclockwise 90° about point C such that point L maps onto point D .

PTS: 4 REF: spr1408geo NAT: G.CO.B.8 TOP: Triangle Congruency

381 ANS: 2 PTS: 2 REF: 061603geo NAT: G.GPE.A.1

TOP: Equations of Circles KEY: find center and radius | completing the square

382 ANS: 2

$V = \frac{1}{3} \cdot 6^2 \cdot 12 = 144$

PTS: 2 REF: 011607geo NAT: G.GMD.A.3 TOP: Volume

KEY: pyramids

383 ANS: 3

$$\frac{AB}{BC} = \frac{DE}{EF}$$

$$\frac{9}{15} = \frac{6}{10}$$

$$90 = 90$$

PTS: 2 REF: 061515geo NAT: G.SRT.B.5 TOP: Similarity

KEY: basic


384 ANS:

$73 + R = 90$ Equal cofunctions are complementary.

$$R = 17$$

PTS: 2 REF: 061628geo NAT: G.SRT.C.7 TOP: Cofunctions

385 ANS:



$$x = \frac{2}{3}(4 - (-2)) = 4 \quad -2 + 4 = 2 \quad J(2, 5)$$

$$y = \frac{2}{3}(7 - 1) = 4 \quad 1 + 4 = 5$$

PTS: 2 REF: 011627geo NAT: G.GPE.B.6 TOP: Directed Line Segments

386 ANS: 1

The other statements are true only if $\overline{AD} \perp \overline{BC}$.

PTS: 2 REF: 081623geo NAT: G.C.A.2 TOP: Chords, Secants and Tangents


KEY: inscribed

387 ANS: 1

The line $3y = -2x + 8$ does not pass through the center of dilation, so the dilated line will be distinct from $3y = -2x + 8$. Since a dilation preserves parallelism, the line $3y = -2x + 8$ and its image $2x + 3y = 5$ are parallel, with slopes of $-\frac{2}{3}$.

PTS: 2 REF: 061522geo NAT: G.SRT.A.1 TOP: Line Dilations

388 ANS: 3



$$8 \times 6 - \frac{1}{2}(8 \times 1 + 5 \times 2 + 6 \times 6) = 48 - \frac{1}{2}(54) = 21$$

PTS: 2 REF: 012511geo NAT: G.GPE.B.7 TOP: Polygons in the Coordinate Plane

389 ANS: 4 PTS: 2 REF: 061502geo NAT: G.CO.A.2

TOP: Identifying Transformations KEY: basic

390 ANS:

 $T_{6,0} \circ r_{x\text{-axis}}$ PTS: 2 REF: 061625geo NAT: G.CO.A.5 TOP: Compositions of Transformations
KEY: identify

391 ANS: 2 PTS: 2 REF: 081601geo NAT: G.CO.C.9

TOP: Lines and Angles

392 ANS: 1

$$\frac{360^\circ}{45^\circ} = 8$$

PTS: 2 REF: 061510geo NAT: G.CO.A.3 TOP: Mapping a Polygon onto Itself

393 ANS:

Circle O , chords \overline{AB} and \overline{CD} intersect at E (Given); Chords \overline{CB} and \overline{AD} are drawn (auxiliary lines drawn);
 $\angle CEB \cong \angle AED$ (vertical angles); $\angle C \cong \angle A$ (Inscribed angles that intercept the same arc are congruent); $\triangle BCE \sim \triangle DAE$ (AA); $\frac{AE}{CE} = \frac{ED}{EB}$ (Corresponding sides of similar triangles are proportional); $AE \cdot EB = CE \cdot ED$ (The product of the means equals the product of the extremes).

PTS: 6 REF: 081635geo NAT: G.SRT.B.5 TOP: Circle Proofs

394 ANS: 1 PTS: 2 REF: 061508geo NAT: G.C.A.2

TOP: Chords, Secants and Tangents KEY: inscribed

395 ANS:

$$4 + \frac{4}{9}(22 - 4) \quad 2 + \frac{4}{9}(2 - 2) \quad (12, 2)$$

$$4 + \frac{4}{9}(18) \quad 2 + \frac{4}{9}(0)$$

$$4 + 8 \quad 2 + 0$$

$$12 \quad 2$$

PTS: 2 REF: 061626geo NAT: G.GPE.B.6 TOP: Directed Line Segments

396 ANS: 4

$$\frac{1}{2} = \frac{x+3}{3x-1} \quad GR = 3(7) - 1 = 20$$

$$3x - 1 = 2x + 6$$

$$x = 7$$

PTS: 2 REF: 011620geo NAT: G.SRT.B.5 TOP: Similarity

KEY: basic

397 ANS:


Translations preserve distance. If point D is mapped onto point A , point F would map onto point C . $\triangle DEF \cong \triangle ABC$ as $\overline{AC} \cong \overline{DF}$ and points are collinear on line ℓ and a reflection preserves distance.

PTS: 4 REF: 081534geo NAT: G.CO.B.7 TOP: Triangle Congruency

398 ANS: 4 PTS: 2 REF: 061501geo NAT: G.GMD.B.4

TOP: Rotations of Two-Dimensional Objects

399 ANS:



PTS: 2 REF: 081626geo NAT: G.CO.A.5 TOP: Compositions of Transformations

KEY: grids


400 ANS:

Since linear angles are supplementary, $m\angle GIH = 65^\circ$. Since $\overline{GH} \cong \overline{IH}$, $m\angle GHI = 50^\circ$ ($180 - (65 + 65)$). Since $\angle EGB \cong \angle GHI$, the corresponding angles formed by the transversal and lines are congruent and $\overline{AB} \parallel \overline{CD}$.

PTS: 4 REF: 061532geo NAT: G.CO.C.9 TOP: Lines and Angles

401 ANS:

The slopes of perpendicular line are opposite reciprocals. Since the lines are perpendicular, they form right angles



and a right triangle. $m_{BC} = -\frac{3}{2}$ $-1 = \frac{2}{3}(-3) + b$ or $-4 = \frac{2}{3}(-1) + b$

$$m_{\perp} = \frac{2}{3} \quad -1 = -2 + b \quad \frac{-12}{3} = \frac{-2}{3} + b$$

$$1 = b$$

$$3 = \frac{2}{3}x + 1$$

$$-\frac{10}{3} = b$$

$$2 = \frac{2}{3}x$$

$$3 = \frac{2}{3}x - \frac{10}{3}$$

$$3 = x$$

$$9 = 2x - 10$$

$$19 = 2x$$

$$9.5 = x$$

PTS: 4

REF: 081533geo

NAT: G.GPE.B.4

TOP: Triangles in the Coordinate Plane

402 ANS: 1

PTS: 2


REF: 081605geo

NAT: G.CO.A.5

TOP: Rotations

KEY: grids

403 ANS: 3



PTS: 2

REF: 012513geo

NAT: G.CO.C.9

TOP: Lines and Angles

404 ANS: 3

$$\frac{120 + (180 - 105)}{2} = \frac{195}{2} = 97.5$$

PTS: 2 REF: 012510geo NAT: G.C.A.2 TOP: Chords, Secants and Tangents
KEY: intersecting chords, angle

405 ANS: 1

1) opposite sides; 2) adjacent sides; 3) perpendicular diagonals; 4) diagonal bisects angle

PTS: 2 REF: 061609geo NAT: G.CO.C.11 TOP: Special Quadrilaterals

406 ANS: 3

$$\frac{\frac{4}{3}\pi\left(\frac{9.5}{2}\right)^3}{\frac{4}{3}\pi\left(\frac{2.5}{2}\right)^3} \approx 55$$

PTS: 2 REF: 011614geo NAT: G.GMD.A.3 TOP: Volume
KEY: spheres

407 ANS:

The transformation is a rotation, which is a rigid motion.

PTS: 2 REF: 081530geo NAT: G.CO.B.7 TOP: Triangle Congruency


408 ANS: 2

$$\frac{1}{2}(22)(13)\sin 55 \approx 117$$

PTS: 2 REF: 061403a2 NAT: G.SRT.D.9 TOP: Using Trigonometry to Find Area
KEY: basic

409 ANS: 2


Segments drawn from the center of the regular pentagon bisect each angle of the pentagon, and create five isosceles triangles as shown in the diagram below. Since each exterior angle equals the angles formed by the segments drawn from the center of the regular pentagon, the minimum degrees necessary to carry a regular polygon onto itself are equal to the measure of an exterior angle of the regular polygon.



$$\frac{360}{5} = 72.$$

PTS: 2 REF: spr1402geo NAT: G.CO.A.3 TOP: Mapping a Polygon onto Itself

410 ANS:



PTS: 2 REF: 081628geo NAT: G.CO.D.12 TOP: Constructions
KEY: line bisector

411 ANS: 4 PTS: 2 REF: 081611geo NAT: G.CO.C.9
TOP: Lines and Angles

412 ANS: 4 PTS: 2 REF: 061512geo NAT: G.SRT.C.7
TOP: Cofunctions

413 ANS: 1

$$\frac{f}{4} = \frac{15}{6}$$

$$f = 10$$

PTS: 2 REF: 061617geo NAT: G.CO.C.9 TOP: Lines and Angles

414 ANS:

$$\frac{16}{9} = \frac{x}{20.6} \quad D = \sqrt{36.6^2 + 20.6^2} \approx 42$$

$$x \approx 36.6$$

PTS: 4 REF: 011632geo NAT: G.SRT.B.5 TOP: Similarity
KEY: basic

415 ANS: 3

$$1) \frac{12}{9} = \frac{4}{3} \quad 2) AA \quad 3) \frac{32}{16} \neq \frac{8}{2} \quad 4) SAS$$

PTS: 2 REF: 061605geo NAT: G.SRT.B.5 TOP: Similarity
KEY: basic

416 ANS:

$$\sin 70 = \frac{30}{L}$$

$$L \approx 32$$

PTS: 2 REF: 011629geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side
KEY: graphics

417 ANS:

$$V = \frac{1}{3} \pi \left(\frac{3}{2} \right)^2 \cdot 8 \approx 18.85 \cdot 100 = 1885 \quad 1885 \cdot 0.52 \cdot 0.10 = 98.02 \quad 1.95(100) - (37.83 + 98.02) = 59.15$$

PTS: 6 REF: 081536geo NAT: G.MG.A.2 TOP: Density

418 ANS: 4 PTS: 2 REF: 012515geo NAT: G.CO.A.3
TOP: Mapping a Polygon onto Itself419 ANS: 1 PTS: 2 REF: 081505geo NAT: G.CO.A.3
TOP: Mapping a Polygon onto Itself

420 ANS: 4

$$x^2 + 6x + 9 + y^2 - 4y + 4 = 23 + 9 + 4$$

$$(x + 3)^2 + (y - 2)^2 = 36$$

PTS: 2 REF: 011617geo NAT: G.GPE.A.1 TOP: Equations of Circles
KEY: completing the square

421 ANS: 4

$$\sqrt{(32 - 8)^2 + (28 - -4)^2} = \sqrt{576 + 1024} = \sqrt{1600} = 40$$


PTS: 2 REF: 081621geo NAT: G.SRT.A.1 TOP: Line Dilations

422 ANS:

$$\frac{40000}{\pi \left(\frac{51}{2} \right)^2} \approx 19.6 \quad \frac{72000}{\pi \left(\frac{75}{2} \right)^2} \approx 16.3 \text{ Dish A}$$

PTS: 2 REF: 011630geo NAT: G.MG.A.2 TOP: Density


423 ANS:



$$\tan 3.47 = \frac{M}{6336}$$

$$M \approx 384$$

$$4960 + 384 = 5344$$



$$\tan 0.64 = \frac{A}{20,493}$$

$$A \approx 229$$

$$5344 - 229 = 5115$$

PTS: 6 REF: fall1413geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side
KEY: advanced

424 ANS:

$$\frac{6}{14} = \frac{9}{21} \text{ SAS}$$

$$126 = 126$$

PTS: 2 REF: 081529geo NAT: G.SRT.B.5 TOP: Similarity
KEY: basic

425 ANS: 3

$$\cos A = \frac{9}{14}$$

$$A \approx 50^\circ$$

PTS: 2 REF: 011616geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find an Angle

426 ANS: 3

$$\frac{x}{360} \cdot 3^2 \pi = 2\pi \quad 180 - 80 = 100$$

$$x = 80 \quad \frac{180 - 100}{2} = 40$$

PTS: 2 REF: 011612geo NAT: G.C.B.5 TOP: Sectors

427 ANS: 1

$$m_{\overline{RT}} = \frac{5 - -3}{4 - -2} = \frac{8}{6} = \frac{4}{3} \quad m_{\overline{ST}} = \frac{5 - 2}{4 - 8} = \frac{3}{-4} = -\frac{3}{4} \quad \text{Slopes are opposite reciprocals, so lines form a right angle.}$$

PTS: 2 REF: 011618geo NAT: G.GPE.B.4 TOP: Triangles in the Coordinate Plane

428 ANS:

Quadrilateral $ABCD$ is a parallelogram with diagonals \overline{AC} and \overline{BD} intersecting at E (Given). $\overline{AD} \cong \overline{BC}$ (Opposite sides of a parallelogram are congruent). $\angle AED \cong \angle CEB$ (Vertical angles are congruent). $\overline{BC} \parallel \overline{DA}$ (Definition of parallelogram). $\angle DBC \cong \angle BDA$ (Alternate interior angles are congruent). $\triangle AED \cong \triangle CEB$ (AAS). 180° rotation of $\triangle AED$ around point E .

PTS: 4 REF: 061533geo NAT: G.SRT.B.5 TOP: Quadrilateral Proofs

429 ANS: 2 PTS: 2 REF: 081602geo NAT: G.CO.A.2

TOP: Identifying Transformations KEY: basic


430 ANS: 2 PTS: 2 REF: 061506geo NAT: G.GMD.B.4

TOP: Cross-Sections of Three-Dimensional Objects

431 ANS: 1 PTS: 2 REF: 081507geo NAT: G.CO.A.5

TOP: Compositions of Transformations KEY: identify

432 ANS: 3



$$\sqrt{45} = 3\sqrt{5} \quad a = \frac{1}{2} (3\sqrt{5}) (6\sqrt{5}) = \frac{1}{2} (18)(5) = 45$$

$$\sqrt{180} = 6\sqrt{5}$$

PTS: 2 REF: 061622geo NAT: G.GPE.B.7 TOP: Polygons in the Coordinate Plane

433 ANS: 1

$$\frac{4}{6} = \frac{3}{4.5} = \frac{2}{3}$$

PTS: 2

REF: 081523geo NAT: G.SRT.A.2 TOP: Dilations

434 ANS:

$$\sin 75 = \frac{15}{x}$$

$$x = \frac{15}{\sin 75}$$


$$x \approx 15.5$$

PTS: 2

REF: 081631geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side

KEY: graphics

435 ANS:



PTS: 2

REF: 011625geo NAT: G.CO.A.5 TOP: Reflections

KEY: grids

436 ANS:

Circle O , secant \overline{ACD} , tangent \overline{AB} (Given). Chords \overline{BC} and \overline{BD} are drawn (Auxiliary lines). $\angle A \cong \angle A$, $\widehat{BC} \cong \widehat{BC}$ (Reflexive property). $m\angle BDC = \frac{1}{2} m\widehat{BC}$ (The measure of an inscribed angle is half the measure of the intercepted arc). $m\angle CBA = \frac{1}{2} m\widehat{BC}$ (The measure of an angle formed by a tangent and a chord is half the measure of the intercepted arc). $\angle BDC \cong \angle CBA$ (Angles equal to half of the same arc are congruent). $\triangle ABC \sim \triangle ADB$ (AA). $\frac{AB}{AC} = \frac{AD}{AB}$ (Corresponding sides of similar triangles are proportional). $AC \cdot AD = AB^2$ (In a proportion, the product of the means equals the product of the extremes).

PTS: 6

REF: spr1413geo NAT: G.SRT.B.5 TOP: Circle Proofs

437 ANS: 4

$$V = \pi \left(\frac{6.7}{2} \right)^2 (4 \cdot 6.7) \approx 945$$

PTS: 2

REF: 081620geo NAT: G.GMD.A.3 TOP: Volume


KEY: cylinders

438 ANS: 1
Alternate interior angles

PTS: 2 REF: 061517geo NAT: G.CO.C.9 TOP: Lines and Angles

439 ANS: 4 PTS: 2 REF: 081609geo NAT: G.SRT.A.2
TOP: Compositions of Transformations KEY: grids

440 ANS:



Since the square is inscribed, each vertex of the square is on the circle and the diagonals of the square are diameters of the circle. Therefore, each angle of the square is an inscribed angle in the circle that intercepts the circle at the endpoints of the diameters. Each angle of the square, which is an inscribed angle, measures 90 degrees. Therefore, the measure of the arc intercepted by two adjacent sides of the square is 180 degrees because it is twice the measure of its inscribed angle.

PTS: 4 REF: fall1412geo NAT: G.CO.D.13 TOP: Constructions

441 ANS:

Parallelogram $ABCD$, \overline{EFG} , and diagonal \overline{DFB} (given); $\angle DFE \cong \angle BFG$ (vertical angles); $\overline{AD} \parallel \overline{CB}$ (opposite sides of a parallelogram are parallel); $\angle EDF \cong \angle GBF$ (alternate interior angles are congruent); $\triangle DEF \sim \triangle BGF$ (AA).

PTS: 4 REF: 061633geo NAT: G.SRT.A.3 TOP: Similarity Proofs


Geometry Regents at Random Worksheets

Answer Section

442 ANS: 2
 $7 - 2 < T < 7 + 2$
 $5 < T < 9$

PTS: 2 REF: 012522geo NAT: G.CO.C.10 TOP: Triangle Inequality Theorem

443 ANS:



$$m_{\overline{MH}} = \frac{6}{10} = \frac{3}{5}, m_{\overline{AT}} = \frac{6}{10} = \frac{3}{5}, m_{\overline{MA}} = -\frac{5}{3}, m_{\overline{HT}} = -\frac{5}{3}; \overline{MH} \parallel \overline{AT} \text{ and } \overline{MA} \parallel \overline{HT}.$$

$MATH$ is a parallelogram since both sides of opposite sides are parallel. $m_{\overline{MA}} = -\frac{5}{3}, m_{\overline{AT}} = \frac{3}{5}$. Since the slopes are negative reciprocals, $\overline{MA} \perp \overline{AT}$ and $\angle A$ is a right angle. $MATH$ is a rectangle because it is a parallelogram with a right angle.

PTS: 6 REF: 081835geo NAT: G.GPE.B.4 TOP: Quadrilaterals in the Coordinate Plane
 KEY: grids

444 ANS:
 $\frac{1}{2} \cdot 15 \cdot 31.6 \sin 125 \approx 194$

PTS: 2 REF: 011633a2 NAT: G.SRT.D.9 TOP: Using Trigonometry to Find Area
 KEY: basic

445 ANS: 2 PTS: 2 REF: 011802geo NAT: G.CO.C.11
 TOP: Parallelograms

446 ANS:
 Yes. The bases of the cylinders have the same area and the cylinders have the same height.

PTS: 2 REF: 081725geo NAT: G.GMD.A.1 TOP: Volume

447 ANS: 1
 $2x + 4 + 46 = 90$
 $2x = 40$
 $x = 20$

PTS: 2 REF: 061808geo NAT: G.SRT.C.7 TOP: Cofunctions

448 ANS: 1

The slope of $3x + 2y = 12$ is $-\frac{3}{2}$, which is the opposite reciprocal of $\frac{2}{3}$.

PTS: 2 REF: 081811geo NAT: G.GPE.B.5 TOP: Parallel and Perpendicular Lines

KEY: identify perpendicular lines

449 ANS: 3

$$2.5 \times 1.25 \times (27 \times 12) + \frac{1}{2} \pi (1.25)^2 (27 \times 12) \approx 1808$$

PTS: 2 REF: 061723geo NAT: G.GMD.A.3 TOP: Volume

KEY: compositions

450 ANS: 3 PTS: 2 REF: 011815geo NAT: G.CO.A.3

TOP: Mapping a Polygon onto Itself

451 ANS: 1 PTS: 2 REF: 061707geo NAT: G.CO.A.3

TOP: Mapping a Polygon onto Itself

452 ANS: 3

$$\frac{x + 72}{2} = 58$$


$$x + 72 = 116$$

$$x = 44$$

PTS: 2 REF: 061817geo NAT: G.C.A.2 TOP: Chords, Secants and Tangents

KEY: intersecting chords, angle

453 ANS:



Right triangle because $\angle CBF$ is inscribed in a semi-circle.

PTS: 4 REF: 011733geo NAT: G.CO.D.13 TOP: Constructions

454 ANS: 3 PTS: 2 REF: 061816geo NAT: G.GMD.B.4

TOP: Rotations of Two-Dimensional Objects

455 ANS:

$$C = 2\pi r \quad V = \frac{1}{3} \pi \cdot 5^2 \cdot 13 \approx 340$$


$$31.416 = 2\pi r$$

$$5 \approx r$$

PTS: 4 REF: 011734geo NAT: G.GMD.A.3 TOP: Volume

KEY: cones

456 ANS:



$$\sqrt{(2.5-1)^2 + (-.5-1.5)^2} = \sqrt{2.25+4} = 2.5$$

PTS: 2 REF: 081729geo NAT: G.SRT.A.1 TOP: Line Dilations

457 ANS: 4 PTS: 2 REF: 081810geo NAT: G.SRT.B.5
TOP: Triangle Proofs KEY: statements

458 ANS: 1

$$x^2 + y^2 - 12y + 36 = -20 + 36$$

$$x^2 + (y-6)^2 = 16$$

PTS: 2 REF: 061712geo NAT: G.GPE.A.1 TOP: Equations of Circles
KEY: completing the square

459 ANS:

$$\sqrt[3]{\frac{3V_f}{4\pi}} - \sqrt[3]{\frac{3V_p}{4\pi}} = \sqrt[3]{\frac{3(294)}{4\pi}} - \sqrt[3]{\frac{3(180)}{4\pi}} \approx 0.6$$

PTS: 2 REF: 061728geo NAT: G.GMD.A.3 TOP: Volume
KEY: spheres

460 ANS: 3

$$\triangle CFB \sim \triangle CAD \quad \frac{CB}{CF} = \frac{CD}{CA}$$

$$\frac{x}{21.6} = \frac{7.2}{9.6}$$

$$x = 16.2$$

PTS: 2 REF: 061804geo NAT: G.SRT.B.5 TOP: Similarity
KEY: basic

461 ANS:

$$2\left(\frac{36}{12} \times \frac{36}{12} \times \frac{4}{12}\right) \times 3.25 = 19.50$$

PTS: 2 REF: 081831geo NAT: G.GMD.A.3 TOP: Volume
KEY: prisms

462 ANS:

$$A(-2, 1) \rightarrow (-3, -1) \rightarrow (-6, -2) \rightarrow (-5, 0), B(0, 5) \rightarrow (-1, 3) \rightarrow (-2, 6) \rightarrow (-1, 8), \\ C(4, -1) \rightarrow (3, -3) \rightarrow (6, -6) \rightarrow (7, -4)$$

PTS: 2 REF: 061826geo NAT: G.SRT.A.2 TOP: Dilations

463 ANS: 4

$$\frac{2}{4} = \frac{9-x}{x}$$

$$36 - 4x = 2x$$

$$x = 6$$

PTS: 2 REF: 061705geo NAT: G.SRT.B.4 TOP: Side Splitter Theorem

464 ANS:

$$\frac{40}{360} \cdot \pi(4.5)^2 = 2.25\pi$$

PTS: 2 REF: 061726geo NAT: G.C.B.5 TOP: Sectors

465 ANS: 2

$$x^2 + y^2 - 6x + 2y = 6$$

$$x^2 - 6x + 9 + y^2 + 2y + 1 = 6 + 9 + 1$$

$$(x-3)^2 + (y+1)^2 = 16$$

PTS: 2 REF: 011812geo NAT: G.GPE.A.1 TOP: Equations of Circles

KEY: completing the square

466 ANS: 2 PTS: 2 REF: 011805geo NAT: G.GMD.B.4

TOP: Cross-Sections of Three-Dimensional Objects

467 ANS: 4 PTS: 2 REF: 011817geo NAT: G.SRT.B.5

TOP: Similarity KEY: basic

468 ANS: 3

$$y = mx + b$$

$$2 = \frac{1}{2}(-2) + b$$

$$3 = b$$

PTS: 2 REF: 011701geo NAT: G.GPE.B.5 TOP: Parallel and Perpendicular Lines

KEY: write equation of parallel line


469 ANS: 1

$$V = \frac{1}{3} \pi \left(\frac{1.5}{2} \right)^2 \left(\frac{4}{2} \right) \approx 1.2$$

PTS: 2 REF: 011724geo NAT: G.GMD.A.3 TOP: Volume

KEY: cones

470 ANS: 4



PTS: 2 REF: 061717geo NAT: G.CO.C.10 TOP: Interior and Exterior Angles of Triangles

471 ANS:

$$\cos W = \frac{6}{18}$$

$$W \approx 71$$

PTS: 2 REF: 011831geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find an Angle

472 ANS:

$$K = \frac{1}{2}(12)(20.5)\sin 73 \approx 117.6$$

PTS: 2 REF: 061022b NAT: G.SRT.D.9 TOP: Using Trigonometry to Find Area

KEY: basic

473 ANS:

Quadrilateral $ABCD$, $\overline{AB} \cong \overline{CD}$, $\overline{AB} \parallel \overline{CD}$, and \overline{BF} and \overline{DE} are perpendicular to diagonal \overline{AC} at points F and E (given). $\angle AED$ and $\angle CFB$ are right angles (perpendicular lines form right angles). $\angle AED \cong \angle CFB$ (All right angles are congruent). \overline{ABCD} is a parallelogram (A quadrilateral with one pair of sides congruent and parallel is a parallelogram). $\overline{AD} \parallel \overline{BC}$ (Opposite sides of a parallelogram are parallel). $\angle DAE \cong \angle BCF$ (Parallel lines cut by a transversal form congruent alternate interior angles). $\overline{DA} \cong \overline{BC}$ (Opposite sides of a parallelogram are congruent). $\triangle ADE \cong \triangle CBF$ (AAS). $\overline{AE} \cong \overline{CF}$ (CPCTC).

PTS: 6 REF: 011735geo NAT: G.SRT.B.5 TOP: Quadrilateral Proofs

474 ANS:

$$20000 \text{ g} \left(\frac{1 \text{ ft}^3}{7.48 \text{ g}} \right) = 2673.8 \text{ ft}^3 \quad 2673.8 = \pi r^2 (34.5) \quad 9.9 + 1 = 10.9$$

$$r \approx 4.967$$

$$d \approx 9.9$$

PTS: 4 REF: 061734geo NAT: G.GMD.A.3 TOP: Volume

KEY: cylinders

475 ANS:

$$x^2 - 6x + 9 + y^2 + 8y + 16 = 56 + 9 + 16 \quad (3, -4); r = 9$$

$$(x - 3)^2 + (y + 4)^2 = 81$$

PTS: 2 REF: 081731geo NAT: G.GPE.A.1 TOP: Equations of Circles

KEY: completing the square

476 ANS: 1

$$\text{Illinois: } \frac{12830632}{231.1} \approx 55520 \quad \text{Florida: } \frac{18801310}{350.6} \approx 53626 \quad \text{New York: } \frac{19378102}{411.2} \approx 47126 \quad \text{Pennsylvania: } \frac{12702379}{283.9} \approx 44742$$

PTS: 2 REF: 081720geo NAT: G.MG.A.2 TOP: Density

477 ANS:

Yes. The triangles are congruent because of SSS ($5^2 + 12^2 = 13^2$). All congruent triangles are similar.

PTS: 2 REF: 061830geo NAT: G.SRT.B.5 TOP: Triangle Congruency

478 ANS: 2

$$\frac{\frac{512\pi}{3}}{\left(\frac{32}{2}\right)^2 \pi} \cdot 2\pi = \frac{4\pi}{3}$$

PTS: 2 REF: 081723geo NAT: G.C.B.5 TOP: Arc Length

KEY: sectors


479 ANS: 1

NYSED accepts either (1) or (3) as a correct answer. Statement III is not true if A , B , A' and B' are collinear.

PTS: 2 REF: 061714geo NAT: G.SRT.A.2 TOP: Compositions of Transformations

KEY: basic

480 ANS:



PTS: 2 REF: 081827geo NAT: G.C.A.2 TOP: Chords, Secants and Tangents

KEY: intersecting chords, angle

481 ANS: 4

$$\frac{300}{360} \cdot 8^2 \pi = \frac{160\pi}{3}$$

PTS: 2 REF: 011721geo NAT: G.C.B.5 TOP: Sectors

482 ANS: 2

$$-4 + \frac{2}{5}(1 - -4) = -4 + \frac{2}{5}(5) = -4 + 2 = -2 \quad -2 + \frac{2}{5}(8 - -2) = -2 + \frac{2}{5}(10) = -2 + 4 = 2$$

PTS: 2 REF: 061814geo NAT: G.GPE.B.6 TOP: Directed Line Segments

483 ANS: 1

$$m = \frac{-4}{-6} = \frac{2}{3}$$

$$m_{\perp} = -\frac{3}{2}$$

PTS: 2 REF: 011820geo NAT: G.GPE.B.5 TOP: Parallel and Perpendicular Lines
KEY: write equation of perpendicular line

484 ANS: 4

$$C = 12\pi \frac{120}{360}(12\pi) = \frac{1}{3}(12\pi)$$

PTS: 2 REF: 061822geo NAT: G.C.B.5 TOP: Arc Length

485 ANS: 3

$$\sqrt{(-5)^2 + 12^2} = \sqrt{169} \quad \sqrt{11^2 + (2\sqrt{12})^2} = \sqrt{121 + 48} = \sqrt{169}$$

PTS: 2 REF: 011722geo NAT: G.GPE.B.4 TOP: Circles in the Coordinate Plane

486 ANS:

Parallelogram $ABCD$ with diagonal \overline{AC} drawn (given). $\overline{AC} \cong \overline{AC}$ (reflexive property). $\overline{AD} \cong \overline{CB}$ and $\overline{BA} \cong \overline{DC}$ (opposite sides of a parallelogram are congruent). $\triangle ABC \cong \triangle CDA$ (SSS).

PTS: 2 REF: 011825geo NAT: G.SRT.B.5 TOP: Quadrilateral Proofs

487 ANS:

Yes, as translations do not change angle measurements.

PTS: 2 REF: 061825geo NAT: G.CO.B.6 TOP: Properties of Transformations
KEY: basic

488 ANS: 4

$$\frac{6.6}{x} = \frac{4.2}{5.25}$$

$$4.2x = 34.65$$

$$x = 8.25$$

PTS: 2 REF: 081705geo NAT: G.SRT.B.5 TOP: Similarity
KEY: basic

489 ANS: 3

$$\frac{24}{40} = \frac{15}{x}$$

$$24x = 600$$

$$x = 25$$

PTS: 2 REF: 011813geo NAT: G.SRT.B.4 TOP: Side Splitter Theorem

490 ANS:

$$\frac{152 - 56}{2} = 48$$

PTS: 2 REF: 011728geo NAT: G.C.A.2 TOP: Chords, Secants and Tangents

KEY: secant and tangent drawn from common point, angle

491 ANS: 4 PTS: 2 REF: 011705geo NAT: G.CO.C.11

TOP: Special Quadrilaterals

492 ANS: 4 PTS: 2 REF: 081822geo NAT: G.SRT.B.4

TOP: Medians, Altitudes and Bisectors

493 ANS: 2

$$\triangle ACB \sim \triangle AED$$

PTS: 2 REF: 061811geo NAT: G.SRT.B.4 TOP: Side Splitter Theorem

494 ANS: 2

$$4 \times 4 \times 6 - \pi(1)^2(6) \approx 77$$


PTS: 2 REF: 011711geo NAT: G.GMD.A.3 TOP: Volume

KEY: compositions

495 ANS: 1 PTS: 2 REF: 012519geo NAT: G.SRT.B.4

TOP: Similarity

496 ANS: 2



PTS: 2 REF: 081814geo NAT: G.C.A.2 TOP: Chords, Secants and Tangents

KEY: tangents drawn from common point, length

497 ANS: 3

$$6x - 40 + x + 20 = 180 - 3x \quad m\angle BAC = 180 - (80 + 40) = 60$$

$$10x = 200$$

$$x = 20$$


PTS: 2

REF: 011809geo

NAT: G.CO.C.10

TOP: Exterior Angle Theorem

498 ANS:



$\triangle ABC \sim \triangle AED$ by AA. $\angle DAE \cong \angle CAB$ because they are the same \angle .
 $\angle DEA \cong \angle CBA$ because they are both right \angle s.

PTS: 2

REF: 081829geo

NAT: G.SRT.B.5

TOP: Similarity

KEY: basic

499 ANS: 4

PTS: 2

REF: 081803geo

NAT: G.GMD.B.4

TOP: Rotations of Two-Dimensional Objects

500 ANS:

$$\cos 54 = \frac{4.5}{m} \quad \tan 54 = \frac{h}{4.5}$$

$$m \approx 7.7 \quad h \approx 6.2$$

PTS: 4

REF: 011834geo

NAT: G.SRT.C.8

TOP: Using Trigonometry to Find a Side

501 ANS: 4

PTS: 2

REF: 011723geo

NAT: G.GMD.B.4

TOP: Cross-Sections of Three-Dimensional Objects

502 ANS: 4

PTS: 2

REF: 011819geo

NAT: G.CO.C.11

TOP: Special Quadrilaterals

503 ANS: 1

Parallel chords intercept congruent arcs. $\frac{180 - 130}{2} = 25$

PTS: 2

REF: 081704geo

NAT: G.C.A.2

TOP: Chords, Secants and Tangents

KEY: parallel lines

504 ANS: 1

M is a centroid, and cuts each median 2:1.

PTS: 2

REF: 061818geo

NAT: G.SRT.B.4

TOP: Centroid, Orthocenter, Incenter and Circumcenter

505 ANS: 1

PTS: 2

REF: 011716geo

NAT: G.CO.C.11

TOP: Special Quadrilaterals

506 ANS: 2

$$\tan \theta = \frac{2.4}{x}$$

$$\frac{3}{7} = \frac{2.4}{x}$$

$$x = 5.6$$

PTS: 2 REF: 011707geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side

507 ANS: 2

$$12^2 = 9 \cdot 16$$

$$144 = 144$$

PTS: 2 REF: 081718geo NAT: G.SRT.B.4 TOP: Similarity

508 ANS: 4

$$\frac{360^\circ}{9} = 40^\circ \quad 200^\circ \text{ is a multiple of } 40^\circ$$

PTS: 2 REF: 012521geo NAT: G.CO.A.3 TOP: Mapping a Polygon onto Itself

509 ANS:

A dilation of 3 centered at A. A dilation preserves angle measure, so the triangles are similar.

PTS: 4 REF: 011832geo NAT: G.SRT.A.2 TOP: Dilations

510 ANS: 4

$$\frac{1}{3.5} = \frac{x}{18-x}$$

$$3.5x = 18 - x$$

$$4.5x = 18$$

$$x = 4$$

PTS: 2 REF: 081707geo NAT: G.SRT.B.4 TOP: Side Splitter Theorem

511 ANS:

$$D = 360 - (117 + 70 + 91) = 82$$

PTS: 2 REF: 012525geo NAT: G.CO.B.6 TOP: Properties of Transformations

512 ANS: 3

$$\frac{12\pi \left(\frac{\theta}{180} \right)}{8\pi \left(\frac{\theta}{180} \right)} = 1.5$$

PTS: 2 REF: 011824geo NAT: G.C.B.5 TOP: Arc Length

513 ANS: 4

PTS: 2

REF: 011808geo

NAT: G.CO.A.2

TOP: Analytical Representations of Transformations

KEY: basic

514 ANS: 2

$$\angle B = 180 - (82 + 26) = 72; \angle DEC = 180 - 26 = 154; \angle EDB = 360 - (154 + 26 + 72) = 108; \angle BDF = \frac{108}{2} = 54;$$

$$\angle DFB = 180 - (54 + 72) = 54$$

PTS: 2 REF: 061710geo NAT: G.CO.C.10 TOP: Interior and Exterior Angles of Triangles

515 ANS: 3

$$x(x - 6) = 4^2$$

$$x^2 - 6x - 16 = 0$$

$$(x - 8)(x + 2) = 0$$

$$x = 8$$

PTS: 2 REF: 081807geo NAT: G.SRT.B.4 TOP: Similarity

516 ANS: 1

$$\cos x = \frac{12}{13}$$

$$x \approx 23$$

PTS: 2 REF: 081809ai NAT: G.SRT.C.8 TOP: Using Trigonometry to Find an Angle

517 ANS:

$$V = (\pi)(4^2)(9) + \left(\frac{1}{2}\right)\left(\frac{4}{3}\right)(\pi)(4^3) \approx 586$$

PTS: 4 REF: 011833geo NAT: G.GMD.A.3 TOP: Volume

KEY: compositions

518 ANS: 4

AA

PTS: 2 REF: 061809geo NAT: G.SRT.A.3 TOP: Similarity Proofs

519 ANS: 3 PTS: 2 REF: 061703geo NAT: G.SRT.C.7

TOP: Cofunctions

520 ANS: 4 PTS: 2 REF: 081702geo NAT: G.CO.A.2

TOP: Identifying Transformations KEY: basic

521 ANS:

Isosceles trapezoid $ABCD$, $\angle CDE \cong \angle DCE$, $\overline{AE} \perp \overline{DE}$, and $\overline{BE} \perp \overline{CE}$ (given); $\overline{AD} \cong \overline{BC}$ (congruent legs of isosceles trapezoid); $\angle DEA$ and $\angle CEB$ are right angles (perpendicular lines form right angles); $\angle DEA \cong \angle CEB$ (all right angles are congruent); $\angle CDA \cong \angle DCB$ (base angles of an isosceles trapezoid are congruent); $\angle CDA - \angle CDE \cong \angle DCB - \angle DCE$ (subtraction postulate); $\triangle ADE \cong \triangle BCE$ (AAS); $\overline{EA} \cong \overline{EB}$ (CPCTC);

$$\angle EDA \cong \angle ECB$$

$\triangle AEB$ is an isosceles triangle (an isosceles triangle has two congruent sides).

PTS: 6 REF: 081735geo NAT: G.SRT.B.5 TOP: Quadrilateral Proofs

522 ANS:

$$T_{0,-2} \circ r_{y\text{-axis}}$$

PTS: 2 REF: 011726geo NAT: G.CO.A.5 TOP: Compositions of Transformations
KEY: identify

523 ANS: 2

$$V = \frac{1}{3} \left(\frac{60}{12} \right)^2 \left(\frac{84}{12} \right) \approx 58$$

PTS: 2 REF: 081819geo NAT: G.GMD.A.3 TOP: Volume
KEY: pyramids

524 ANS: 1 PTS: 2 REF: 011814geo NAT: G.SRT.A.1
TOP: Line Dilations

525 ANS:

Parallelogram $ABCD$, $\overline{BF} \perp \overline{AFD}$, and $\overline{DE} \perp \overline{BEC}$ (given); $\overline{BC} \parallel \overline{AD}$ (opposite sides of a \square are \parallel); $\overline{BE} \parallel \overline{FD}$ (parts of \parallel lines are \parallel); $\overline{BF} \parallel \overline{DE}$ (two lines \perp to the same line are \parallel); $BEDF$ is \square (a quadrilateral with both pairs of opposite sides \parallel is a \square); $\angle DEB$ is a right \angle (\perp lines form right \angle s); $BEDF$ is a rectangle (a \square with one right \angle is a rectangle).

PTS: 6 REF: 061835geo NAT: G.CO.C.11 TOP: Quadrilateral Proofs

526 ANS: 1

$$\tan x = \frac{1}{12}$$

$$x \approx 4.76$$

PTS: 2 REF: 081715geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find an Angle

527 ANS: 2 PTS: 2 REF: 061709geo NAT: G.SRT.B.5
TOP: Triangle Proofs KEY: statements

528 ANS: 4 PTS: 2 REF: 011816geo NAT: G.C.A.2
TOP: Chords, Secants and Tangents KEY: inscribed

529 ANS:

$$x^2 + x^2 = 58^2 \quad A = (\sqrt{1682} + 8)^2 \approx 2402.2$$

$$2x^2 = 3364$$

$$x = \sqrt{1682}$$

PTS: 4 REF: 081734geo NAT: G.MG.A.3 TOP: Area of Polygons

530 ANS: 4

$$9 \cdot 3 = 27, 27 \cdot 4 = 108$$

PTS: 2 REF: 061805geo NAT: G.SRT.A.2 TOP: Dilations


531 ANS: 4 PTS: 2 REF: 081716geo NAT: G.CO.C.10
TOP: Midsegments

532 ANS:

$$\overline{PQ} = \sqrt{(8-3)^2 + (3-(-2))^2} = \sqrt{50} \quad \overline{QR} = \sqrt{(1-8)^2 + (4-3)^2} = \sqrt{50} \quad \overline{RS} = \sqrt{(-4-1)^2 + (-1-4)^2} = \sqrt{50}$$

$$\overline{PS} = \sqrt{(-4-3)^2 + (-1-(-2))^2} = \sqrt{50} \quad PQRS \text{ is a rhombus because all sides are congruent. } m_{\overline{PQ}} = \frac{8-3}{3-(-2)} = \frac{5}{5} = 1$$

$m_{\overline{QR}} = \frac{1-8}{4-3} = -7$ Because the slopes of adjacent sides are not opposite reciprocals, they are not perpendicular



and do not form a right angle. Therefore $PQRS$ is not a square.

PTS: 6 REF: 061735geo NAT: G.GPE.B.4 TOP: Quadrilaterals in the Coordinate Plane
KEY: grids

533 ANS:

Reflection across the y -axis, then translation up 5.

PTS: 2 REF: 061827geo NAT: G.CO.A.5 TOP: Compositions of Transformations
KEY: identify

534 ANS: 3

$$\cos 40 = \frac{14}{x}$$

$$x \approx 18$$

PTS: 2 REF: 011712geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side

535 ANS:

$$\tan 15 = \frac{6250}{x} \quad \tan 52 = \frac{6250}{y} \quad 23325.3 - 4883 = 18442 \quad \frac{18442 \text{ ft}}{1 \text{ min}} \left(\frac{1 \text{ mi}}{5280 \text{ ft}} \right) \left(\frac{60 \text{ min}}{1 \text{ h}} \right) \approx 210$$

$$x \approx 23325.3 \quad y \approx 4883$$

PTS: 6 REF: 061736geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side
KEY: advanced

536 ANS: 3

$$\frac{7-1}{0-2} = \frac{6}{-2} = -3 \quad \text{The diagonals of a rhombus are perpendicular.}$$

PTS: 2 REF: 011719geo NAT: G.GPE.B.4 TOP: Quadrilaterals in the Coordinate Plane

537 ANS: 2

$$\cos B = \frac{17.6}{26}$$

$$B \approx 47$$


PTS: 2

REF: 061806geo

NAT: G.SRT.C.8

TOP: Using Trigonometry to Find an Angle

538 ANS:



A dilation preserves slope, so the slopes of \overline{QR} and $\overline{Q'R'}$ are equal. Because the slopes are equal, $\overline{Q'R'} \parallel \overline{QR}$.

PTS: 4

REF: 011732geo

NAT: G.SRT.A.2

TOP: Dilations

KEY: grids

539 ANS: 4

PTS: 2

REF: 061803geo

NAT: G.CO.A.2

TOP: Identifying Transformations

KEY: graphics

540 ANS: 3


PTS: 2

REF: 061702geo

NAT: G.GPE.B.7

TOP: Polygons in the Coordinate Plane

541 ANS:



PTS: 2

REF: 011826geo

NAT: G.CO.D.13

TOP: Constructions

542 ANS: 1

$$\sin 32 = \frac{O}{129.5}$$

$$O \approx 68.6$$

PTS: 2

REF: 011804geo

NAT: G.SRT.C.8

TOP: Using Trigonometry to Find a Side

543 ANS: 4

$$\frac{1}{2}(360 - 268) = 46$$

PTS: 2


REF: 061704geo

NAT: G.C.A.2

TOP: Chords, Secants and Tangents

KEY: inscribed

544 ANS:




PTS: 4

REF: 081732geo

NAT: G.GPE.B.4

TOP: Triangles in the Coordinate Plane

545 ANS:



PTS: 2

REF: 011725geo

NAT: G.CO.D.12

TOP: Constructions

KEY: line bisector

546 ANS: 2

The line $y = -3x + 6$ passes through the center of dilation, so the dilated line is not distinct.

PTS: 2

REF: 061824geo

NAT: G.SRT.A.1

TOP: Line Dilations

547 ANS: 1

$$3 + \frac{2}{5}(8 - 3) = 3 + \frac{2}{5}(5) = 3 + 2 = 5 \quad 5 + \frac{2}{5}(-5 - 5) = 5 + \frac{2}{5}(-10) = 5 - 4 = 1$$

PTS: 2

REF: 011720geo

NAT: G.GPE.B.6

TOP: Directed Line Segments

548 ANS: 1

Since a dilation preserves parallelism, the line $4y = 3x + 7$ and its image $3x - 4y = 9$ are parallel, with slopes of $\frac{3}{4}$.

PTS: 2 REF: 081710geo NAT: G.SRT.A.1 TOP: Line Dilations

549 ANS: 2

$$m = \frac{3}{2}$$

$$m_{\perp} = -\frac{2}{3}$$

PTS: 2 REF: 061812geo NAT: G.GPE.B.5 TOP: Parallel and Perpendicular Lines
KEY: write equation of perpendicular line550 ANS:
30.9PTS: 2 REF: 080216siii NAT: G.SRT.D.9 TOP: Using Trigonometry to Find Area
KEY: basic

551 ANS:

$$\tan 72 = \frac{x}{400} \quad \sin 55 = \frac{400 \tan 72}{y}$$

$$x = 400 \tan 72 \quad y = \frac{400 \tan 72}{\sin 55} \approx 1503$$

PTS: 4 REF: 061833geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side
KEY: advanced

552 ANS:

\overline{RS} and \overline{TV} bisect each other at point X ; \overline{TR} and \overline{SV} are drawn (given); $\overline{TX} \cong \overline{XV}$ and $\overline{RX} \cong \overline{XS}$ (segment bisectors create two congruent segments); $\angle TXR \cong \angle VXS$ (vertical angles are congruent); $\triangle TXR \cong \triangle VXS$ (SAS); $\angle T \cong \angle V$ (CPCTC); $\overline{TR} \parallel \overline{SV}$ (a transversal that creates congruent alternate interior angles cuts parallel lines).

PTS: 4 REF: 061733geo NAT: G.SRT.B.5 TOP: Triangle Proofs
KEY: proof

553 ANS:

$$V = \pi(10)^2(18) = 1800\pi \text{ in}^3 \quad 1800\pi \text{ in}^3 \left(\frac{1 \text{ ft}^3}{12^3 \text{ in}^3} \right) = \frac{25}{24} \pi \text{ ft}^3 \quad \frac{25}{24} \pi(95.46)(0.85) \approx 266 \quad 266 + 270 = 536$$

PTS: 4 REF: 061834geo NAT: G.MG.A.2 TOP: Density

554 ANS: 4

$$\frac{36}{45} \neq \frac{15}{18}$$

$$\frac{4}{5} \neq \frac{5}{6}$$

PTS: 2 REF: 081709geo NAT: G.SRT.A.3 TOP: Similarity Proofs


555 ANS: 1

$$V = \frac{1}{3} \pi (4)^2 (6) = 32\pi$$

PTS: 2 REF: 061718geo NAT: G.GMD.B.4 TOP: Rotations of Two-Dimensional Objects

556 ANS:

$\triangle PAT$ is an isosceles triangle because sides \overline{AP} and \overline{AT} are congruent ($\sqrt{3^2 + 11^2} = \sqrt{7^2 + 9^2} = \sqrt{130}$).
 $R(2,9)$. Quadrilateral $PART$ is a parallelogram because the opposite sides are parallel since they have equal slopes



$$(m_{\overline{AR}} = \frac{4}{6} = \frac{2}{3}; m_{\overline{PT}} = \frac{4}{6} = \frac{2}{3}; m_{\overline{PA}} = -\frac{11}{3}; m_{\overline{RT}} = -\frac{11}{3})$$

PTS: 6 REF: 011835geo NAT: G.GPE.B.4 TOP: Quadrilaterals in the Coordinate Plane

KEY: grids

557 ANS: 2

$\overline{AB} = 10$ since $\triangle ABC$ is a 6-8-10 triangle. $6^2 = 10x$

$$3.6 = x$$

PTS: 2 REF: 081820geo NAT: G.SRT.B.4 TOP: Similarity

558 ANS: 1

$$360 - (82 + 104 + 121) = 53$$

PTS: 2 REF: 011801geo NAT: G.CO.B.6 TOP: Properties of Transformations

KEY: graph

559 ANS: 1

$$82.8 = \frac{1}{3} (4.6)(9)h$$

$$h = 6$$

PTS: 2 REF: 061810geo NAT: G.GMD.A.3 TOP: Volume

KEY: pyramids

560 ANS: 2

$$(x-5)^2 + (y-2)^2 = 16$$

$$x^2 - 10x + 25 + y^2 - 4y + 4 = 16$$

$$x^2 - 10x + y^2 - 4y = -13$$

PTS: 2 REF: 061820geo NAT: G.GPE.A.1 TOP: Equations of Circles

KEY: write equation, given graph

561 ANS: 3

$$V = \frac{1}{3} \pi r^2 h$$


$$54.45\pi = \frac{1}{3} \pi (3.3)^2 h$$

$$h = 15$$

PTS: 2 REF: 011807geo NAT: G.GMD.A.3 TOP: Volume

KEY: cones

562 ANS: 1



$$(12 \cdot 11) - \left(\frac{1}{2} (12 \cdot 4) + \frac{1}{2} (7 \cdot 9) + \frac{1}{2} (11 \cdot 3) \right) = 60$$

PTS: 2 REF: 061815geo NAT: G.GPE.B.7 TOP: Polygons in the Coordinate Plane

563 ANS: 1

$$B: (4-3, 3-4) \rightarrow (1, -1) \rightarrow (2, -2) \rightarrow (2+3, -2+4)$$

$$C: (2-3, 1-4) \rightarrow (-1, -3) \rightarrow (-2, -6) \rightarrow (-2+3, -6+4)$$

PTS: 2 REF: 011713geo NAT: G.SRT.A.1 TOP: Line Dilations

564 ANS: 3 PTS: 2 REF: 081805geo NAT: G.GMD.B.4

TOP: Cross-Sections of Three-Dimensional Objects

565 ANS:

$$C: V = \pi(26.7)^2(750) - \pi(24.2)^2(750) = 95,437.5\pi$$

$$95,437.5\pi \text{ cm}^3 \left(\frac{2.7 \text{ g}}{\text{cm}^3} \right) \left(\frac{1 \text{ kg}}{1000 \text{ g}} \right) \left(\frac{\$0.38}{\text{kg}} \right) = \$307.62$$

$$P: V = 40^2(750) - 35^2(750) = 281,250 \quad \$307.62 - 288.56 = \$19.06$$

$$281,250 \text{ cm}^3 \left(\frac{2.7 \text{ g}}{\text{cm}^3} \right) \left(\frac{1 \text{ kg}}{1000 \text{ g}} \right) \left(\frac{\$0.38}{\text{kg}} \right) = \$288.56$$

PTS: 6 REF: 011736geo NAT: G.MG.A.2 TOP: Density

566 ANS: 4 PTS: 2 REF: 011810geo NAT: G.GMD.B.4
TOP: Rotations of Two-Dimensional Objects

567 ANS:

No. Since $\overline{BC} = 5$ and $\overline{ST} = \sqrt{18}$ are not congruent, the two triangles are not congruent. Since rigid motions preserve distance, there is no rigid motion that maps $\triangle ABC$ onto $\triangle RST$.

PTS: 2 REF: 011830geo NAT: G.CO.B.7 TOP: Triangle Congruency

568 ANS: 4 PTS: 2 REF: 061813geo NAT: G.CO.C.11
TOP: Special Quadrilaterals


569 ANS: 1 PTS: 2 REF: 011703geo NAT: G.SRT.B.5
TOP: Triangle Congruency

570 ANS: 3

In (1) and (2), $ABCD$ could be a rectangle with non-congruent sides. (4) is not possible

PTS: 2 REF: 081714geo NAT: G.CO.C.11 TOP: Special Quadrilaterals

571 ANS:




The line is on the center of dilation, so the line does not change. $p: 3x + 4y = 20$

PTS: 2 REF: 061731geo NAT: G.SRT.A.1 TOP: Line Dilations


572 ANS: 2 PTS: 2 REF: 061701geo NAT: G.CO.A.5
TOP: Compositions of Transformations KEY: identify

573 ANS: 2




PTS: 2 REF: 011818geo NAT: G.CO.C.9 TOP: Lines and Angles

574 ANS:



PTS: 2 REF: 061829geo NAT: G.CO.D.12 TOP: Constructions
KEY: line bisector

575 ANS:



$r_{x=-1}$ Reflections are rigid motions that preserve distance, so $\triangle ABC \cong \triangle DEF$.

PTS: 4 REF: 061732geo NAT: G.CO.A.2 TOP: Identifying Transformations
KEY: graphics

576 ANS: 3

NYSED has stated that all students should be awarded credit regardless of their answer to this question.

PTS: 2 REF: 061722geo NAT: G.CO.B.7 TOP: Triangle Congruency

577 ANS: 1

Distance and angle measure are preserved after a reflection and translation.

PTS: 2 REF: 081802geo NAT: G.CO.B.6 TOP: Properties of Transformations
KEY: basic

578 ANS: 2

$$-4 + \frac{2}{5}(6 - -4) = -4 + \frac{2}{5}(10) = -4 + 4 = 0 \quad 5 + \frac{2}{5}(20 - 5) = 5 + \frac{2}{5}(15) = 5 + 6 = 11$$

PTS: 2 REF: 061715geo NAT: G.GPE.B.6 TOP: Directed Line Segments

579 ANS: 2

$$\frac{30}{360}(5)^2(\pi) \approx 6.5$$

PTS: 2 REF: 081818geo NAT: G.C.B.5 TOP: Sectors

580 ANS: 3 PTS: 2 REF: 011710geo NAT: G.CO.A.5
TOP: Compositions of Transformations KEY: identify

581 ANS: 4 PTS: 2 REF: 011704geo NAT: G.CO.C.10
TOP: Midsegments

582 ANS: 4

$$\frac{360^\circ}{10} = 36^\circ \quad 252^\circ \text{ is a multiple of } 36^\circ$$

PTS: 2 REF: 011717geo NAT: G.CO.A.3 TOP: Mapping a Polygon onto Itself

583 ANS: 4

$$4\sqrt{(-1-2)^2 + (2-3)^2} = 4\sqrt{10}$$

PTS: 2 REF: 081808geo NAT: G.GPE.B.7 TOP: Polygons in the Coordinate Plane

584 ANS: 4 PTS: 2 REF: 081801geo NAT: G.CO.C.9

TOP: Lines and Angles

585 ANS:


$$\frac{4\pi}{3} (2^3 - 1.5^3) \approx 19.4 \quad 19.4 \cdot 1.308 \cdot 8 \approx 203$$

PTS: 4 REF: 081834geo NAT: G.MG.A.2 TOP: Density

586 ANS: 2 PTS: 2 REF: 081701geo NAT: G.GMD.B.4

TOP: Cross-Sections of Three-Dimensional Objects

587 ANS: 4



PTS: 2 REF: 081711geo NAT: G.CO.C.10 TOP: Exterior Angle Theorem

588 ANS: 3

$$\frac{x}{6.3} = \frac{3}{5} \quad \frac{y}{9.4} = \frac{6.3}{6.3 + 3.78}$$

$$x = 3.78 \quad y \approx 5.9$$

PTS: 2 REF: 081816geo NAT: G.SRT.B.4 TOP: Side Splitter Theorem

589 ANS: 1

$$24x = 10^2$$

$$24x = 100$$

$$x \approx 4.2$$

PTS: 2 REF: 061823geo NAT: G.SRT.B.4 TOP: Similarity

590 ANS: 1 PTS: 2 REF: 011811geo NAT: G.SRT.A.2

TOP: Dilations

591 ANS:

9.3

PTS: 2 REF: 088909siii NAT: G.SRT.D.9 TOP: Using Trigonometry to Find Area

KEY: basic

592 ANS:

Circle O , tangent \overline{EC} to diameter \overline{AC} , chord $\overline{BC} \parallel \overline{ADE}$, and chord \overline{AB} (given); $\angle B$ is a right angle (an angle inscribed in a semi-circle is a right angle); $\overline{EC} \perp \overline{OC}$ (a radius drawn to a point of tangency is perpendicular to the tangent); $\angle ECA$ is a right angle (perpendicular lines form right angles); $\angle B \cong \angle ECA$ (all right angles are congruent); $\angle BCA \cong \angle CAE$ (the transversal of parallel lines creates congruent alternate interior angles); $\triangle ABC \sim \triangle ECA$ (AA); $\frac{BC}{CA} = \frac{AB}{EC}$ (Corresponding sides of similar triangles are in proportion).

PTS: 4 REF: 081733geo NAT: G.SRT.B.5 TOP: Circle Proofs

593 ANS: 1

$$-8 + \frac{3}{5}(7 - -8) = -8 + 9 = 1 \quad 7 + \frac{3}{5}(-13 - 7) = 7 - 12 = -5$$

PTS: 2 REF: 081815geo NAT: G.GPE.B.6 TOP: Directed Line Segments

594 ANS:

$$\begin{aligned} \tan 16.5 &= \frac{x}{13.5} & 9 \times 16 \times 4.5 &= 648 & 3752 - (35 \times 16 \times .5) &= 3472 \\ x &\approx 4 & 13.5 \times 16 \times 4.5 &= 972 & 3472 \times 7.48 &\approx 25971 \\ 4 + 4.5 &= 8.5 & \frac{1}{2} \times 13.5 \times 16 \times 4 &= 432 & \frac{25971}{10.5} &\approx 2473.4 \\ & & 12.5 \times 16 \times 8.5 &= \frac{1700}{3752} & \frac{2473.4}{60} &\approx 41 \end{aligned}$$

PTS: 6 REF: 081736geo NAT: G.GMD.A.3 TOP: Volume
KEY: compositions

595 ANS: 4

$$\begin{aligned} 40 - x + 3x &= 90 \\ 2x &= 50 \\ x &= 25 \end{aligned}$$

PTS: 2 REF: 081721geo NAT: G.SRT.C.7 TOP: Cofunctions


596 ANS: 3 PTS: 2 REF: 061802geo NAT: G.CO.C.9
TOP: Lines and Angles597 ANS: 4 PTS: 2 REF: 061711geo NAT: G.CO.C.11
TOP: Special Quadrilaterals

598 ANS: 4

$$\frac{360^\circ}{10} = 36^\circ \quad 252^\circ \text{ is a multiple of } 36^\circ$$

PTS: 2 REF: 081722geo NAT: G.CO.A.3 TOP: Mapping a Polygon onto Itself

599 ANS:



PTS: 2 REF: 081826geo NAT: G.CO.C.11 TOP: Interior and Exterior Angles of Polygons

600 ANS: 4

$$\frac{5}{7} = \frac{x}{x+5} \quad 12\frac{1}{2} + 5 = 17\frac{1}{2}$$

$$5x + 25 = 7x$$

$$2x = 25$$

$$x = 12\frac{1}{2}$$

PTS: 2 REF: 061821geo NAT: G.SRT.B.4 TOP: Side Splitter Theorem

601 ANS: 2

$$m = \frac{3}{2} \quad 1 = -\frac{2}{3}(-6) + b$$

$$m_{\perp} = -\frac{2}{3} \quad 1 = 4 + b$$

$$-3 = b$$

PTS: 2 REF: 061719geo NAT: G.GPE.B.5 TOP: Parallel and Perpendicular Lines

KEY: write equation of perpendicular line

602 ANS:

$$R_{180^\circ} \text{ about } \left(-\frac{1}{2}, \frac{1}{2}\right)$$

PTS: 2 REF: 081727geo NAT: G.CO.A.5 TOP: Compositions of Transformations

KEY: identify

603 ANS:

$$\tan 36 = \frac{x}{10} \quad \cos 36 = \frac{10}{y} \quad 12.3607 \times 3 \approx 37$$

$$x \approx 7.3 \quad y \approx 12.3607$$

PTS: 4 REF: 081833geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side

604 ANS: 3 PTS: 2 REF: 081817geo NAT: G.CO.A.3

TOP: Mapping a Polygon onto Itself

605 ANS:

$$500 \times 1015 \text{ cc} \times \frac{\$0.29}{\text{kg}} \times \frac{7.95 \text{ g}}{\text{cc}} \times \frac{1 \text{ kg}}{1000 \text{ g}} = \$1170$$

PTS: 2 REF: 011829geo NAT: G.MG.A.2 TOP: Density

606 ANS: 1

$$\frac{64}{4} = 16 \quad 16^2 = 256 \quad 2w + 2(w + 2) = 64 \quad 15 \times 17 = 255 \quad 2w + 2(w + 4) = 64 \quad 14 \times 18 = 252 \quad 2w + 2(w + 6) = 64$$

$$13 \times 19 = 247 \quad \quad \quad w = 15 \quad \quad \quad w = 14 \quad \quad \quad w = 13$$

PTS: 2 REF: 011708geo NAT: G.MG.A.3 TOP: Area of Polygons

607 ANS:

2 Reflexive; 4 $\angle BDA \cong \angle BDC$; 6 CPCTC; 7 If points B and D are equidistant from the endpoints of \overline{AC} , then B and D are on the perpendicular bisector of \overline{AC} .

PTS: 4 REF: 081832geo NAT: G.SRT.B.5 TOP: Triangle Proofs

KEY: proof

608 ANS: 2

$$x^2 = 3 \cdot 18$$


$$x = \sqrt{3 \cdot 3 \cdot 6}$$

$$x = 3\sqrt{6}$$

PTS: 2 REF: 081712geo NAT: G.C.A.2 TOP: Chords, Secants and Tangents

KEY: secant and tangent drawn from common point, length

609 ANS:



PTS: 2 REF: 081728geo NAT: G.CO.D.13 TOP: Constructions

610 ANS: 2


$$2x + 7 + 4x - 7 = 90$$

$$6x = 90$$

$$x = 15$$

PTS: 2 REF: 081824geo NAT: G.SRT.C.7 TOP: Cofunctions

611 ANS:



Because $\overline{AB} \cong \overline{AC}$, $\triangle ABC$ has two congruent sides and is isosceles. Because $\overline{AB} \cong \overline{BC}$ is not true, $\triangle ABC$ has sides that are not congruent and $\triangle ABC$ is not equilateral.

PTS: 4 REF: 061832geo NAT: G.GPE.B.4 TOP: Triangles in the Coordinate Plane

612 ANS: 3

$$4\sqrt{(-1 - -3)^2 + (5 - 1)^2} = 4\sqrt{20}$$

PTS: 2 REF: 081703geo NAT: G.GPE.B.7 TOP: Polygons in the Coordinate Plane

613 ANS:

$$29.5 = 2\pi r \quad V = \frac{4}{3}\pi \cdot \left(\frac{29.5}{2\pi}\right)^3 \approx 434$$

$$r = \frac{29.5}{2\pi}$$

PTS: 2 REF: 061831geo NAT: G.GMD.A.3 TOP: Volume

KEY: spheres

614 ANS: 2

$$8(x + 8) = 6(x + 18)$$

$$8x + 64 = 6x + 108$$

$$2x = 44$$

$$x = 22$$

PTS: 2 REF: 011715geo NAT: G.C.A.2 TOP: Chords, Secants and Tangents

KEY: secants drawn from common point, length

615 ANS: 1

$$20 \cdot 12 \cdot 45 + \frac{1}{2}\pi(10)^2(45) \approx 17869$$

PTS: 2 REF: 061807geo NAT: G.GMD.A.3 TOP: Volume

KEY: compositions

616 ANS:

The four small triangles are 8-15-17 triangles. $4 \times 17 = 68$

PTS: 2 REF: 081726geo NAT: G.CO.C.11 TOP: Special Quadrilaterals

617 ANS: 1

$$-8 + \frac{3}{8}(16 - -8) = -8 + \frac{3}{8}(24) = -8 + 9 = 1 \quad -2 + \frac{3}{8}(6 - -2) = -2 + \frac{3}{8}(8) = -2 + 3 = 1$$

PTS: 2

REF: 081717geo

NAT: G.GPE.B.6

TOP: Directed Line Segments

618 ANS: 1

$$\cos S = \frac{60}{65}$$

$$S \approx 23$$

PTS: 2

REF: 061713geo

NAT: G.SRT.C.8

TOP: Using Trigonometry to Find an Angle

619 ANS: 4

Opposite angles of an inscribed quadrilateral are supplementary.

PTS: 2

REF: 011821geo

NAT: G.C.A.3

TOP: Inscribed Quadrilaterals

620 ANS: 1

$$x^2 + y^2 - 6y + 9 = -1 + 9$$

$$x^2 + (y - 3)^2 = 8$$

PTS: 2

REF: 011718geo

NAT: G.GPE.A.1

TOP: Equations of Circles

KEY: completing the square

621 ANS: 4

PTS: 2

REF: 011803geo

NAT: G.CO.A.2

TOP: Identifying Transformations

KEY: graphics

622 ANS: 1

PTS: 2


REF: 061801geo

NAT: G.CO.B.6

TOP: Properties of Transformations

KEY: graphics

623 ANS:



PTS: 2


REF: 081825geo

NAT: G.CO.D.12

TOP: Constructions

KEY: parallel and perpendicular lines

624 ANS:



PTS: 2 REF: 011731geo NAT: G.GPE.B.4 TOP: Quadrilaterals in the Coordinate Plane

KEY: grids

625 ANS: 3

The x -axis and line $x = 4$ are lines of symmetry and $(4,0)$ is a point of symmetry.

PTS: 2 REF: 081706geo NAT: G.CO.A.3 TOP: Mapping a Polygon onto Itself

626 ANS: 2

$$6 + 6\sqrt{3} + 6 + 6\sqrt{3} \approx 32.8$$

PTS: 2 REF: 011709geo NAT: G.SRT.C.8 TOP: 30-60-90 Triangles

627 ANS:

No, The line $4x + 3y = 24$ passes through the center of dilation, so the dilated line is not distinct.

$$4x + 3y = 24$$

$$3y = -4x + 24$$

$$y = -\frac{4}{3}x + 8$$

PTS: 2 REF: 081830geo NAT: G.SRT.A.1 TOP: Line Dilations

628 ANS:

Rotate $\triangle ABC$ clockwise about point C until $\overline{DF} \parallel \overline{AC}$. Translate $\triangle ABC$ along \overline{CF} so that C maps onto F .

PTS: 2 REF: 061730geo NAT: G.CO.A.5 TOP: Compositions of Transformations

KEY: identify

629 ANS: 3

$$6 \cdot 3^2 = 54 \quad 12 \cdot 3 = 36$$

PTS: 2 REF: 081823geo NAT: G.SRT.A.2 TOP: Dilations

630 ANS: 3

$$v = \pi r^2 h \quad (1) \quad 6^2 \cdot 10 = 360$$

$$150\pi = \pi r^2 h \quad (2) \quad 10^2 \cdot 6 = 600$$

$$150 = r^2 h \quad (3) \quad 5^2 \cdot 6 = 150$$

$$(4) \quad 3^2 \cdot 10 = 900$$

PTS: 2 REF: 081713geo NAT: G.GMD.B.4 TOP: Rotations of Two-Dimensional Objects

631 ANS: 4

$$\sin 16.5 = \frac{8}{x}$$

$$x \approx 28.2$$

PTS: 2 REF: 081806ai NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side

632 ANS: 1 PTS: 2 REF: 012524geo NAT: G.CO.C.11

TOP: Special Quadrilaterals

633 ANS: 1

$$x = -5 + \frac{1}{3}(4 - -5) = -5 + 3 = -2 \quad y = 2 + \frac{1}{3}(-10 - 2) = 2 - 4 = -2$$

PTS: 2 REF: 011806geo NAT: G.GPE.B.6 TOP: Directed Line Segments

634 ANS: 4

$$\sin 71 = \frac{x}{20}$$

$$x = 20 \sin 71 \approx 19$$

PTS: 2 REF: 061721geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side

KEY: without graphics

635 ANS: 4

The segment's midpoint is the origin and slope is -2 . The slope of a perpendicular line is $\frac{1}{2}$. $y = \frac{1}{2}x + 0$

$$2y = x$$

$$2y - x = 0$$

PTS: 2 REF: 081724geo NAT: G.GPE.B.5 TOP: Parallel and Perpendicular Lines

KEY: perpendicular bisector

636 ANS: 2

$$\frac{x}{x+3} = \frac{14}{21} \quad 14 - 6 = 8$$

$$21x = 14x + 42$$

$$7x = 42$$

$$x = 6$$

PTS: 2 REF: 081812geo NAT: G.SRT.B.4 TOP: Side Splitter Theorem

637 ANS:

Yes, because 28° and 62° angles are complementary. The sine of an angle equals the cosine of its complement.

PTS: 2 REF: 011727geo NAT: G.SRT.C.7 TOP: Cofunctions

638 ANS: 2 PTS: 2 REF: 011702geo NAT: G.SRT.A.2

TOP: Compositions of Transformations KEY: grids

639 ANS: 4 PTS: 2 REF: 011706geo NAT: G.CO.A.2

TOP: Identifying Transformations KEY: basic

640 ANS:

rotation 180° about the origin, translation 2 units down; rotation 180° about B , translation 6 units down and 6 units left; or reflection over x -axis, translation 2 units down, reflection over y -axis

PTS: 2 REF: 081828geo NAT: G.CO.A.5 TOP: Compositions of Transformations

KEY: identify

641 ANS:

$$180 - 2(25) = 130$$

PTS: 2 REF: 011730geo NAT: G.SRT.B.4

TOP: Centroid, Orthocenter, Incenter and Circumcenter

642 ANS: 2

$$6 \cdot 6 = x(x - 5)$$

$$36 = x^2 - 5x$$

$$0 = x^2 - 5x - 36$$

$$0 = (x - 9)(x + 4)$$

$$x = 9$$

PTS: 2 REF: 061708geo NAT: G.C.A.2 TOP: Chords, Secants and Tangents

KEY: intersecting chords, length

643 ANS: 3 PTS: 2 REF: 061706geo NAT: G.SRT.A.1


TOP: Line Dilations

644 ANS:

 \overline{GI} is parallel to \overline{NT} , and \overline{IN} intersects at A (given); $\angle I \cong \angle N$, $\angle G \cong \angle T$ (paralleling lines cut by a transversal form congruent alternate interior angles); $\triangle GIA \sim \triangle TNA$ (AA).

PTS: 2 REF: 011729geo NAT: G.SRT.A.3 TOP: Similarity Proofs

645 ANS: 4



PTS: 2 REF: 081708geo NAT: G.CO.C.11 TOP: Interior and Exterior Angles of Polygons

646 ANS:

If an altitude is drawn to the hypotenuse of a triangle, it divides the triangle into two right triangles similar to each other and the original triangle.

PTS: 2 REF: 061729geo NAT: G.SRT.B.4 TOP: Similarity

647 ANS: 3

$$\frac{360^\circ}{5} = 72^\circ \quad 216^\circ \text{ is a multiple of } 72^\circ$$

PTS: 2 REF: 061819geo NAT: G.CO.A.3 TOP: Mapping a Polygon onto Itself

648 ANS:

Each triangular prism has the same base area. Therefore, each corresponding cross-section of the prisms will have the same area. Since the two prisms have the same height of 14, the two volumes must be the same.

PTS: 2 REF: 061727geo NAT: G.GMD.A.1 TOP: Volume

649 ANS:

$$\frac{Q}{360} (\pi)(25^2) = (\pi)(25^2) - 500\pi$$

$$Q = \frac{125\pi(360)}{625\pi}$$

$$Q = 72$$

PTS: 2 REF: 011828geo NAT: G.C.B.5 TOP: Sectors

650 ANS: 3

PTS: 2

REF: 011714geo

NAT: G.SRT.C.6

TOP: Trigonometric Ratios

651 ANS: 4


$$x^2 + 4x + 4 + y^2 - 8y + 16 = -16 + 4 + 16$$

$$(x + 2)^2 + (y - 4)^2 = 4$$

PTS: 2 REF: 081821geo NAT: G.GPE.A.1 TOP: Equations of Circles

KEY: completing the square

652 ANS:



PTS: 2 REF: 012526geo NAT: G.CO.D.12 TOP: Constructions
 KEY: line bisector

653 ANS: 2

$$\frac{5280}{2.25\pi} \approx 747$$

PTS: 2 REF: 012523geo NAT: G.GMD.A.1 TOP: Circumference

654 ANS: 2

(1) AA; (3) SAS; (4) SSS. NYSED has stated that all students should be awarded credit regardless of their answer to this question.

PTS: 2 REF: 061724geo NAT: G.SRT.B.5 TOP: Similarity
 KEY: basic

655 ANS: 1

$$\sin 32 = \frac{x}{6.2}$$

$$x \approx 3.3$$

PTS: 2 REF: 081719geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side

656 ANS: 1

$$84 = \frac{1}{3} \cdot s^2 \cdot 7$$

$$6 = s$$

PTS: 2 REF: 061716geo NAT: G.GMD.A.3 TOP: Volume
 KEY: pyramids

657 ANS:

$$\tan 36 = \frac{x}{18.5} \quad 13.44 + 2.5 \approx 16$$

$$x \approx 13.44$$

PTS: 2 REF: 012527geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side

658 ANS: 1 PTS: 2 REF: 081804geo NAT: G.CO.A.5
TOP: Compositions of Transformations KEY: grids

659 ANS:
cos B increases because $\angle A$ and $\angle B$ are complementary and $\sin A = \cos B$.

PTS: 2 REF: 011827geo NAT: G.SRT.C.7 TOP: Cofunctions


660 ANS: 2

$$V = \frac{1}{3} \left(\frac{36}{4} \right)^2 \cdot 15 = 405$$

PTS: 2 REF: 011822geo NAT: G.GMD.A.3 TOP: Volume

KEY: pyramids

661 ANS:



PTS: 2 REF: 061725geo NAT: G.CO.D.12 TOP: Constructions

KEY: parallel and perpendicular lines

662 ANS: 4 PTS: 2 REF: 081813geo NAT: G.CO.C.11

TOP: Parallelograms

663 ANS:

Yes. $\angle A \cong \angle X$, $\angle C \cong \angle Z$, $\overline{AC} \cong \overline{XZ}$ after a sequence of rigid motions which preserve distance and angle measure, so $\triangle ABC \cong \triangle XYZ$ by ASA. $\overline{BC} \cong \overline{YZ}$ by CPCTC.

PTS: 2 REF: 081730geo NAT: G.CO.B.7 TOP: Triangle Congruency

664 ANS: 2

$$x^2 = 12(12 - 8)$$

$$x^2 = 48$$

$$x = 4\sqrt{3}$$

PTS: 2 REF: 011823geo NAT: G.SRT.B.4 TOP: Similarity

665 ANS: 2 PTS: 2 REF: 061720geo NAT: G.CO.C.11

TOP: Parallelograms

666 ANS:

$$10 \cdot 6 = 15x$$

$$x = 4$$

PTS: 2 REF: 061828geo NAT: G.C.A.2 TOP: Chords, Secants and Tangents

KEY: secants drawn from common point, length

667 ANS: 1

$$y = \frac{1}{2}x + 4 \quad \frac{2}{4} = \frac{1}{2}$$

$$y = \frac{1}{2}x + 2$$

PTS: 2

REF: 012008geo NAT: G.SRT.A.1 TOP: Line Dilations

Geometry Regents at Random Worksheets

Answer Section

668 ANS:

$$\frac{4}{3}\pi \cdot (1)^3 + \frac{4}{3}\pi \cdot (2)^3 + \frac{4}{3}\pi \cdot (3)^3 = \frac{4}{3}\pi + \frac{32}{3}\pi + \frac{108}{3}\pi = 48\pi$$

PTS: 2 REF: 062329geo NAT: G.GMD.A.3 TOP: Volume

KEY: spheres

669 ANS: 3

$$V = \frac{4}{3}\pi r^3 = \frac{4}{3}\pi \cdot \left(\frac{18}{2}\right)^3 = 972\pi$$

PTS: 2 REF: 062404geo NAT: G.GMD.A.3 TOP: Volume

KEY: spheres

670 ANS: 3

$$3 - 1 = 2$$

$$1 - 2 = -1$$

PTS: 2 REF: 082317geo NAT: G.CO.A.5 TOP: Reflections

671 ANS: 2

$$180 - (180 - 42 - 42)$$

PTS: 2 REF: 062317geo NAT: G.CO.C.10 TOP: Exterior Angle Theorem

672 ANS: 4

$$5 + \frac{2}{5}(-10 - 5) = 5 + \frac{2}{5}(-15) = 5 - 6 = -1 \quad 7 + \frac{2}{5}(-8 - 7) = 7 + \frac{2}{5}(-15) = 7 - 6 = 1$$

PTS: 2 REF: 012410geo NAT: G.GPE.B.6 TOP: Directed Line Segments

673 ANS:

$$\frac{1}{3}\pi \times 5^2 \times 12 = 100\pi \approx 314$$

PTS: 2 REF: 012425geo NAT: G.GMD.B.4 TOP: Rotations of Two-Dimensional Objects

674 ANS: 3

$$5x - 10 = 4x - 4 \quad 4(6) - 4 = 20$$

$$x = 6$$

PTS: 2 REF: 012408geo NAT: G.CO.B.6 TOP: Properties of Transformations

KEY: graphics


675 ANS:

$$((6 \times 6) - (4 \times 2)) \times 1.25 = 35 \quad 18 \times \$3.68 = \$66.24$$

PTS: 4 REF: 012533geo NAT: G.GMD.A.3 TOP: Volume

KEY: compositions

676 ANS: 1



PTS: 2 REF: 012423geo NAT: G.SRT.B.5 TOP: Triangle Proofs
KEY: statements

677 ANS:

$$x^2 + 16x + 64 + y^2 + 12y + 36 = 44 + 64 + 36 \quad (-8, -6); r = 12$$

$$(x + 8)^2 + (y + 6)^2 = 144$$


PTS: 2 REF: 012430geo NAT: G.GPE.A.1 TOP: Equations of Circles
KEY: completing the square

678 ANS:

$$\frac{(3.5)^2(1.5) - (2)^2(1.5)}{.6} \approx 20.6 \quad 21 \text{ bags}$$

PTS: 4 REF: 082332geo NAT: G.GMD.A.3 TOP: Volume
KEY: compositions

679 ANS: 1



$\triangle ADC \cong \triangle BDC$ by SAS

PTS: 2 REF: 082316geo NAT: G.SRT.B.5 TOP: Triangle Congruency
680 ANS: 2 PTS: 2 REF: 082419geo NAT: G.SRT.B.4
TOP: Similarity

681 ANS:

$$\frac{4}{3} \pi \times .5^3 \times 10.5 \approx 5.5$$

PTS: 2 REF: 012528geo NAT: G.MG.A.2 TOP: Density
682 ANS: 1 PTS: 2 REF: 012316geo NAT: G.SRT.B.4
TOP: Medians, Altitudes and Bisectors
683 ANS: 3 PTS: 2 REF: 062419geo NAT: G.SRT.B.5
TOP: Similarity KEY: basic

684 ANS:

$$\frac{5\pi(2)^2 + 5(6)(4)}{25} \approx 7.3 \text{ 8 cans}$$

PTS: 2 REF: 082328geo NAT: G.MG.A.3 TOP: Compositions of Polygons and Circles
KEY: area

685 ANS: 1

$$y = 3x + 4, m = 3, m_{\perp} = -\frac{1}{3}$$

PTS: 2 REF: 012405geo NAT: G.GPE.B.5 TOP: Parallel and Perpendicular Lines
KEY: identify perpendicular lines

686 ANS: 2

$$3y = -6x + 3$$

$$y = -2x + 1$$

PTS: 2 REF: 062319geo NAT: G.SRT.A.1 TOP: Line Dilations

687 ANS: 3 PTS: 2 REF: 062310geo NAT: G.CO.C.11
TOP: Special Quadrilaterals

688 ANS:

$$4x \cdot x = 8^2 \quad 4 + 4(4) = 20$$


$$4x^2 = 64$$

$$x^2 = 16$$

$$x = 4$$

PTS: 2 REF: 082330geo NAT: G.SRT.B.4 TOP: Similarity

689 ANS:



Quadrilateral $FACT$, \overline{BR} intersects diagonal \overline{AT} at E , $\overline{AF} \parallel \overline{CT}$, and $\overline{AF} \cong \overline{CT}$

(Given); $FACT$ is a parallelogram (A quadrilateral with one pair of opposite sides parallel and congruent is a

parallelogram); $\overline{AC} \cong \overline{FT}$ (Opposite sides of a parallelogram are parallel); $\angle BAE \cong \angle RTE$, $\angle ABE \cong \angle TRE$


(Parallel lines cut by a transversal form alternate interior angles that are congruent); $\triangle ABE \sim \triangle TRE$ (AA);

$\frac{AB}{AE} = \frac{TR}{TE}$ (Corresponding sides of similar triangles are proportional); $(AB)(TE) = (AE)(TR)$ (Product of the means equals the product of the extremes).

PTS: 6 REF: 082335geo NAT: G.SRT.A.3 TOP: Similarity Proofs

690 ANS: 3 PTS: 2 REF: 062417geo NAT: G.CO.C.11
TOP: Special Quadrilaterals

691 ANS:



$$9 \times 8 - \frac{1}{2}(4 \times 7) - \frac{1}{2}(4 \times 9) - \frac{1}{2}(8 \times 2) = 32$$

PTS: 2 REF: 062430geo NAT: G.GPE.B.7 TOP: Polygons in the Coordinate Plane

692 ANS:

Quad $HOPE$, $\overline{EH} \cong \overline{OP}$, $\overline{EP} \cong \overline{OH}$, $\overline{EJ} \cong \overline{OG}$, $\overline{TG} \perp \overline{EO}$ and $\overline{YJ} \perp \overline{EO}$ (Given); $HOPE$ is a parallelogram (Both pairs of opposite sides are parallel); $\overline{HO} \parallel \overline{PE}$ (Opposite sides of a parallelogram are parallel); $\angle YOJ \cong \angle GET$ (Parallel lines cut by a transversal form congruent alternate interior angles); $\overline{GJ} \cong \overline{GJ}$ (Reflexive); $\overline{EG} \cong \overline{OJ}$ (Subtraction); $\angle EGT$ and $\angle OJY$ are right angles (Perpendicular lines form right angles); $\angle EGT \cong \angle OJY$ (All right angles are congruent); $\triangle EGT \cong \triangle OJY$ (ASA); $\overline{TG} \cong \overline{YJ}$ (CPCTC).

PTS: 6 REF: 082435geo NAT: G.SRT.B.5 TOP: Quadrilateral Proofs

693 ANS: 1

2) 90° ; 3) 360° ; 4) 72°

PTS: 2 REF: 012311geo NAT: G.CO.A.3 TOP: Mapping a Polygon onto Itself

694 ANS:

$$\frac{80}{360} \cdot \pi(6.4)^2 \approx 29$$

PTS: 2 REF: 062328geo NAT: G.C.B.5 TOP: Sectors

695 ANS: 4

$$\frac{x}{10} = \frac{12}{8} \quad 15 + 10 = 25$$

$$x = 15$$

PTS: 2 REF: 082314geo NAT: G.SRT.B.4 TOP: Side Splitter Theorem

696 ANS: 2

$$\tan 25^\circ = \frac{a}{12}$$

PTS: 2 REF: 082409geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side

697 ANS: 2 PTS: 2 REF: 062402geo NAT: G.GMD.B.4

TOP: Cross-Sections of Three-Dimensional Objects

698 ANS: 3

$$x^2 + 12x + 36 + y^2 = -27 + 36$$

$$(x + 6)^2 + y^2 = 9$$

PTS: 2 REF: 082313geo NAT: G.GPE.A.1 TOP: Equations of Circles

KEY: completing the square

699 ANS: 1 PTS: 2 REF: 011601geo NAT: G.GMD.B.4

TOP: Cross-Sections of Three-Dimensional Objects

700 ANS: 3

$$90 - 30 = 60$$


PTS: 2 REF: 012401geo NAT: G.SRT.C.7 TOP: Cofunctions

701 ANS: 1

$$-4 + \frac{3}{5}(1 - -4) = -4 + 3 = -1 \quad -2 + \frac{3}{5}(8 - -2) = -2 + 6 = 4$$

PTS: 2 REF: 082402geo NAT: G.GPE.B.6 TOP: Directed Line Segments

702 ANS:



PTS: 2 REF: 062426geo NAT: G.CO.D.13 TOP: Constructions

703 ANS:

$$\cos A = \frac{11}{18}$$

$$A \approx 52$$

PTS: 2 REF: 062425geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find an Angle

704 ANS: 2


$$\text{Since } \overline{AD} \parallel \overline{BC}, \widehat{AB} \cong \widehat{CD}. \quad m\angle ACB = \frac{1}{2} m\widehat{AB}$$

$$m\angle CDF = \frac{1}{2} m\widehat{CD}$$

PTS: 2 REF: 012323geo NAT: G.C.A.2 TOP: Chords, Secants and Tangents

KEY: chords and tangents

705 ANS:



$JE = JO = \sqrt{6^2 + 2^2} = \sqrt{40}$ Since $\triangle JOE$ has two congruent sides, it is isosceles.
 $OY = YE = \sqrt{4^2 + 2^2} = \sqrt{20}$ Since $\overline{OY} \cong \overline{YE}$, \overline{JY} is a bisector of \overline{OE} . $m_{\overline{OE}} = \frac{4}{-8} = -\frac{1}{2}$ $m_{\overline{JY}} = \frac{4}{2} = 2$ Since the slopes are opposite reciprocals, $\overline{OE} \perp \overline{JY}$.

PTS: 6 REF: 062435geo NAT: G.GPE.B.4 TOP: Triangles in the Coordinate Plane

706 ANS:

$$\cos J = \frac{3}{5} \quad S \approx 90 - 53 = 37$$

$$J \approx 53$$

PTS: 2 REF: 012431geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find an Angle

707 ANS: 3

$$\pi(6)^2(24) + \frac{4\pi(6)^3}{(3)(2)} = 864\pi + 144\pi = 1008\pi$$

PTS: 2 REF: 082414geo NAT: G.GMD.A.3 TOP: Volume

KEY: compositions

708 ANS: 3

(1) and (2) are false as dilations preserve angle measure. (4) would be true if the scale factor was 2.

PTS: 2 REF: 082323geo NAT: G.SRT.A.2 TOP: Dilations

709 ANS: 2

$$\frac{100000 \text{ g}}{7.48 \text{ g/ft}^3} = \pi(r^2)(30 \text{ ft})$$

$$11.92 \text{ ft} \approx r$$

$$23.8 \approx d$$

PTS: 2 REF: 012424geo NAT: G.GMD.A.3 TOP: Volume

KEY: cylinders

710 ANS:

$$\frac{-2 - -4}{-3 - 4} = \frac{2}{-7}; \quad y - 2 = -\frac{2}{7}(x - 3)$$

PTS: 2 REF: 062331geo NAT: G.GPE.B.4 TOP: Triangles in the Coordinate Plane

711 ANS: 3 PTS: 2 REF: 012309geo NAT: G.CO.C.11

TOP: Special Quadrilaterals

712 ANS:

Reflections preserve distance, so the corresponding sides are congruent.


PTS: 2

REF: 082430geo

NAT: G.CO.B.6

TOP: Properties of Transformations

713 ANS:



PTS: 2

REF: 012427geo

NAT: G.CO.D.12

TOP: Constructions

KEY: polygons

714 ANS:

$$67. K = \frac{1}{2}(11)(13) \sin 70^\circ \approx 67$$

PTS: 2

REF: 060525b

NAT: G.SRT.D.9

TOP: Using Trigonometry to Find Area

KEY: basic

715 ANS:

$$\text{Mary. Sally: } V = \pi \cdot 2^2 \cdot 8 \approx 100.5 \quad \text{Mary: } V = \frac{1}{3} \pi \cdot 3.5^2 \cdot 12.5 \approx 160.4 \quad 160.4 - 100.5 \approx 60$$

PTS: 4


REF: 012332geo

NAT: G.GMD.A.3

TOP: Volume

KEY: cones

716 ANS:



PTS: 2

REF: 062325geo

NAT: G.CO.D.12

TOP: Constructions

KEY: parallel and perpendicular lines

717 ANS:

Because \overline{DE} divides \overline{AC} and \overline{AB} proportionally $\left(\frac{3}{6} = \frac{4}{8}\right)$, \overline{DE} is a side splitter and $\overline{ED} \parallel \overline{CB}$. Therefore $\angle AED \cong \angle ACB$ and $\angle ADE \cong \angle ABC$ as corresponding angles. $\triangle ADE \sim \triangle ABC$ by AA.

PTS: 2 REF: 012529geo NAT: G.SRT.B.4 TOP: Side Splitter Theorem

718 ANS:

$\pi(3.5)^2(9) \approx 346$; $\pi(4.5)^2(13) \approx 827$; $\frac{827}{346} \approx 2.4$; 3 cans

PTS: 4 REF: 062333geo NAT: G.GMD.A.3 TOP: Volume

KEY: cylinders

719 ANS: 4

$-5 + \frac{3}{4}(7 - -5) = -5 + \frac{3}{4}(12) = -5 + 9 = 4$ $3 + \frac{3}{4}(-5 - 3) = 3 + \frac{3}{4}(-8) = 3 - 6 = -3$

PTS: 2 REF: 082302geo NAT: G.GPE.B.6 TOP: Directed Line Segments

720 ANS: 4

$2(x + 13) = 5x - 1$ $MN = 9 + 13 = 22$

$$2x + 26 = 5x - 1$$

$$27 = 3x$$

$$x = 9$$

PTS: 2 REF: 062322geo NAT: G.CO.C.10 TOP: Midsegments

721 ANS: 3

(3) is AAS, which proves congruency. (1) is AAA, (2) is SSA and (4) is AS.

PTS: 2 REF: 012422geo NAT: G.CO.B.7 TOP: Triangle Congruency

722 ANS:

$\triangle ABC$, $\triangle DEF$, $\overline{AB} \perp \overline{BC}$, $\overline{DE} \perp \overline{EF}$, $\overline{AE} \cong \overline{DB}$, and $\overline{AC} \parallel \overline{FD}$ (Given); $\angle DEF \cong \angle CBA$ (Perpendicular lines form congruent angles); $\angle CAB \cong \angle DEF$ (Parallel lines cut by a transversal form congruent alternate interior angles); $\overline{EB} \cong \overline{BE}$ (Symmetric Property); $\overline{AE} + \overline{EB} \cong \overline{DB} + \overline{BE}$ (Segment Addition); $\triangle ABC \cong \triangle DEF$ (ASA)

$$\overline{AB} \cong \overline{ED}$$

PTS: 4 REF: 062433geo NAT: G.SRT.B.5 TOP: Triangle Proofs

KEY: proof

723 ANS: 1

PTS: 2

REF: 062312geo

NAT: G.SRT.C.7

TOP: Cofunctions

724 ANS: 2

PTS: 2

REF: 082417geo

NAT: G.SRT.A.1

TOP: Line Dilations

725 ANS:
 $2(15) = 3x - 12$
 $30 = 3x - 12$
 $42 = 3x$
 $14 = x$

PTS: 2 REF: 082429geo NAT: G.CO.C.10 TOP: Midsegments


726 ANS: 4 PTS: 2 REF: 062318geo NAT: G.CO.C.9
 TOP: Lines and Angles

727 ANS: 1
 $\frac{36}{4} = 9$

PTS: 2 REF: 012321geo NAT: G.CO.C.10 TOP: Midsegments

728 ANS: 3 PTS: 2 REF: 062323geo NAT: G.CO.C.11
 TOP: Trapezoids

729 ANS:



Rotate 180° about $\left(-1, \frac{1}{2}\right)$.

PTS: 2 REF: 082325geo NAT: G.CO.A.5 TOP: Compositions of Transformations

730 ANS: 2 PTS: 2 REF: 012416geo NAT: G.SRT.A.1
 TOP: Line Dilations

731 ANS: 2
 $\left(\frac{360 - 100}{360}\right)(\pi)(6^2) = 26\pi$

PTS: 2 REF: 062411geo NAT: G.C.B.5 TOP: Sectors

732 ANS:
 $5x - 14 = 3x + 10$
 $2x = 24$
 $x = 12$

PTS: 2 REF: 082326geo NAT: G.CO.C.10 TOP: Isosceles Triangle Theorem

733 ANS: 3

$$V = \pi(8)^2(4 - 0.5)(7.48) \approx 5264$$

PTS: 2


REF: 012320geo

NAT: G.GMD.A.3

TOP: Volume

KEY: cylinders

734 ANS: 2



PTS: 2

REF: 062305geo

NAT: G.C.A.2

TOP: Chords, Secants and Tangents

KEY: inscribed

735 ANS: 4

PTS: 2


REF: 082404geo

NAT: G.CO.C.11

TOP: Parallelograms

736 ANS:

A rhombus has four congruent sides. Since each side measures $\sqrt{85}$, all four sides of *MATH* are congruent, and



MATH is a rhombus. $16 \times 8 - (21 + 9 + 21 + 9) = 68$

PTS: 4

REF: 062334geo

NAT: G.GPE.B.4

TOP: Quadrilaterals in the Coordinate Plane

737 ANS: 3

PTS: 2

REF: 062302geo

NAT: G.CO.B.6

TOP: Properties of Transformations

KEY: graphics

738 ANS:

$$6\left(\frac{4}{3}\pi\right)\left(\frac{2.5}{12}\right)^3(68) \approx 15$$

PTS: 4

REF: 082434geo

NAT: G.MG.A.2

TOP: Density

739 ANS:

$$\tan 32 = \frac{66}{x}$$

$$x \approx 106$$


PTS: 2

REF: 082428geo

NAT: G.SRT.C.8

TOP: Using Trigonometry to Find a Side

740 ANS:



The slope of \overline{MA} and \overline{TH} equals $-\frac{1}{2}$. Distinct lines with equal slope are parallel. $MATH$ is a trapezoid because it has a pair of parallel lines. $(7,3)$. The slope of \overline{MY} and \overline{TH} equals $-\frac{1}{2}$. The slope of \overline{YT} and \overline{HM} equals 2. The slopes of each side are opposite reciprocals and therefore perpendicular. Perpendicular sides form right angles, so $MYTH$ has four right angles and is a rectangle.

PTS: 6 REF: 012435geo NAT: G.GPE.B.4 TOP: Quadrilaterals in the Coordinate Plane

741 ANS: 1

$r = 8$, forming an 8-15-17 triple. $V = \frac{1}{3} \pi(8)^2 15 = 320\pi$

PTS: 2 REF: 082318geo NAT: G.GMD.A.3 TOP: Volume

KEY: cones

742 ANS:

$$\sin 65 = \frac{7.7}{x}, \quad \tan 65 = \frac{7.7}{y}$$

$$x \approx 8.5 \quad y \approx 3.6$$

PTS: 4 REF: 082333geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side

743 ANS:

$$\sin 65 = \frac{RB}{1076} \quad \sin 54 = \frac{RA}{774} \quad 975.2 - 626.2 = 349$$

$$RB \approx 975.2 \quad RA \approx 626.2$$

PTS: 4 REF: 082432geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side

744 ANS: 1

PTS: 2

REF: 062409geo

NAT: G.C.A.2

TOP: Chords, Secants and Tangents

KEY: inscribed

745 ANS: 4

PTS: 2

REF: 062401geo

NAT: G.CO.B.6

TOP: Properties of Transformations


746 ANS: 2 PTS: 2 REF: 082305geo NAT: G.CO.C.11
TOP: Special Quadrilaterals

747 ANS:

$$164.2. K = \frac{1}{2}(12)(31) \sin 62^\circ \approx 164.2$$

PTS: 2 REF: 010225b NAT: G.SRT.D.9 TOP: Using Trigonometry to Find Area
KEY: basic


748 ANS: 2



PTS: 2 REF: 062314geo NAT: G.SRT.B.5 TOP: Similarity
KEY: basic

749 ANS: 1 PTS: 2 REF: 012403geo NAT: G.CO.A.3
TOP: Mapping a Polygon onto Itself

750 ANS: 4




PTS: 2 REF: 012421geo NAT: G.CO.C.9 TOP: Lines and Angles

751 ANS: 2

Sine and cosine are cofunctions.

PTS: 2 REF: 082403geo NAT: G.SRT.C.7 TOP: Cofunctions

752 ANS:



$$6 \times 12 - \frac{1}{2}(12 \times 3) - \frac{1}{2}(6 \times 6) - \frac{1}{2}(6 \times 3) = 27$$

PTS: 2 REF: 012331geo NAT: G.GPE.B.7 TOP: Polygons in the Coordinate Plane

753 ANS: 2


$$x^2 + 2x + 1 + y^2 - 16y + 64 = -49 + 1 + 64$$

$$(x + 1)^2 + (y - 8)^2 = 16$$

PTS: 2 REF: 012314geo NAT: G.GPE.A.1 TOP: Equations of Circles

KEY: completing the square

754 ANS: 1



PTS: 2 REF: 082310geo NAT: G.CO.C.10 TOP: Angle Side Relationship

755 ANS: 3 PTS: 2 REF: 062414geo NAT: G.SRT.A.2


TOP: Dilations

756 ANS:

Quadrilateral $ABCD$, $\overline{AB} \cong \overline{CD}$, $\overline{AB} \parallel \overline{CD}$, diagonal \overline{AC} intersects \overline{EF} at G , and $\overline{DE} \cong \overline{BF}$ (given); $ABCD$ is a parallelogram (a quadrilateral with a pair of opposite sides \parallel is a parallelogram); $\overline{AD} \cong \overline{CB}$ (opposite side of a parallelogram are congruent); $\overline{AE} \cong \overline{CF}$ (subtraction postulate); $\overline{AD} \parallel \overline{CB}$ (opposite side of a parallelogram are parallel); $\angle EAG \cong \angle FCG$ (if parallel sides are cut by a transversal, the alternate interior angles are congruent); $\angle AGE \cong \angle CGF$ (vertical angles); $\triangle AEG \cong \triangle CFG$ (AAS); $\overline{EG} \cong \overline{FG}$ (CPCTC): G is the midpoint of \overline{EF} (since G divides \overline{EF} into two equal parts, G is the midpoint of \overline{EF}).

PTS: 6 REF: 062335geo NAT: G.SRT.B.5 TOP: Quadrilateral Proofs

757 ANS: 2



$$\frac{x}{16} = \frac{1}{2} \quad 8 + 16 + 13 + 14 + 14 = 65$$

$$x = 8$$

PTS: 2 REF: 082408geo NAT: G.SRT.B.4


TOP: Centroid, Orthocenter, Incenter and Circumcenter

758 ANS:

Rotation of 90° counterclockwise about the origin.

PTS: 2 REF: 012428geo NAT: G.CO.A.2 TOP: Identifying Transformations

759 ANS: 1



PTS: 2 REF: 062410geo NAT: G.CO.C.10 TOP: Interior and Exterior Angles of Triangles

760 ANS:

Yes. $\triangle ABC$ and $\triangle DEF$ are both 5-12-13 triangles and therefore congruent by SSS. All congruent triangles are similar.

PTS: 2 REF: 012329geo NAT: G.SRT.B.5 TOP: Triangle Proofs

KEY: statements

761 ANS: 2

$$x^2 + y^2 - 2x + 4y - 5 = 0$$

$$x^2 - 2x + 1 + y^2 + 4y + 4 = 5 + 1 + 4$$

$$(x - 1)^2 + (y + 2)^2 = 10$$

PTS: 2 REF: 082416geo NAT: G.GPE.A.1 TOP: Equations of Circles

KEY: completing the square

762 ANS: 1

$$-5 + \frac{1}{4}(7 - -5) = -5 + \frac{1}{4}(12) = -5 + 3 = -2 \quad 4 + \frac{1}{4}(-4 - 4) = 4 + \frac{1}{4}(-8) = 4 - 2 = 2$$

PTS: 2 REF: 062418geo NAT: G.GPE.B.6 TOP: Directed Line Segments

763 ANS:

Nathan, because a line dilated through a point on the line results in the same line.

PTS: 2 REF: 082331geo NAT: G.SRT.A.1 TOP: Line Dilations

764 ANS:

$$\frac{5}{x} = \frac{14}{21}$$

$$14x = 105$$

$$x = 7.5$$

PTS: 2 REF: 082425geo NAT: G.SRT.B.5 TOP: Similarity

KEY: basic

765 ANS:

$$h = \sqrt{16^2 - \left(\frac{12}{2}\right)^2} = \sqrt{220} \quad V = \frac{1}{3}(12)^2 \sqrt{220} \approx 712 \quad 712 \times 0.32 \approx 23$$

PTS: 4 REF: 012433geo NAT: G.MG.A.2 TOP: Density

766 ANS:


$$m_{\overline{PE}} = \frac{8-4}{6--6} = \frac{4}{12} = \frac{1}{3} \quad \text{Since the slopes of } \overline{PE} \text{ and } \overline{PT} \text{ are opposite reciprocals, they are perpendicular and}$$

$$m_{\overline{PT}} = \frac{4--2}{-6--4} = \frac{6}{-2} = -3$$

form a right angle. $\triangle PET$ is a right triangle because it has a right angle. $(8,2) \quad m_{\overline{TN}} = \frac{2--2}{8--4} = \frac{4}{12} = \frac{1}{3}$ Because

$$m_{\overline{EN}} = \frac{8-2}{6-8} = \frac{6}{-2} = -3$$

the slopes of \overline{PE} and \overline{TN} are equal, $\overline{PE} \parallel \overline{TN}$. Because the slopes of \overline{PT} and \overline{EN} are equal, $\overline{PT} \parallel \overline{EN}$. Because opposite sides are parallel, $PENT$ is a parallelogram. Because $\angle P$ is a right angle, $PENT$ is a rectangle.



PTS: 6 REF: 012535geo NAT: G.GPE.B.4 TOP: Quadrilaterals in the Coordinate Plane

767 ANS:

$$m_{\overline{AX}} = \frac{4-1}{1-4} = -1 \quad \overline{AM} \text{ is an altitude. } A = \frac{1}{2} \sqrt{18} \sqrt{72} = \frac{1}{2} \sqrt{9} \sqrt{2} \sqrt{9} \sqrt{8} = 18$$

$$m_{\overline{AM}} = \frac{4--2}{1--5} = 1$$

PTS: 2 REF: 082427geo NAT: G.GPE.B.7 TOP: Polygons in the Coordinate Plane

768 ANS: 4

$$\frac{x}{360} = \frac{6.2}{9\pi}$$

$$x \approx 79$$

PTS: 2 REF: 082424geo NAT: G.C.B.5 TOP: Arc Length

769 ANS: 3

$$m = \frac{3}{4} \quad m_{\perp} = -\frac{4}{3}$$

PTS: 2 REF: 062406geo NAT: G.GPE.B.5 TOP: Parallel and Perpendicular Lines

KEY: write equation of perpendicular line

770 ANS:

Yes, because of SAS.

$$\frac{AB}{AD} = \frac{AE}{AC}$$

$$\frac{4.1}{3.42 + 5.6} = \frac{5.6}{4.1 + 8.22}$$

$$50.512 = 50.512$$

PTS: 2 REF: 012429geo NAT: G.SRT.B.5 TOP: Similarity

KEY: basic

771 ANS:

$$\sin x = \frac{917}{1048} \quad \sin T = \frac{917}{1425} \quad 180 - ((180 - 61) + 40) = 21$$

$$x \approx 61 \quad T \approx 40$$

 $\angle SBC$

PTS: 4 REF: 012532geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find an Angle

772 ANS: 2

$$3x + 9 + 5x - 7 = 90$$

$$8x + 2 = 90$$

$$8x = 88$$

$$x = 11$$

PTS: 2 REF: 062420geo NAT: G.SRT.C.7 TOP: Cofunctions

773 ANS: 1

PTS: 2

REF: 062424geo

NAT: G.SRT.A.1


TOP: Line Dilations

774 ANS: 4 PTS: 2 REF: 012415geo NAT: G.GMD.B.4
TOP: Cross-Sections of Three-Dimensional Objects

775 ANS: 4
 $\sin 18 = \frac{8}{x}$

$$x \approx 25.9$$

PTS: 2 REF: 062316geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side
776 ANS:



\overline{AD} and \overline{BC} have equal slope, so are parallel. \overline{AB} and \overline{CD} have equal slope, so are parallel. Since both pairs of opposite sides are parallel, $ABCD$ is a parallelogram. The slope of \overline{AB} and \overline{BC} are not opposite reciprocals, so they are not perpendicular, and so $\angle B$ is not a right angle. $ABCD$ is not a rectangle since all four angles are not right angles.

PTS: 4 REF: 082334geo NAT: G.GPE.B.4 TOP: Quadrilaterals in the Coordinate Plane
777 ANS: 3 PTS: 2 REF: 012413geo NAT: G.CO.C.11
TOP: Special Quadrilaterals

778 ANS: 3
 $\frac{360^\circ}{6} = 60^\circ$

PTS: 2 REF: 062403geo NAT: G.CO.A.3 TOP: Mapping a Polygon onto Itself
779 ANS: 1

$$\frac{56+x}{2} = 46$$

$$x + 56 = 92$$

$$x = 36$$

PTS: 2 REF: 082421geo NAT: G.C.A.2 TOP: Chords, Secants and Tangents
KEY: intersecting chords, angle

780 ANS:
 $x^2 = 9 \times 25$
 $x = 15$

PTS: 2 REF: 012530geo NAT: G.C.A.2 TOP: Chords, Secants and Tangents
KEY: secant and tangent drawn from common point, length

781 ANS: 2

$$24 \text{ ht} \left(\frac{0.75 \text{ in}^3}{\text{ht}} \right) \left(\frac{0.323 \text{ lb}}{1 \text{ in}^3} \right) \left(\frac{\$3.68}{\text{lb}} \right) \approx \$21.40$$

PTS: 2 REF: 012306geo NAT: G.MG.A.2 TOP: Density

782 ANS: 2

$$\frac{7.5}{3.5} = \frac{9.5}{x}$$

$$x \approx 4.4$$

PTS: 2 REF: 012303geo NAT: G.SRT.B.4 TOP: Side Splitter Theorem

783 ANS: 3 PTS: 2 REF: 082307geo NAT: G.GMD.B.4

TOP: Rotations of Two-Dimensional Objects

784 ANS: 2

$$24^2 = 4x \cdot 9x \quad 5 \cdot 4 = 20$$

$$576 = 36x^2$$

$$16 = x^2$$

$$4 = x$$

PTS: 2 REF: 012312geo NAT: G.C.A.2 TOP: Chords, Secants and Tangents

KEY: secant and tangent drawn from common point, length

785 ANS: 2

$$\frac{10}{x} = \frac{8}{6}$$

$$8x = 60$$

$$x = 7.5$$

PTS: 2 REF: 012402geo NAT: G.SRT.B.4 TOP: Side Splitter Theorem

786 ANS:

$$x^2 + 8x + 16 + y^2 - 6y + 9 = -7 + 16 + 9 \quad (-4, 3) \quad \sqrt{18}$$

$$(x + 4)^2 + (y - 3)^2 = 18$$

PTS: 2 REF: 062429geo NAT: G.GPE.A.1 TOP: Equations of Circles

KEY: completing the square

787 ANS:

Rotate 90° clockwise about B and translate down 4 and right 3.

PTS: 2 REF: 012326geo NAT: G.CO.A.5 TOP: Compositions of Transformations

KEY: identify


788 ANS: 1

$$\frac{7.2}{5.4} = \frac{3.29}{x}$$

$$x \approx 2.47$$

PTS: 2 REF: 062405geo NAT: G.SRT.B.5 TOP: Similarity
 KEY: basic

789 ANS:
 $m_{\overline{DU}} = \frac{9}{2}$ $m_{\overline{UC}} = -\frac{2}{9}$ Since the slopes of \overline{DU} and \overline{UC} are opposite reciprocals, they are perpendicular and form a right angle. $\triangle DUC$ is a right triangle because $\angle DUC$ is a right angle. Each side of quadrilateral $DUCU'$ is $\sqrt{9^2 + 2^2} = \sqrt{85}$. Quadrilateral $DUCU'$ is a square because all four sides are congruent and it has a right angle.



PTS: 6 REF: 012335geo NAT: G.GPE.B.4 TOP: Quadrilaterals in the Coordinate Plane

790 ANS:
 $\frac{15}{27} = \frac{20}{36}$ \overline{EF} is parallel to \overline{BC} because \overline{EF} divides the sides proportionately.
 $540 = 540$

PTS: 2 REF: 062431geo NAT: G.SRT.B.4 TOP: Side Splitter Theorem

791 ANS: 3
 $2 \times \frac{40 \times 16}{33 \frac{1}{3}} = 38.4$

PTS: 2 REF: 012404geo NAT: G.MG.A.3 TOP: Area of Polygons

792 ANS:
 Since $\angle ABH$ is 100° , $\angle AHB$ is 40° . An isosceles triangle has two congruent angles. $\cos 80 = \frac{x}{85}$
 $x \approx 14.8$


$$\tan 40 = \frac{y}{85 + 14.8}$$

$$y \approx 84$$

PTS: 4 REF: 012334geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side

793 ANS: 1 PTS: 2 REF: 062308geo NAT: G.CO.A.5
TOP: Compositions of Transformations

794 ANS:



PTS: 2 REF: 012325geo NAT: G.CO.D.12 TOP: Constructions
KEY: angle bisector

795 ANS: 2 PTS: 2 REF: 012409geo NAT: G.SRT.A.2
TOP: Dilations

796 ANS: 4

$$\cos 47 = \frac{50}{x}$$


$$x \approx 73$$

PTS: 2 REF: 012406geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side

797 ANS: 4
 $m_{\overline{AD}} = \frac{3-1}{-2-2} = \frac{2}{-4} = -\frac{1}{2}$ A pair of opposite sides is parallel.

$$m_{\overline{BC}} = \frac{8-4}{-3-5} = \frac{4}{-8} = -\frac{1}{2}$$

PTS: 2 REF: 082321geo NAT: G.GPE.B.4 TOP: Quadrilaterals in the Coordinate Plane
798 ANS:



PTS: 2 REF: 082426geo NAT: G.CO.D.12 TOP: Constructions
KEY: line bisector

799 ANS:

$$\tan 15 = \frac{188}{x} \quad \tan 23 = \frac{188}{y} \quad 701.63 - 442.9 \approx 259$$

$$x \approx 701.63 \quad y \approx 442.9$$

PTS: 4 REF: 062434geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side

800 ANS:

$$\tan 15 = \frac{x}{3280}; \tan 31 = \frac{y}{3280}; 1970.8 - 878.9 \approx 1092$$

$$x \approx 878.9 \quad x \approx 1970.8$$

PTS: 4 REF: 062332geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side

801 ANS: 1

$$\sin N = \frac{\text{opposite}}{\text{hypotenuse}} = \frac{12}{20}$$

PTS: 2 REF: 012307geo NAT: G.SRT.C.6 TOP: Trigonometric Ratios

802 ANS:

1) $\triangle ACD$ with \overline{ABC} , \overline{AED} , and $\overline{BE} \parallel \overline{CD}$ (Given); 2) $\angle ABE \cong \angle ACD$ and $\angle AEB \cong \angle ADC$ (A transversalcrossing parallel lines creates congruent corresponding angles; 3) $\triangle ABE \cong \triangle ACD$ (AA); 4) $\frac{AB}{AC} = \frac{AE}{AD}$ (Corresponding sides of similar triangles are proportional); 5) $AB \cdot AD = AE \cdot AC$ (Product of the means equals the product of the extremes)

PTS: 4 REF: 012534geo NAT: G.SRT.A.3 TOP: Similarity Proofs

803 ANS: 1

PTS: 2

REF: 012304geo

NAT: G.SRT.C.7

TOP: Cofunctions

804 ANS: 2

$$\frac{136-x}{2} = 44$$

$$136-x = 88$$

$$48 = x$$

PTS: 2 REF: 012414geo NAT: G.C.A.2 TOP: Chords, Secants and Tangents

KEY: secants drawn from common point, angle

805 ANS:

$$m_{\overline{AB}} = \frac{6-3}{-3-6} = \frac{3}{-9} = -\frac{1}{3} \quad m_{\overline{BC}} = \frac{3--2}{6-6} = \frac{5}{0} \rightarrow \text{undefined} \quad ABCD \text{ is a trapezoid because it has only one pair of}$$

$$m_{\overline{CD}} = \frac{2--2}{-6-6} = \frac{4}{-12} = -\frac{1}{3} \quad m_{\overline{AD}} = \frac{6-2}{-3--6} = \frac{4}{3}$$

parallel sides. $BD = \sqrt{(6--6)^2 + (3-2)^2} = \sqrt{145}$ $ABCD$ is isosceles because $ABCD$'s diagonals are

$$AC = \sqrt{(6--3)^2 + (-2-6)^2} = \sqrt{145}$$

congruent.

PTS: 4 REF: 082433geo NAT: G.GPE.B.4 TOP: Quadrilaterals in the Coordinate Plane

806 ANS: 1

$$36\pi = \frac{9\pi h}{3}$$

$$108 = 9h$$

$$12 = h$$

PTS: 2 REF: 082411geo NAT: G.GMD.A.3 TOP: Volume

KEY: cones

807 ANS:

$$6^2 = 2(x+2); 16+2 = 18$$

$$36 = 2x+4$$

$$32 = 2x$$

$$16 = x$$


PTS: 2 REF: 062330geo NAT: G.SRT.B.4 TOP: Similarity

808 ANS: 2

$$\frac{70}{360} \cdot 6^2 \pi = 7\pi$$

PTS: 2 REF: 082309geo NAT: G.C.B.5 TOP: Sectors

809 ANS: 4




PTS: 2 REF: 012305geo NAT: G.CO.C.10 TOP: Interior and Exterior Angles of Triangles

810 ANS: 4 PTS: 2 REF: 082301geo NAT: G.GMD.B.4

TOP: Cross-Sections of Three-Dimensional Objects

811 ANS:



$$-5 + \frac{2}{5}(5 - -5) \quad 1 + \frac{2}{5}(6 - 1) \quad (-1, 3)$$

$$-5 + \frac{2}{5}(10) \quad 1 + \frac{2}{5}(5)$$

$$-5 + 4 \quad 1 + 2$$

$$-1 \quad 3$$

PTS: 2 REF: 062327geo NAT: G.GPE.B.6 TOP: Directed Line Segments

812 ANS:

In quadrilateral $ABCD$, $\overline{AB} \cong \overline{CD}$ and $\overline{AB} \parallel \overline{CD}$, segments CE and AF are drawn to diagonal \overline{BD} such that $\overline{BE} \cong \overline{DF}$ (Given); $\angle ABF \cong \angle CDE$ (Parallel lines cut by a transversal form congruent interior angles); $\overline{EF} \cong \overline{FE}$ (Reflexive); $\overline{BE} + \overline{EF} \cong \overline{DF} + \overline{FE}$ (Addition); $\triangle AFB \cong \triangle CED$ (SAS); $\overline{CE} \cong \overline{AF}$ (CPCTC).

$$\overline{BF} \cong \overline{DE}$$

PTS: 4 REF: 012434geo NAT: G.SRT.B.5 TOP: Quadrilateral Proofs

813 ANS: 3

$$1) \frac{360}{3} = 120; 2) \frac{360}{6} = 60; 3) \frac{360}{8} = 45; 4) \frac{360}{9} = 40. \quad 120 \text{ is not a multiple of } 45.$$

PTS: 2 REF: 062320geo NAT: G.CO.A.3 TOP: Mapping a Polygon onto Itself

814 ANS: 2

$$A(-4, 3) \rightarrow A(-2, 4) \rightarrow A(-4, 8) \rightarrow E(-6, 7) \quad B(2, 1) \rightarrow B(4, 2) \rightarrow B(8, 4) \rightarrow F(6, 3)$$


PTS: 2 REF: 082412geo NAT: G.SRT.A.1 TOP: Line Dilations

815 ANS: 1

$$180 - 2(75) = 30$$

PTS: 2 REF: 082407geo NAT: G.CO.C.9 TOP: Lines and Angles

816 ANS:



$$x = -2 + \frac{3}{5}(8+2) = -2 + 6 = 4$$

$$y = 5 + \frac{3}{5}(-1-5) = \frac{25}{5} - \frac{18}{5} = \frac{7}{5}$$

PTS: 2 REF: 012328geo NAT: G.GPE.B.6 TOP: Directed Line Segments

817 ANS: 2 PTS: 2 REF: 062415geo NAT: G.GMD.B.4
TOP: Rotations of Two-Dimensional Objects818 ANS: 3 PTS: 2 REF: 012302geo NAT: G.GMD.B.4
TOP: Rotations of Two-Dimensional Objects


819 ANS: 4

$$x^2 = 3 \times 24$$

$$x = \sqrt{72}$$

PTS: 2 REF: 012315geo NAT: G.SRT.B.4 TOP: Similarity

820 ANS: 4

AA from diagram; SSS as the three corresponding sides are proportional;
SAS as two corresponding sides are proportional and an angle is equal.

PTS: 2 REF: 012324geo NAT: G.SRT.A.3 TOP: Similarity Proofs

821 ANS: 4

$$\left(\frac{-4+0}{2}, \frac{6+4}{2} \right) \rightarrow (-2, 5); \frac{6-4}{-4-0} = \frac{2}{-4} = -\frac{1}{2}; m_{\perp} = 2; y-5 = 2(x+2)$$

$$y = 2x + 4 + 5$$

$$y = 2x + 9$$

PTS: 2 REF: 062324geo NAT: G.GPE.B.5 TOP: Parallel and Perpendicular Lines
KEY: perpendicular bisector822 ANS: 4 PTS: 2 REF: 062422geo NAT: G.SRT.B.4
TOP: Similarity

823 ANS: 4

$$A: (-3-3, 4-5) \rightarrow (-6, -1) \rightarrow (-12, -2) \rightarrow (-12+3, -2+5)$$

$$B: (5-3, 2-5) \rightarrow (2, -3) \rightarrow (4, -6) \rightarrow (4+3, -6+5)$$

PTS: 2 REF: 012322geo NAT: G.SRT.A.1 TOP: Line Dilations

824 ANS: 3

$$\sin x = \frac{2.5}{5.5}$$

$$x \approx 27^\circ$$

PTS: 2 REF: 082406geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find an Angle

825 ANS: 4

$$V = \pi r^2 h \quad d \approx 6.129 \times 2 \approx 12.3$$

$$1180 = \pi r^2 \cdot 10$$

$$r^2 = \frac{1180}{10\pi}$$

$$r \approx 6.129$$

PTS: 2 REF: 062413geo NAT: G.GMD.A.3 TOP: Volume

KEY: cylinders

826 ANS: 4

Another equation of line t is $y = 3x - 6$. $-6 \cdot \frac{1}{2} = -3$

PTS: 2 REF: 012319geo NAT: G.SRT.A.1 TOP: Line Dilations

827 ANS:

$$\frac{1}{3} (5.7)^2 (7) \cdot 2.4 \approx 182$$

PTS: 2 REF: 082431geo NAT: G.MG.A.2 TOP: Density


828 ANS: 1

The lengths of the sides of a triangle remain the same after all rotations and reflections because rotations and reflections are rigid motions which preserve distance.

PTS: 2 REF: 012301geo NAT: G.CO.B.6 TOP: Properties of Transformations

KEY: graphics

829 ANS: 3



$$30 + 2x = 180$$

$$2x = 150$$

$$x = 75$$

PTS: 2

REF: 082315geo

NAT: G.CO.C.11

TOP: Interior and Exterior Angles of Polygons

830 ANS: 4

$$\sin 37 = \frac{7.6}{x}$$

$$x \approx 12.6$$

PTS: 2

REF: 062412geo

NAT: G.SRT.C.8

TOP: Using Trigonometry to Find a Side

831 ANS:

$$\tan 75 = \frac{y}{85} \quad \tan 35 = \frac{x}{85} \quad 317.2 + 59.5 \approx 377$$

$$y \approx 317.2 \quad h \approx 59.5$$

PTS: 4

REF: 012432geo

NAT: G.SRT.C.8

TOP: Using Trigonometry to Find a Side

832 ANS:

$$\tan^{-1}\left(\frac{4}{12}\right) \approx 18$$

PTS: 2

REF: 012327geo

NAT: G.SRT.C.8

TOP: Using Trigonometry to Find an Angle

833 ANS: 3

PTS: 2

REF: 062407geo

NAT: G.CO.B.6

TOP: Properties of Transformations

834 ANS: 1

$$V = \pi r^2 h = \pi \cdot 5^2 \cdot 8 \approx 200\pi$$

PTS: 2

REF: 082304geo

NAT: G.GMD.A.3

TOP: Volume

KEY: cylinders

835 ANS: 3

$$\cos x = \frac{8}{25}$$

$$x \approx 71$$

PTS: 2

REF: 082303geo

NAT: G.SRT.C.8

TOP: Using Trigonometry to Find an Angle

836 ANS: 2 PTS: 2 REF: 062301geo NAT: G.GMD.B.4
TOP: Cross-Sections of Three-Dimensional Objects

837 ANS:

$$\frac{22 \times 38 \times 15 + \frac{1}{3}(38 \times 15 \times 12)}{2400} \approx 6.2$$

PTS: 4 REF: 062432geo NAT: G.GMD.A.3 TOP: Volume
KEY: compositions

838 ANS: 4 PTS: 2 REF: 082410geo NAT: G.SRT.B.5
TOP: Triangle Congruency

839 ANS: 4
 $\frac{180(8-2)}{8} = 135$

PTS: 2 REF: 082415geo NAT: G.CO.A.3 TOP: Mapping a Polygon onto Itself
840 ANS: 1

$$.5 \text{ ft}^3 \times \frac{1728 \text{ in}^3}{1 \text{ ft}^3} = 864 \text{ in}^3 \quad \frac{43 \text{ in} \times 30 \text{ in} \times 9 \text{ in}}{864 \text{ in}^3} \approx 13.4$$

PTS: 2 REF: 012419geo NAT: G.GMD.A.3 TOP: Volume
KEY: prisms

841 ANS: 2
 $V = \frac{1}{3} \pi \cdot (2.5)^2 \cdot 7.2 \cong 47.1$

PTS: 2 REF: 062303geo NAT: G.GMD.A.3 TOP: Volume
KEY: cones

842 ANS: 4
 $\frac{140}{360} \cdot 9^2 \pi = 31.5\pi$

PTS: 2 REF: 012317geo NAT: G.C.B.5 TOP: Sectors
843 ANS: 1 PTS: 2 REF: 062423geo NAT: G.CO.C.11
TOP: Special Quadrilaterals


844 ANS:
 $\frac{102}{360} (\pi) (38^2) \approx 1285$

PTS: 2 REF: 012426geo NAT: G.C.B.5 TOP: Sectors

845 ANS:
 $4x + 3 + 2x - 9 = 90$
 $6x - 6 = 90$
 $6x = 96$
 $x = 16$

PTS: 2 REF: 012531geo NAT: G.SRT.C.7 TOP: Cofunctions

846 ANS: 3



PTS: 2 REF: 062306geo NAT: G.CO.C.11 TOP: Interior and Exterior Angles of Polygons

847 ANS: 1

$$\cos S = \frac{12.3}{13.6}$$

$$S \approx 25^\circ$$

PTS: 2 REF: 062304geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find an Angle

848 ANS: 2 PTS: 2 REF: 012420geo NAT: G.CO.C.11

TOP: Special Quadrilaterals

849 ANS: 1 PTS: 2 REF: 082320geo NAT: G.C.A.2

TOP: Chords, Secants and Tangents KEY: secants drawn from common point, length

850 ANS: 3

$$25 + \frac{12 \times 24 \times 14}{27.7} \approx 171$$

PTS: 2 REF: 082423geo NAT: G.MG.A.2 TOP: Density

851 ANS:

$$\tan 53 = \frac{f}{91}$$

$$f \approx 120.8$$


PTS: 2 REF: 082327geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side

852 ANS: 4

$$4 + 4 > 7$$

PTS: 2 REF: 062421geo NAT: G.CO.C.10 TOP: Triangle Inequality Theorem

853 ANS: 4



PTS: 2 REF: 082324geo NAT: G.SRT.B.5 TOP: Similarity
KEY: basic

854 ANS: 3

$$3 \times 10 \times \frac{3}{12} = 7.5 \text{ ft}^3 \quad \frac{7.5}{2} = 3.75 \quad 4 \times 3.66 = 14.64$$

PTS: 2 REF: 062311geo NAT: G.GMD.A.3 TOP: Volume
KEY: prisms

855 ANS: 2

$$\frac{\frac{1}{3} \pi (6)^2 13}{2} \approx 245$$

PTS: 2 REF: 062408geo NAT: G.GMD.A.3 TOP: Volume
KEY: cones

856 ANS: 4

$\angle 6$ and $\angle 9$ are alternate interior angles; since congruent, $\ell \parallel m$. $\angle 9$ and $\angle 11$ are corresponding angles; since congruent, $n \parallel p$. Both pairs of opposite sides are parallel.

PTS: 2 REF: 082319geo NAT: G.CO.C.11 TOP: Parallelograms

857 ANS: 4

$$(3)(4)(1.8)^2 \approx 38.9$$

PTS: 2 REF: 082420geo NAT: G.SRT.A.2 TOP: Dilations

858 ANS: 3

The measures of the angles of a triangle remain the same after a translation because translations are rigid motions which preserve angle measure.

PTS: 2 REF: 082401geo NAT: G.CO.B.6 TOP: Properties of Transformations

859 ANS: 2

$$19.9 = \pi d \frac{4}{3} \pi \left(\frac{19.9}{2\pi} \right)^3 \approx 133$$

$$\frac{19.9}{\pi} = d$$

PTS: 2 REF: 012310geo NAT: G.GMD.A.3 TOP: Volume

KEY: spheres

860 ANS: 3

3) Could be an isosceles trapezoid.

PTS: 2 REF: 012318geo NAT: G.CO.C.11 TOP: Parallelograms

861 ANS: 2 PTS: 2 REF: 082311geo NAT: G.SRT.C.7

TOP: Cofunctions

862 ANS: 4 PTS: 2 REF: 082422geo NAT: G.GMD.B.4

TOP: Cross-Sections of Three-Dimensional Objects

863 ANS: 4 PTS: 2 REF: 062321geo NAT: G.SRT.B.4

TOP: Side Splitter Theorem


864 ANS: 4

The slope of a line in standard form is $-\frac{A}{B}$ so the slope of this line is $\frac{3}{5}$. Perpendicular lines have slope that are the opposite and reciprocal of each other.

PTS: 2 REF: 012313geo NAT: G.GPE.B.5 TOP: Parallel and Perpendicular Lines

KEY: find slope of perpendicular line

865 ANS:



PTS: 2 REF: 082329geo NAT: G.CO.D.12 TOP: Constructions

KEY: line bisector

866 ANS:

$$142.5. K = \frac{1}{2}(16)(21) \sin 58^\circ \approx 142.5$$

PTS: 2 REF: 080226b NAT: G.SRT.D.9 TOP: Using Trigonometry to Find Area

KEY: basic

867 ANS: 2

$$\frac{1}{3}(36)(10)(2.7) = 324$$

PTS: 2

REF: 082312geo

NAT: G.MG.A.2

TOP: Density

868 ANS: 1

PTS: 2

REF: 082413geo

NAT: G.CO.A.2

TOP: Identifying Transformations

869 ANS: 4

$$8^2 = 4x$$

$$64 = 4x$$

$$16 = x$$

PTS: 2

REF: 062416geo

NAT: G.SRT.B.4

TOP: Similarity

870 ANS: 1

$$m = \frac{4 - -4}{-4 - 2} = \frac{8}{-6} = -\frac{4}{3}$$

$$m_{\perp} = \frac{3}{4}$$

PTS: 2

REF: 082418geo

NAT: G.GPE.B.5

TOP: Parallel and Perpendicular Lines

KEY: write equation of perpendicular line

871 ANS: 1

$$6^2 = 4x$$

$$x = 9$$

PTS: 2

REF: 012412geo

NAT: G.SRT.B.4

TOP: Similarity

872 ANS: 2

$$\triangle ACB \sim \triangle AED$$

PTS: 2

REF: 012308geo

NAT: G.SRT.B.4

TOP: Side Splitter Theorem

873 ANS:

$$\frac{1}{2}(5)(L)(4) = 70$$

$$10L = 70$$

$$L = 7$$

PTS: 2


REF: 012330geo

NAT: G.GMD.A.3

TOP: Volume

KEY: prisms

874 ANS:



PTS: 2 REF: spr2405geo NAT: G.CO.A.2

TOP: Analytical Representations of Transformations

KEY: graphics

875 ANS: 2 PTS: 2 REF: 082322geo NAT: G.CO.A.2

TOP: Identifying Transformations

876 ANS:

$$T_{2,-7} \circ r_{y\text{-axis}}$$

PTS: 2 REF: 062427geo NAT: G.CO.A.5 TOP: Compositions of Transformations

877 ANS:

 $T_{4,-4}$, followed by a 90° clockwise rotation about point D .

PTS: 2 REF: 062326geo NAT: G.CO.A.5 TOP: Compositions of Transformations

878 ANS:

$\triangle AEB$ and $\triangle DFC$, \overline{ABCD} , $\overline{AE} \parallel \overline{DF}$, $\overline{EB} \parallel \overline{FC}$, $\overline{AC} \cong \overline{DB}$ (given); $\angle A \cong \angle D$ (Alternate interior angles formed by parallel lines and a transversal are congruent); $\angle EBA \cong \angle FCD$ (Alternate exterior angles formed by parallel lines and a transversal are congruent); $\overline{BC} \cong \overline{BC}$ (reflexive); $\overline{AB} \cong \overline{CD}$ (segment subtraction); $\triangle EAB \cong \triangle FDC$ (ASA)

PTS: 4 REF: 012333geo NAT: G.SRT.B.5 TOP: Triangle Proofs

KEY: proof

879 ANS: 1

$$m_{\overline{AB}} = \frac{-3-5}{-1-6} = \frac{-8}{-7} = \frac{8}{7}$$

PTS: 2 REF: 062315geo NAT: G.GPE.B.4 TOP: Quadrilaterals in the Coordinate Plane

880 ANS: 2

$$m = \frac{-4}{-5} = \frac{4}{5}$$

$$m_{\perp} = -\frac{5}{4}$$

PTS: 2 REF: 082308geo NAT: G.GPE.B.5 TOP: Parallel and Perpendicular Lines

KEY: write equation of perpendicular line

881 ANS: 3

The half diagonals have lengths of 6 and 8, so each side of $ABCD$ is 10.

PTS: 2 REF: 012417geo NAT: G.CO.C.11 TOP: Parallelograms

882 ANS: 3 PTS: 2 REF: 062307geo NAT: G.SRT.B.4

TOP: Side Splitter Theorem

883 ANS: 2

$$7 \times 4 - \frac{1}{2} \left((7)(1) + (3)(4) + (4)(3) \right) = 28 - \frac{7}{2} - 6 - 6 = 12.5$$

PTS: 2 REF: 012407geo NAT: G.GPE.B.7 TOP: Polygons in the Coordinate Plane

884 ANS: 4

$$\frac{360}{6} = 60 \text{ and } 300 \text{ is a multiple of } 60.$$

PTS: 2 REF: 082306geo NAT: G.CO.A.3 TOP: Mapping a Polygon onto Itself

885 ANS: 4

$$\sin 30 = \frac{x}{75}$$

$$x = 37.5$$

PTS: 2 REF: 012411geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side

886 ANS:

$$x^2 = 12 \cdot 48$$

$$x = 24$$

PTS: 2 REF: 062428geo NAT: G.C.A.2 TOP: Chords, Secants and Tangents

KEY: secant and tangent drawn from common point, length

887 ANS: 3

$$\frac{x}{13} = \frac{3}{8}$$

$$8x = 39$$

$$x \approx 4.9$$

PTS: 2 REF: 082405geo NAT: G.SRT.B.4 TOP: Side Splitter Theorem

888 ANS: 2

$$x_0 = \frac{kx_1 - x_2}{k - 1} = \frac{\frac{1}{3}(-4) - 0}{\frac{1}{3} - 1} = \frac{-\frac{4}{3}}{\frac{-2}{3}} = 2 \quad y_0 = \frac{ky_1 - y_2}{k - 1} = \frac{\frac{1}{3}(0) - -2}{\frac{1}{3} - 1} = \frac{2}{\frac{-2}{3}} = -3$$

PTS: 2 REF: 062313geo NAT: G.SRT.A.2 TOP: Dilations

889 ANS: 4

$$x^2 + 6x + y^2 - 2y = -1$$

$$x^2 + 6x + 9 + y^2 - 2y + 1 = -1 + 9 + 1$$

$$(x + 3)^2 + (y - 1)^2 = 9$$

PTS: 2 REF: 062309geo NAT: G.GPE.A.1 TOP: Equations of Circles

KEY: completing the square

890 ANS: 1 PTS: 2 REF: 012418geo NAT: G.SRT.B.4

TOP: Similarity